

Paula Goodman Maccabee, Esq.

Just Change Law Offices

1961 Selby Ave., St. Paul, Minnesota 55104, pmaccabee@justchangelaw.com
Ph: 651-646-8890, Fax: 651-646-5754, Cell 651-775-7128

http://justchangelaw.com

August 26, 2016

Miranda Nichols (Miranda.nichols@state.mn.us) Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, MN 55155

RE: Minnesota 2016 Draft Clean Water Act Section 303(d) Impaired Waters List

Dear Ms. Nichols,

The following comments on the Minnesota Pollution Control Agency (MPCA) 2016 Draft Impaired Waters Clean Water Act Section 303(d) List are submitted on behalf of WaterLegacy, a non-profit organization formed to protect Minnesota waters and the communities that rely on them.

First, WaterLegacy appreciates the listing of new draft impaired waters in the Lake Superior Basin that are impaired due to mercury in fish tissue and the water column. We've noted that the MPCA has identified the Partridge River from its headwaters to the St. Louis River as impaired for mercury in fish tissue and in the water column, and that three new segments of the St. Louis River (West Two River, East Two River, and Swan River) and three new segments of the Cloquet River are newly listed for mercury in the water column and/or mercury in fish tissue.

We believe that the MPCA's identification of these additional mercury-impaired waters highlights the need to prevent additional discharge of mercury and production and transport of methylmercury in the Lake Superior Basin. The listing of these additional mercury impairments underscores the need to control mercury releases, sulfate releases and hydrological changes to wetlands throughout the St. Louis River watershed in order to protect human health and wildlife and to prevent disproportionate adverse impacts on tribal and low income communities downstream that rely on fish for subsistence.

Although WaterLegacy was pleased to note that the target start year for Total Maximum Daily Load (TMDL) studies to evaluate and set load allocations to remedy these newly-listed mercury impairments is 2016, we were dismayed at the target completion year of 2029. Mercury is a bioaccumulative toxin that affects the developing brains of fetuses, infants and children; this 2029 target date is too remote to protect human health.

WaterLegacy has previously expressed our concern about the MPCA's disruption of the St. Louis River mercury TMDL process in 2013, which resulted in the loss of dedicated federal funding. We would request that a mercury TMDL study for all segments of the St. Louis River impaired due to mercury in fish and/or mercury in the water column be resumed immediately and that the target date for completion of this TMDL study and load allocation be advanced to 2019. We believe that Agency resources must be secured and prioritized to support this mercury TMDL and prevent continuing threats to human health in the St. Louis River watershed.

In addition, despite MPCA commitments to the U.S. Environmental Protection Agency (EPA) and to persons submitting comments on Minnesota's Section 303(d) list since 2012, the MPCA's 2016 Impaired Waters list fails to list even a single wild rice water impaired due to sulfate pollution exceeding Minnesota's existing water quality standards.

WaterLegacy has commented on the failure of the MPCA to list wild rice impaired waters since 2012. In response to many comments concerning the Agency's failure to list wild rice impaired waters in 2012, the Agency explained that listing wild rice waters had been a lower priority than listing Class 2 impairments, but that an assessment methodology would be developed for determining which waters had an ambient 10 mg/liter sulfate level, and which waters were "used for production of wild rice during periods when the rice may be susceptible to damage by high sulfate levels" as provided in Minnesota Rules 7050.0224, Subpart 2.²

The MPCA explained that an assessment methodology was needed to identify wild rice sulfate impaired waters, and that this method would be developed for the 2014 Impaired Waters List:

Given these questions/information gaps, the MPCA was not in a position to assess sulfate impairment for the 2012 303(d) List. However, the MPCA is very much aware of the concern about sulfate and wild rice, and the MPCA plans to develop a wild rice sulfate standard assessment method to use in the development of the draft 2014 303(d) List.³

EPA's Decision Document approving Minnesota's 2012 Section 303(d) list documented MPCA's commitment to develop and apply an assessment approach for wild rice/sulfate impaired waters in 2014:

MPCA committed to the development of a wild rice/sulfate impaired waters assessment approach for the 2014 listing cycle within its response to public comments received for the 2012 303(d) list and in subsequent communications with EPA. MPCA also committed to utilizing this wild rice/sulfate impaired waters assessment approach to analyze and assess water quality data for potential impairment of the sulfate water quality standard for the 2014 listing cycle.⁴

In 2014, MPCA again failed to list any wild rice impaired waters, although the Agency had developed an assessment methodology and a preliminary list of priority wild rice/sulfate impaired waters in August 2013, as explained in WaterLegacy's February 10, 2014 comments on Minnesota's Draft 2014 Section 303(d) list. (Exhibit 3).

On April 25, 2014, the EPA deferred approval or disapproval of Minnesota's 2014 Section 303(d) list until an addendum listing wild rice/sulfate impaired waters had been supplied.⁵ To

¹ Exhibits 1 through 5 attached herein are WaterLegacy comments and follow-up letters pertaining to Minnesota's Section 303(d) lists of 2012 and 2014, which are dated February 20, 2012; March 3, 2013; February 10, 2014; April 25, 2014 and November 12, 2014.

² MPCA, Responses to Draft 2012 303(d) List Comments, Sept. 17, 2012, pp. 1-2, attached as Exhibit 6.

⁴ EPA, Decision Document for Approval of Minnesota's 2012 Section 303(d) List, July 25, 2013, attached as Exhibit 7, p. 29.

⁵ EPA, Letter to MPCA regarding Minnesota Draft 2014 Section 303(d) List, Apr. 25, 2014, attached as Exhibit 8.

date, more than two years later, the MPCA has supplied no addendum listing wild rice/sulfate impaired waters.

By November 18, 2014, when the MPCA responded to WaterLegacy's May and November requests for an update on the 2014 Section 303(d) process, the MPCA had shifted its position so that listing of wild rice/sulfate impaired waters would wait not just for an assessment methodology under the existing wild rice sulfate standard but for the Agency's determination of "what, if any, changes may be needed to the wild rice sulfate standard" after "the analysis of the standard is complete." At that time, the MPCA explained, the resulting methodology "will ultimately be used to determine whether any water used for the production of wild rice needs to be added to the draft 2014 Impaired Waters List."

WaterLegacy's July 2, 2015 Petition to the EPA for Withdrawal of Minnesota NPDES Program Authority and our 445 pages of attached exhibits⁸ has underscored the undue influence of mining companies and their political supporters on preventing implementation of Minnesota's existing wild rice sulfate standard. In the fall of 2013, mining industry representatives requested the MPCA to delay listing of wild rice/sulfate impaired waters as "premature" due to ongoing research and potential rulemaking to change the existing 10 mg/L wild rice sulfate standard.9 MPCA had apparently accepted this position by November 18, 2014, when the Agency responded to WaterLegacy's request for an update on the 2014 Section 303(d) list.

In 2015, the Minnesota Legislature prohibited the MPCA from listing wild rice/sulfate impaired waters applying Minnesota's existing wild rice sulfate standard. Minnesota's "Wild Rice Water Quality Standards" 2015 Session Law states,

(2) the agency [MPCA] shall not list waters containing natural beds of wild rice as impaired for sulfate under section 303(d) of the federal Clean Water Act, United States Code, title 33, section 1313 until the rulemaking described in this paragraph [to amend Minnesota's existing wild rice sulfate standard takes effect. 10

The position proposed by the MPCA in November 2014 and imposed by the Minnesota Legislature in 2015 conflicts with the Clean Water Act, EPA's interpretation of its own federal regulations, and legal precedent. See Thomas v. Jackson, 581 F. 3d 658, 668-669 (8th Cir. 2009) ("[W]aiting for revisions to the standards would result in continued delays in producing any § 303(d) list. Concerns that a particular list will be based on imperfect, though approved, standards are mitigated by the periodic nature of the list.")

On the basis of the above analysis and the exhibits attached with our comments, WaterLegacy urges the MPCA to immediately resume the St. Louis River mercury TMDL and to revise the

⁶ See attached Exhibits 4 and 5.

⁷ MPCA Letter to WaterLegacy, Minnesota 2014 Impaired Waters List – Request for Update, Nov. 18, 2014, attached as Exhibit 10, emphasis added.

⁸ Petition for Withdrawal of Minnesota NPDES Program Authority and Exhibits are available at NPDES Petition for Program Withdrawal in Minnesota, https://www.epa.gov/mn/npdes-petition-program-withdrawal-minnesota. Selected exhibits pertinent to Section 303(d) listing are attached as Exhibit 9 to these comments.

⁹ Exhibits from WaterLegacy's Petition for Withdrawal of Minnesota NPDES Program Authority pertaining to the

listing of wild rice/sulfate impaired waters are attached in Exhibit 9.

¹⁰ Laws of Minnesota 2015, 1st Spec. Sess. Chapter 4, Article 4, Section 136 (a)(2) included in Exhibit 9.

WaterLegacy Comment MN 303(d) list 2016 August 26, 2016 page 4

target dates for completion of TDML studies in the Lake Superior Basin, beginning with a priority to complete a St. Louis River mercury TMDL by 2019.

We further request that the MPCA immediately list wild rice/sulfate impaired waters based on the existing wild rice sulfate standard in Minnesota Rules 7050.0224, Subpart 2 and existing monitoring of ambient sulfate rates and the presence of wild rice in priority locations. If the MPCA perceives that, under 2015 Minnesota Session Laws, the Agency is prohibited from listing wild rice/sulfate waters unless and until the existing sulfate water quality standard is amended, the MPCA should clearly state this conclusion as the reason for this deficiency in the Minnesota 2016 Section 303(d) Impaired Waters list.

Please feel free to contact me if you have any questions regarding WaterLegacy's comment or the attached materials.

Respectfully submitted,

Paula Goodman Maccabee

Advocacy Director/Counsel for WaterLegacy

Exhibits Enclosed

cc: Tinka Hyde, EPA Region 5 Water Quality Division Director

Peter Swenson, EPA Region 5, Wetlands and Watersheds Branch Chief

Paul Proto, EPA Region 5, Watersheds Section Barbara Wester, EPA Region 5, Regional Counsel

EXHIBITS

WaterLegacy Comment
Minnesota 2016 Draft Clean Water Act Section 303(d) Impaired Waters List
(August 26, 2016)

- Exhibit 1 WaterLegacy Comment Minnesota 2012 Draft Section 303(d) Impaired Waters List (Feb. 20, 2012) (2 pages)
- Exhibit 2 WaterLegacy Comment Wild Rice Impaired Waters Priorities for Assessment (Mar. 13, 2013) (2 pages)
- Exhibit 3 WaterLegacy Comment Minnesota 2014 Draft Section 303(d) Impaired Waters List with attached enclosures (Feb. 10, 2014) (49 pages)
- Exhibit 4 WaterLegacy Update Request Minnesota 2014 Draft Section 303(d) Impaired Waters List with attached enclosures (May 28, 2014) (20 pages)
- Exhibit 5 WaterLegacy Update Request Minnesota 2014 Draft Section 303(d) Impaired Waters List (Nov. 12, 2014) (1 page)
- Exhibit 6 MPCA Comment Responses Excerpt Minnesota 2012 Draft Section 303(d) Impaired Waters List (Sept. 17, 2012) (3 pages)
- Exhibit 7 EPA Letter to MPCA and Decision Document on Minnesota 2012 Draft Section 303(d) Impaired Waters List (July 25, 2013) (34 pages)
- Exhibit 8 EPA Letter to MPCA regarding Minnesota 2014 Draft Section 303(d) Impaired Waters List (Apr. 25, 2014) (2 pages)
- Exhibit 9 WaterLegacy Petition for Withdrawal of Minnesota NPDES Program Authority Selected Exhibits (July 2, 2015) (17 pages)
- Exhibit 10 MPCA Response to WaterLegacy Update Request regarding Minnesota 2014 Draft Section 303(d) Impaired Waters List (Nov. 8, 2014)(2 pages)



Paula Goodman Maccabee, Esq.

Just Change Law Offices

1961 Selby Ave., St. Paul, Minnesota 55104, pmaccabee@justchangelaw.com
Ph: 651-646-8890, Fax: 651-646-5754, Cell 651-775-7128

http://justchangelaw.com

February 20, 2012

Howard D. Markus, Ph.D., P.E. (howard.markus@state.mn.us) Research Scientist 3/Aquatic Ecologist MN Pollution Control Agency

Re: Minnesota's Draft 2012 303(d) List of Impaired Waters

Dear Dr. Markus,

These comments are submitted on behalf of WaterLegacy, a non-profit group formed to protect Minnesota's water resources and the communities that depend on them. WaterLegacy has had the opportunity to review Minnesota's Draft 2012 list of Impaired Waters designated pursuant to Section 303(d) of the Clean Water Act, 33 U.S.C. §1313(d).

Water Legacy appreciates the progress made by the Minnesota Pollution Control Agency (MPCA) in 2012 to identify additional waters that are impaired for mercury contamination and to identify waters that are impaired for inability to sustain aquatic life. We noted that in the Arrowhead Region alone, 105 new designations were made of waters impaired for aquatic life as indicated in bioassessments of fish or macroinvertebrates. Residents, anglers and tribal members have long been concerned about the impacts of mining discharge, including sulfates and toxic metals, on aquatic ecosystems. Designating waters impaired for aquatic life is an important step in determining pollutants to which the impairments can be attributed, setting limits to protect aquatic uses and restoring the viability of designated uses.

Recognizing the importance of restoring designated uses that have been impaired by mining pollution, WaterLegacy is troubled by the MPCA's failure to identify waters where Minnesota's water quality standard limiting sulfates to 10 milligrams per liter (mg/L) is exceeded and where the propagation and maintenance of natural wild rice stands has been degraded and impaired.

Under the Clean Water Act, the Impaired Waters list must identify waters not meeting designated uses, waters where calculations or predictions indicate nonattainment of water quality standards, waters for which water quality problems have been reported by the public or other agencies, and waters identified by the state as impaired or threatened in a nonpoint assessment. 40 C.F.R. § 130.7(b)(5). The purpose of identifying impaired waters under the Clean Water Act is to create a framework where states prioritize among impaired waters based on the severity of the pollution and the uses to be made of such waters and then determine the total maximum daily load (TMDL) to which pollutants must be limited to attain applicable water quality standards. 33 U.S.C. § 1313(d); 40 C.F.R. §130.7(d)(1).

Minnesota rules recognize the designated use of Class 4 waters for the propagation and maintenance of natural stands of wild rice, stating that the quality of waters and habitat "necessary to support the propagation and maintenance of wild rice plant species must not be materially impaired or degraded." Minn. R. 7050.0224, subp. 1. A water quality based standard limiting sulfates in waters used for the production of wild rice to 10 mg/L has been in effect since 1973 to protect this beneficial use. Minn. R. 7050.0224, Subp. 2.

Comment on 2012 Impaired Waters List February 20, 2012 Page 2

The MPCA has several sources of information from which to make an identification of waters not meeting their designated uses for the propagation and maintenance of wild rice:

- Certain selected wild rice waters are identified in rule to call attention to the need for
 protection of this vital designated use. These include St. Louis River, Artichoke Lake,
 Bluebill Lake, Breda Lake, Cabin Lake, Caribou Lake, Christine Lake, Fourmile Lake,
 Hay Lake, Lieuna Lake, Long Lake, Marsh Lake, Moore Lake, Northern Light Lake,
 Papoose Lake, Rice Lake, Round Island Lake, Round Lake, Seven Beaver Lake, Stone
 Lake, Skibo Lake, Swamp River, and White Pine Lake. Minn. R 7050.0470.
- Additional wild rice waters were identified in a 2008 report by the Minnesota Department of Natural Resources to the Legislature, which found stands of natural wild rice on 1,292 lakes and segments of rivers and streams in Minnesota.
- The 1854 Treaty Authority also maintains a list of wild rice waters within the 1854 Ceded Territory that lists hundreds of rivers, streams and lakes, including the St. Louis River, Partridge River, Embarrass River, and Birch Lake.
- Surveys and investigations in connection with NPDES/SDS permits and environmental review have identified wild rice waters, including Swan Lake, Swan River, Hay Creek, Hay Lake, the Partridge River, Embarrass River, Embarrass Lake, Cedar Island Lake, Esquagama Lake, St. Louis River and Birch Lake.

The MPCA has monitoring data and reports from the public and from other State and tribal agencies confirming that many known wild rice waters are not meeting designated wild rice uses and are not attaining water quality standards limiting sulfates in wild rice waters.

Much of the impairment of wild rice uses is attributable to high levels of sulfates discharged to surface waters from mine pits, waste rock piles and tailings basins. As stated in the PolyMet NorthMet DEIS, "[i]t has long been known that sulfate concentrations in the St. Louis River are sometimes elevated due, most likely, to mining related sulfate releases." DEIS, at 4.1-194. "Sulfate concentrations in waters draining non-mining impacted watersheds ranged from 3.4 to 5.8 mg/L, whereas sulfate concentrations in tributaries from mining impacted watersheds ranged from 22 to 127 mg/L. *Id*.

WaterLegacy commends the MPCA for new listings of waters impaired for aquatic life, a critical step in determining what limits on salts and toxic metals are needed to protect fish and the aquatic ecosystem. WaterLegacy believes that the Clean Water Act requires a similar rigorous undertaking to list Minnesota waters that are impaired due to their exceedance of water quality standards that protect natural stands of wild rice. Failure of the Agency to identify these impaired waters places wild rice waters and habitats at risk.

In addition to the preceding comments, WaterLegacy joins in comments filed by Center for Biological Diversity on February 17, 2012. Please feel free to call me if you have any questions.

Sincerely,

Paula Goodman Maccabee

Paula 9 Maccabo

Counsel/Advocacy Director for WaterLegacy



Paula Goodman Maccabee, Esq.

Just Change Law Offices

1961 Selby Ave., St. Paul, Minnesota 55104, pmaccabee@justchangelaw.com
Ph: 651-646-8890, Fax: 651-646-5754, Cell 651-775-7128

http://justchangelaw.com

March 13, 2013

Katrina Kessler (Katrina.Kessler@state.mn.us)
Section Manager, Environmental Analysis & Outcomes
Minnesota Pollution Control Agency
520 Lafavette Road N
St. Paul, MN 55155-4194

Shannon Lotthammer (Shannon.Lotthammer@state.mn.us) Division Director, Environmental Analysis & Outcomes Minnesota Pollution Control Agency 520 Lafavette Road N St. Paul, MN 55155-4194

RE: Wild Rice Impaired Waters – Priorities for 2013-2014 Assessment

Dear Ms. Kessler, Ms. Lotthammer:

As you know, WaterLegacy was among the environmental groups and other stakeholders who objected to the failure of the Minnesota Pollution Control Agency (MPCA) to list any waters impaired for the growth and propagation of wild rice in its 2012 Clean Water Act Section 303(d) list.

At the January 2013 meeting of the Wild Rice Advisory Committee, MPCA staff informed Advisory Committee members that the MPCA would begin in spring 2013 to assess waters that are impaired for wild rice. Staff briefly discussed that they would need to prioritize which waters to evaluate in order to make progress in identifying impaired waters in time to list them in the 2014 Clean Water Act Section 303(d) list.

On behalf of WaterLegacy, we are submitting a list of priority wild rice waters for MPCA assessment and potential inclusion on Minnesota's Section 303(d) list. We would recommend that the MPCA focus its attention first on waters where some data has been collected, waters where the wild rice is presently at risk or is likely to be at risk due to proposed discharge conditions, and waters that are of particular significance to native and non-native ricers.

WaterLegacy would suggest that MPCA begin its evaluation by assessing the following waters to determine if they should be included in the 2014 wild rice impaired waters list. We would request that sediment phytolith data and oral history as well as observation be used determine if wild rice has grown in these waters. Where rivers are listed below, we would request that assessment define and focus on river reaches with habitat suitable for the growth of wild rice.

Partridge River Embarrass River St Louis River, from River Mile 160 to Minnesota border Embarrass River chain of lakes to St. Louis River confluence Longnose Creek Second Creek Wild Rice Impaired Waters March 13, 2013 Page 2

Spring Mine Creek

Unnamed Creek (north of the LTVSMC tailings basin)

Rice Farm Creek/Unnamed Creek (west of LTVSMC tailings basin)

Sabin Lake

Hay Creek (near O'Brien Diversion Channel)

Hay Lake (near O'Brien Diversion Channel)

Swan Lake

Swan River

O'Brien Creek

Welcome Creek

Sandy River

Vermillion River

Lake Vermillion

Pike River

Two West River

East Two River

Kinney Creek

Twin Lakes (Sandy and Little Sandy)

Clover Lake

Little Tony Lake

Perch Lake

Stone Lake

East Stone Lake

Anchor Lake

Birch Lake

Kawishiwi River

We understand that the MPCA has not finalized its methodology to assess waters impaired for the production of wild rice due to sulfate discharge. WaterLegacy would request as of today and on a continuing basis that you provide us with any and all documents reflecting the proposed assessment methods that the MPCA will use for determining wild rice waters impaired as a result of sulfate discharge. We would be pleased to receive electronic copies of these documents.

Please feel free to contact me if you have any questions regarding our requests or if you would like additional information to identify the bodies of water named above. Thank you.

Sincerely yours,

Paula Goodman Maccabee

aula Macabe

cc: Chris Wagener, U.S. EPA Region 5 (Wagener.Christine@EPA.gov)

Paul Proto, U. S. EPA Region 5 (Proto.Paul@EPA.gov)



Paula Goodman Maccabee, Esq.

Just Change Law Offices

1961 Selby Ave., St. Paul, Minnesota 55104, pmaccabee@justchangelaw.com
Ph: 651-646-8890, Fax: 651-646-5754, Cell 651-775-7128

http://justchangelaw.com

February 10, 2014

Miranda Nichols (<u>miranda.nichols@state.mn.us</u>) Minnesota Pollution Control Agency 520 Lafayette Rd N St. Paul, MN 55155

RE: Minnesota Pollution Control Agency Draft 2014 Impaired Waters List

Dear Ms. Nichols:

The following comments on the Minnesota Pollution Control Agency (MPCA) 2014 Draft Impaired Waters List are submitted on behalf of WaterLegacy, a non-profit organization formed to protect Minnesota waters and the communities that rely on them.

First, WaterLegacy appreciates the MPCA's expanded listing of waters that are impaired for aquatic life as a result of fishes bioassessments and aquatic macroinvertebrates bioassessments; impaired for aquatic consumption due to mercury in fish tissue; and /or impaired for aquatic recreation as a result of e. coli or eutrophication indicators. We support the MPCA's continued efforts to identify use impairments that affect Minnesota waters.

WaterLegacy also supports the immediate listing of wild rice impaired waters on Minnesota's 2014 Clean Water Act Section 303(d) Impaired Waters List, as requested by our members and many other stakeholders after the 2012 impaired waters listing. We would make the following requests:

- 1. That all wild rice impaired waters preliminarily identified in the MPCA's August 2103 spreadsheet be listed without further delay on Minnesota's 2014 Section 303(d) Impaired Waters List.
- 2. That the additional wild rice impaired waters identified in the PolyMet NorthMet Supplemental Draft Environmental Impact Statement ("PolyMet SDEIS") be listed on Minnesota's 2014 Clean Water Act Section 303(d) Impaired Waters List.
- 3. That the MPCA commit to continued and ongoing investigation and listing of additional wild rice impaired waters using more comprehensive assessment criteria.

WaterLegacy would also request that the MPCA prioritize listing of waters that are impaired for aquatic consumption due to mercury in the Lake Superior Basin. This prioritization is needed to respond to the level of risk to Minnesota infants documented by the Minnesota Department of Health in its recent study showing that 1 out of 10 newborns in Minnesota's Lake Superior region had unsafe levels of mercury in their blood. In this light, WaterLegacy requests:

• That the Partridge River and Embarrass River be included on Minnesota's 2014 Impaired Waters List for aquatic consumption due to mercury in the water column.

Wild Rice Impaired Waters Listing

Federal law requires that states must submit to the EPA the list of water quality impaired waterbodies and TMDLs for these waterbodies. 33 U.S.C. § 1313(d); 40 C.F.R. § 130.7(b)(1) (states obligated to identify all waters within its boundaries for which pollution controls are not stringent enough to implement any water quality standard applicable to such waters). Further, states must assemble and evaluate all existing and readily available water quality related data and information in order to identify all water quality limited segments. 40 C.F.R. § 130.7(b)(5).

In developing Section 303(d) lists, States are required to assemble and evaluate all existing and readily available water quality-related data and information, including, at a minimum, consideration of existing and readily available data and information about the following categories of waters: (1) waters identified as partially meeting or not meeting designated uses, or identified as threatened; (2) waters for which dilution calculations or predictive modeling indicate nonattainment of applicable standards; (3) waters for which water quality problems have been reported by governmental agencies, members of the public, or academic institutions; and (4) waters identified as impaired or threatened in any Section 319 nonpoint assessment submitted to EPA. 40 CFR §130.7(b)(5).

In addition to these minimum categories, States are required to consider any other data and information that is existing and readily available. EPA's 1991 *Guidance for Water Quality-Based Decisions* describes screening categories that should be used to identify impaired waters. Guidance for Water Quality-Based Decisions: The TMDL Process, U.S. EPA Office of Water, 1991, Appendix C.

In addition to requiring States to assemble and evaluate all existing and readily available water quality related data and information, EPA regulations at 40 CFR § 130.7(b)(6) require States to include, as part of their submissions to EPA, documentation to support decisions to rely or not rely on particular data and information and decisions to list or not list waters. Such documentation needs to include, at a minimum, the following information: (1) a description of the methodology used to develop the list; (2) a description of the data and information used to identify waters; (3) a rationale for the decision not to use any existing and reasonably available data; and (4) any other reasonable information requested by the Region. 40 CFR § 130.7(b)(6).

WaterLegacy agrees with the statement made in the MPCA's letter to U.S. Steel Corporation on November 8, 2103 that the MPCA is authorized to determine whether a water body is an impaired water used for the production of wild rice on the basis of information developed about the particular water. (*See* Exhibit A, MPCA Letter to USS, November 8, 2013). As the MPCA has already pointed out, the 2011 legislation pertaining to review of the wild rice sulfate standard, 2011 First Special Session, chapter 2, Article 4, does not affect the MPCA's obligation under the Clean Water Act to designate and protect impaired waters. Such a constraint would be outside the scope of the Legislature's authority.

WaterLegacy would further emphasize that there is no requirement in law that the methodology used by a state to list impaired waters be agreed to by regulated parties.

There is also no requirement that the methodology used for a state's initial listing of impaired waters remain static over the course of time. No statute, regulation or guidance would preclude MPCA from listing on Minnesota's 2014 Section 303(d) Impaired Waters List those wild rice waters preliminarily identified by the Agency as "impaired" in August 2013 based on the assessment criteria developed by the MPCA in 2013 and then continuing to develop more sophisticated criteria for additional listings.

WaterLegacy believes that the assessment criteria used by the MPCA for the initial preliminary listing in August 2013 are underinclusive. But this would not undermine the listing in 2014 of what we might consider "low-hanging fruit" in evaluating wild rice impaired waters using existing and readily available data and information. 40 C.F.R §130.7(b)(6)(III).

WaterLegacy would request that the Agency continue to develop assessment criteria in consultation with tribes, integrating oral histories, ecosystem indicators and phytolith investigations so that listing of wild rice impaired waters would become more comprehensive over time. But, we believe that delay in the 2014 listing of wild rice waters is neither protective of the resource not consistent with the MPCA's commitment to the development of wild rice/sulfate impaired waters in response reflected in communications to the EPA. (*See* EPA's Decision Document for the Approval of the 2012 Section 303(d) list, attached as Exhibit B)

Wild Rice Impaired Waters from MPCA Preliminary Listing

Based on the above discussion and the MPCA's preliminary listing of wild rice impaired waters prepared in August 2013, attached as Exhibit C, WaterLegacy requests that the wild rice waters preliminarily identified as impaired for wild rice/sulfate be included in Minnesota's 2014 Impaired Waters List, as follows:

Embarrass River (Embarrass Lake to St. Louis River)

Partridge River (Headwaters to S. Louis River)

Sandy River (Headwaters - Sandy Lake to Pike River)

St. Louis River (Oliver Bridge to Pokegama River)

St. Louis River (Mission Creek to Oliver Bridge)

Bostick Creek (Headwaters to Lake of the Woods)

County Ditch 12 (Headwaters to T113 R36W S8 north line)

Rice Creek (Rice Lake to Elk River)

Long Prairie River (Fish Trap Creek to Crow Wing River)

Rice Creek (Headwaters to Maple River)

Chippewa River (Watson Sag to Minnesota River)

Chippewa River (Unnamed Creek to E. Br. Chippewa River)

Chippewa River (E. Br. Chippewa River to Shakopee Creek)

Chippewa River (Cottonwood Creek to Dry Weather Creek)

Chippewa River (Stowe Lake to Little Chippewa river)

Cannon River (Pine Creek to Belle Creek)

Cannon River (Headwaters to Cannon Lake)

Cannon River (Byllesby Dam to Little Cannon River)

Cannon River (Belle Creek to split near mouth)

Cedar Island Lake (North Portion)

Cedar Island Lake (South Portion)

Fourth Lake

Esquagama Lake

East Vermillion Lake

Trout Lake

Elizabeth Lake (Main Basin)

Swan Lake (West Bay)

Swan Lake (Main Basin)

Preston Lake

Embarrass Lake

Lady Slipper Lake

Monongalia Lake (Main Basin)

Monongalia Lake (Middle Fork Crow)

Crow River Mill Pond (East)

Hay Lake

Big Stone Lake

Lac Qui Parle (NW Bay)

Lac Qui Parle (SE Bay)

Mina Lake

Pearl Lake

Sandy Lake

Little Sandy Lake

Marsh Lake

Lillian Lake

Lobster Lake

Sturgeon Lake

Long Lake

WaterLegacy has not had the opportunity to review the wealth of data in Minnesota Department of Natural Resources and MPCA files from which other wild rice impaired waters could be identified. However, there are several waters identified in the PolyMet SDEIS that we believe should be added to Minnesota's 2014 Impaired Waters List, based on data in Table 4.2.2-3 on page 4-37 of the SDEIS. These include:

Second Creek

Sabin Lake

Wynne Lake

Mercury Impaired Waters Listing

WaterLegacy submits that the MPCA has a particular obligation to address high concentrations of mercury in fish tissue and in the water column in the Lake Superior Basin. We request that the MPCA include its 2014 listing of waters impaired due to fish consumption waters with mercury exceeding the applicable 1.3 ng/L standard identified in the PolyMet SDEIS. (See Table 4.2.2-4 Summary of Total Mercury Concentrations in the Partridge River and Embarrass River

Watersheds near the Mine Site and Plant Site, p. 4-41). The SDEIS summarizes this data as follows:

Based on sampling in studies done for the NorthMet Project Proposed Action, it is estimated that current total mercury concentrations average about 3.6 nanograms per liter (ng/L) in the Upper Partridge River (Barr 2011a), 3.8 ng/L at monitoring station SW-005, and between 4.8 and 6.0 ng/L in Colby Lake. Total mercury concentrations are similar in the Embarrass River, averaging 4.8 ng/L at monitoring station PM-12 and 4.0 ng/L at monitoring station PM-13 from 2004 to 2012. (SDEIS, p. 4-37)

WaterLegacy would request the following additional listing of waters impaired for consumption of fish based on mercury in the water column:

Partridge River Embarrass River

WaterLegacy appreciates efforts made to date by the MPCA to rectify omission of wild rice impaired waters from the 2012 Impaired Waters List. We ask, however, that this process not be delayed or compromised due to objections from regulated parties. WaterLegacy requests prompt listing on the 2014 Section 303(d) list of the wild rice impaired waters identified above and requests that the MPCA use an iterative biannual process to list additional wild rice impaired waters, in collaboration with tribes, other ricers and conservation groups concerned about protection of the resource.

WaterLegacy also requests that a priority be placed on listing the mercury impaired waters identified above and on providing TMDL analysis to remove fish consumption impairments in the Lake Superior Basin related to mercury in the water column and mercury in fish tissue.

Please do not hesitate to contact me at 651-646-8890 if you have any questions regarding these comments.

Sincerely yours,

Paula Goodman Maccabee

Advocacy Director/Counsel for WaterLegacy

Tanla of Maccation

Enclosures

cc: Shannon Lotthammer, MPCA (shannon.lotthammer@state.mn.us)

Paul Proto, EPA (proto.paul@epa.gov)

Christine Wagener, EPA (wagener.christine@epa.gov)

Ex. 3 WaterLegacy Cmt 2016 MN 303(d) List



Minnesota Pollution Control Agency

520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300

800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

November 8, 2013

Mr. Larry Sutherland
General Manager – Minnesota Ore Operations
United States Steel Corporation
P.O. Box 417
Mountain Iron, MN 55768

RE: United States Steel Corporation Correspondence Related to the Designation of a "Water Used for Production of Wild Rice"

Dear Mr. Sutherland:

The Minnesota Pollution Control Agency (MPCA) has received two letters from United States Steel Corporation (USS) related to the MPCA's process for designation of a "water used for production of wild rice" (WUFPOWR). The first was an August 12, 2013, letter from David Smiga responding to a MPCA document called "Draft Staff Recommendation for 'waters used for production of wild rice' downstream of the US Steel Minntac tailings basin." The second was a September 27, 2013, letter from you responding to MPCA comments on a June 27, 2013, Sulfate Reduction Plan revision required by the reissued water permits for the Keetac operation. In both letters, USS cites Minnesota Session Laws 2011, First Special Session, Chapter 2, Article 4 (2011 Law) asserting it is premature for the MPCA to determine that waters, other than those specifically listed in Minnesota rules, qualify as "waters used for the production of wild rice."

Though those two letters may raise other issues, this letter will respond to that specific assertion.

The MPCA has carefully considered USS' assertion. The MPCA believes that it is authorized to determine whether a particular water is a WUFPOWR on the basis of information developed about the particular water. The MPCA will continue to apply the current draft staff recommendations related to WUFPOWR subject to possible future modification after the criteria development process is completed.

However, because the MPCA continues to receive questions from all stakeholders about how such a determination is made, and specifically a number of requests to review the criteria the MPCA is using for such determinations, the MPCA has concluded that it is appropriate to provide opportunity for input on the criteria following the process laid out in Section 32 (b) of the 2011 Law. The MPCA plans to begin to develop criteria by meeting with the Minnesota Department of Natural Resources and Indian Tribes in late 2013 and anticipates taking public comment from other interested parties through public notice and comment sometime in early 2014.

The draft MPCA staff recommendations mentioned by USS include the following language: "This draft MPCA staff recommendation for ... is based on information currently available. MPCA staff will consider additional information that may become available in the future, whether from project proposers or from other interested/affected parties, and reserves the right to modify the draft staff recommendation accordingly." Once the MPCA has completed the criteria development process, the MPCA will consider those criteria as additional information and will reconsider the current draft MPCA staff recommendations for the waters mentioned in the two USS letters. MPCA staff will share the resulting draft staff recommendation (related to whether those waters are WUFPOWR and subject to the existing standard) with USS and the Tribes as is the current practice. The resulting draft staff recommendation will include any revisions as appropriate based on the additional information.

Mr. Larry Sutherland Page 2 November 8, 2013

During the public comment period for any related permit or following issuance of such permit, USS may challenge the application of the criteria in the permitting process. As it did in the litigation initiated by the Minnesota Chamber of Commerce, the MPCA continues to reject any suggestion that WUFPOWR are limited to waters used for the irrigation of paddy rice, and not waters used for support of wildlife and other purposes. See Minn. R. 7050.0224, subp. 4.

Regarding the criteria development processes, the MPCA notes that the 2011 legislation has two distinct parts, rulemaking and criteria development. The 2011 legislation provides:

Sec. 32. WILD RICE RULEMAKING AND RESEARCH.

- (a) Upon completion of the research referenced in paragraph (d), the commissioner of the Pollution Control Agency shall initiate a process to amend Minnesota Rules, chapter 7050. The amended rule shall:
- (1) address water quality standards for waters containing natural beds of wild rice, as well as for irrigation waters used for the production of wild rice;
- (2) designate each body of water, or specific portion thereof, to which wild rice water quality standards apply; and
- (3) designate the specific times of year during which the standard applies.

Nothing in this paragraph shall prevent the Pollution Control Agency from applying the narrative standard for all class 2 waters established in Minn. R. ch. 7050.0150, subp. 3.

(b) "Waters containing natural beds of wild rice" means waters where wild rice occurs naturally. Before designating waters containing natural beds of wild rice as waters subject to a standard, the commissioner of the Pollution Control Agency shall establish criteria for the waters after consultation with the Department of Natural Resources, Minnesota Indian tribes, and other interested parties and after public notice and comment. The criteria shall include, but not be limited to, history of wild rice harvests, minimum acreage, and wild rice density.

2011 First Special Session, ch. 2, Art. 4 (emphasis added). The legislature has required that Minn. R. ch. 7050 be amended to designate each body of water, or specific portion thereof, to which wild rice water quality standards apply." Rulemaking has a long established formal process that the MPCA follows and will follow in designating waters. Referring to the italicized language, the legislature established a separate criteria development process for the MPCA to follow and specified that the process is to include a consultation component and a public notice and comment component separate from the public notice and comment process that will occur during the rulemaking called for by the legislation. The legislature has required the MPCA to complete the criteria development process prior to rulemaking for designating waters. While the criteria are to be used in the designation process, the legislation imposes no restrictions upon the MPCA's permitting authorities, its obligations to protect impaired waters or its use of the criteria on a case-by-case basis to identify impaired waters and when effluent limitations are necessary in permits.

Mr. Larry Sutherland Page 3 November 8, 2013

Based on the foregoing, the MPCA has concluded that it is appropriate to move forward with the process to establish criteria for designating "waters containing natural beds of wild rice," prior to the rulemaking.

The MPCA will use the criteria that emerge from this process for three purposes: to inform the process of "designating" waters subject to the standard in the wild rice standards rulemaking, to apply on a case-by-case basis to identify when effluent limitations are necessary in permits, and to aid the MPCA when listing impaired waters. Attached is a proposed timeline for activities related for the wild rice sulfate standard.

Please feel free to contact me with questions at 651-757-2366.

Sincerely,

Ann M. Foss

Director

Metallic Mining Sector

Industrial Division

AMF/SB:rm

Attachment

Ex. 3 WaterLegacy Cmt 2016 MN 303(d) List



Minnesota Pollution Control Agency

520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300

800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

November 8, 2013

Mr. Larry Sutherland
General Manager – Minnesota Ore Operations
United States Steel Corporation
P.O. Box 417
Mountain Iron, MN 55768

RE: United States Steel Corporation Correspondence Related to the Designation of a "Water Used for Production of Wild Rice"

Dear Mr. Sutherland:

The Minnesota Pollution Control Agency (MPCA) has received two letters from United States Steel Corporation (USS) related to the MPCA's process for designation of a "water used for production of wild rice" (WUFPOWR). The first was an August 12, 2013, letter from David Smiga responding to a MPCA document called "Draft Staff Recommendation for 'waters used for production of wild rice' downstream of the US Steel Minntac tailings basin." The second was a September 27, 2013, letter from you responding to MPCA comments on a June 27, 2013, Sulfate Reduction Plan revision required by the reissued water permits for the Keetac operation. In both letters, USS cites Minnesota Session Laws 2011, First Special Session, Chapter 2, Article 4 (2011 Law) asserting it is premature for the MPCA to determine that waters, other than those specifically listed in Minnesota rules, qualify as "waters used for the production of wild rice."

Though those two letters may raise other issues, this letter will respond to that specific assertion.

The MPCA has carefully considered USS' assertion. The MPCA believes that it is authorized to determine whether a particular water is a WUFPOWR on the basis of information developed about the particular water. The MPCA will continue to apply the current draft staff recommendations related to WUFPOWR subject to possible future modification after the criteria development process is completed.

However, because the MPCA continues to receive questions from all stakeholders about how such a determination is made, and specifically a number of requests to review the criteria the MPCA is using for such determinations, the MPCA has concluded that it is appropriate to provide opportunity for input on the criteria following the process laid out in Section 32 (b) of the 2011 Law. The MPCA plans to begin to develop criteria by meeting with the Minnesota Department of Natural Resources and Indian Tribes in late 2013 and anticipates taking public comment from other interested parties through public notice and comment sometime in early 2014.

The draft MPCA staff recommendations mentioned by USS include the following language: "This draft MPCA staff recommendation for ... is based on information currently available. MPCA staff will consider additional information that may become available in the future, whether from project proposers or from other interested/affected parties, and reserves the right to modify the draft staff recommendation accordingly." Once the MPCA has completed the criteria development process, the MPCA will consider those criteria as additional information and will reconsider the current draft MPCA staff recommendations for the waters mentioned in the two USS letters. MPCA staff will share the resulting draft staff recommendation (related to whether those waters are WUFPOWR and subject to the existing standard) with USS and the Tribes as is the current practice. The resulting draft staff recommendation will include any revisions as appropriate based on the additional information.

Mr. Larry Sutherland Page 2 November 8, 2013

During the public comment period for any related permit or following issuance of such permit, USS may challenge the application of the criteria in the permitting process. As it did in the litigation initiated by the Minnesota Chamber of Commerce, the MPCA continues to reject any suggestion that WUFPOWR are limited to waters used for the irrigation of paddy rice, and not waters used for support of wildlife and other purposes. See Minn. R. 7050.0224, subp. 4.

Regarding the criteria development processes, the MPCA notes that the 2011 legislation has two distinct parts, rulemaking and criteria development. The 2011 legislation provides:

Sec. 32. WILD RICE RULEMAKING AND RESEARCH.

- (a) Upon completion of the research referenced in paragraph (d), the commissioner of the Pollution Control Agency shall initiate a process to amend Minnesota Rules, chapter 7050. The amended rule shall:
- (1) address water quality standards for waters containing natural beds of wild rice, as well as for irrigation waters used for the production of wild rice;
- (2) designate each body of water, or specific portion thereof, to which wild rice water quality standards apply; and
- (3) designate the specific times of year during which the standard applies.

Nothing in this paragraph shall prevent the Pollution Control Agency from applying the narrative standard for all class 2 waters established in Minn. R. ch. 7050.0150, subp. 3.

(b) "Waters containing natural beds of wild rice" means waters where wild rice occurs naturally. Before designating waters containing natural beds of wild rice as waters subject to a standard, the commissioner of the Pollution Control Agency shall establish criteria for the waters after consultation with the Department of Natural Resources, Minnesota Indian tribes, and other interested parties and after public notice and comment. The criteria shall include, but not be limited to, history of wild rice harvests, minimum acreage, and wild rice density.

2011 First Special Session, ch. 2, Art. 4 (emphasis added). The legislature has required that Minn. R. ch. 7050 be amended to designate each body of water, or specific portion thereof, to which wild rice water quality standards apply." Rulemaking has a long established formal process that the MPCA follows and will follow in designating waters. Referring to the italicized language, the legislature established a separate criteria development process for the MPCA to follow and specified that the process is to include a consultation component and a public notice and comment component separate from the public notice and comment process that will occur during the rulemaking called for by the legislation. The legislature has required the MPCA to complete the criteria development process prior to rulemaking for designating waters. While the criteria are to be used in the designation process, the legislation imposes no restrictions upon the MPCA's permitting authorities, its obligations to protect impaired waters or its use of the criteria on a case-by-case basis to identify impaired waters and when effluent limitations are necessary in permits.

Mr. Larry Sutherland Page 3 November 8, 2013

Based on the foregoing, the MPCA has concluded that it is appropriate to move forward with the process to establish criteria for designating "waters containing natural beds of wild rice," prior to the rulemaking.

The MPCA will use the criteria that emerge from this process for three purposes: to inform the process of "designating" waters subject to the standard in the wild rice standards rulemaking, to apply on a case-by-case basis to identify when effluent limitations are necessary in permits, and to aid the MPCA when listing impaired waters. Attached is a proposed timeline for activities related for the wild rice sulfate standard.

Please feel free to contact me with questions at 651-757-2366.

Sincerely,

Ann M. Foss

Director

Metallic Mining Sector

Industrial Division

AMF/SB:rm

Attachment

Wild Rice Sulfate Standard -- Proposed Timeline of Related Activities

(Note: Green shading identifies public notice and dialogue opportunities)

| | | November-13 | December-13 | January-14 | February-14 | March-14 | April-14 | May-14 => |
|---|--|---|--|---|--|---|--|-----------|
| Wild Rice Sulfate Standards Study ¹ | | | Receive preliminary study results by December 31, 2013. | MPCA evaluate study data and develop wild rice sulfate standard rulemaking recommendations. | | Share and discuss recommendations; begin to develop technical support details. | Begin rulemaking process to subject to standard and add recommended changes to the | ress any |
| "Water Used for Production of Wild Rice" (WUFPOWR) Criteria Development ² | | MPCA meet with tribes, advisory committee to d criteria development. | | Public notice draft WUFPOWR criteria. | revise WUFPOWR | to the sulfate wild rice | a to inform process of "design standard; apply criteria for ru waters list development and p | lemaking, |
| 303 (d) Impaired Waters List ³ | Wild rice sulfate assess- ments | Wait to identify and assess WUFPOWR for the wild rice sulfate standard until WUFPO criteria are available. | | | rd until WUFPOWR | Identify and assess WUFPOWR for the wild rice sulfate standard, consistent with WUFPOWR criteria. Public notice draft sulfate-impaired WUFPOWR. Submit WUFPOWR sulfate assessments to EPA when complete. 4 | | |
| | All other assess- ments | Draft 2014 impaired waters list (minus WUFPOWR assessments) on MPCA website. | Hold public meetings on draft 2014 impaired waters list. | Public notice draft Review and respond to 2014 impaired waters draft 2014 impaired waters list. | | | Draft 2014 impaired waters list due to EPA April 1, 2014. ⁴ | |
| NPDES Permit Development ⁵ | | Continue to develop permits using draft staff recommendations related to identifying water used for production of wild rice. 6 | | | Re-evaluate draft staff recommendations using WUFPOWR criteria. | | Any permit will be put on public notice prior to issuance. 6 | |

^{1.} MN Session Laws 2011, First Special Session, Chapter 2, Article 4, Section 32 (d).

^{2.} MN Session Laws 2011, First Special Session, Chapter 2, Article 4, Section 32 (b).

^{3.} Federal Clean Water Act, 1972, Section 303 (d); MN Statutes 114D.25, subd. 1.

^{4.} Depending on timing, the wild rice sulfate assessments may be submitted to EPA with the other assessments, or more likely as a separate package.

^{5.} Federal Clean Water Act, 1972, Section 402; MN Statutes 115.03, subd. 5

^{6.} Permits will be put on public notice prior to issuance; a permit could go on notice at any point in the timeline.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

JUL 2 5 2013

REPLY TO THE ATTENTION OF:

WW-16J

John Linc Stine, Commissioner Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, Minnesota 55155-4194

Dear Mr. Stine:

The U.S. Environmental Protection Agency conducted a complete review of Minnesota's 2012 Section 303(d) list and supporting documentation and information. Based on this review, EPA determined that Minnesota's 2012 list of water quality limited segments still requiring Total Maximum Daily Load calculations meets the requirements of Section 303(d) of the Clean Water Act (CWA) and EPA's implementing regulations. Therefore, EPA approves Minnesota's 2012 Section 303(d) list which identifies the waters and associated pollutants along with the State's priority rankings for these waters and pollutants. The statutory and regulatory requirements, and EPA's review of Minnesota's compliance with each requirement, are described in the enclosed decision document.

EPA's approval of Minnesota's Section 303(d) list extends to all water bodies on the list with the exception of those waters that are within Indian Country, as defined in 18 U.S.C. § 1151. EPA is taking no action to approve or disapprove the State's list with respect to those waters at this time. EPA, or eligible Indian Tribes, as appropriate, will retain responsibilities under CWA Section 303(d) for those waters.

We appreciate your hard work in this area and your submittal of the list as required. If you have any questions, please contact Mr. Peter Swenson, Chief of the Watersheds and Wetlands Branch, at 312-886-0236.

Sincerely,

Tinka G. Hyde

Director, Water Division

Enclosure

cc:

Katrina Kessler, MPCA Miranda Nichols, MPCA Jeff Risberg, MPCA

bcc:

Sabrina Argentieri, EPA R5, ORC Stephen Mendoza, EPA R5, ORC

<u>DECISION DOCUMENT FOR THE APPROVAL OF</u> <u>MINNESOTA'S 2012 SECTION 303(d) LIST</u>

The U.S. Environmental Protection Agency (EPA) has conducted a complete review of Minnesota's 2012 Section 303(d) list and supporting documentation and information. Based upon this review, EPA has determined that Minnesota's list of water quality limited segments (WQLS) still requiring total maximum daily loads (TMDLs) meets the requirements of Section 303(d) of the Clean Water Act (CWA) and EPA's implementing regulations. Therefore, EPA hereby approves Minnesota's 2012 303(d) list. The statutory and regulatory requirements, and EPA's review of Minnesota's compliance with each requirement, are described in detail below.

I. Statutory and Regulatory Background

A. Identification of Water Quality Limited Segments for Inclusion on the Section 303(d) List

Section 303(d)(1) of the CWA directs States to identify those waters within their jurisdiction for which effluent limitations required by Section 301(b)(1)(A) and (B) are not stringent enough to implement any applicable water quality standard, and to establish a priority ranking for such waters, taking into account the severity of the pollution and the uses to be made of such waters. The Section 303(d) listing requirement applies to waters impaired by point sources and/or nonpoint sources, pursuant to EPA's long-standing interpretation of Section 303(d).

EPA regulations provide that States do not need to list waters where the following controls are adequate to implement applicable standards: (1) technology-based effluent limitations required by the CWA, (2) more stringent effluent limitations required by State or local authority, and (3) other pollution control requirements required by State, local, or federal authority.¹

B. Consideration of Existing and Readily Available Water Quality-Related Data and Information

In developing Section 303(d) lists, States are required to assemble and evaluate all existing and readily available water quality-related data and information, including, at a minimum, consideration of existing and readily available data and information about the following categories of waters: (1) waters identified as partially meeting or not meeting designated uses, or identified as threatened in the State's most recent Section 305(b) report; (2) waters for which dilution calculations or predictive modeling indicate nonattainment of applicable standards; (3) waters for which water quality problems have been reported by governmental agencies, members of the public, or academic institutions; and (4) waters identified as impaired or threatened in any Section 319 nonpoint assessment submitted to EPA.² In addition to these minimum categories, States are required to consider any other data and information that is existing and readily available. EPA's 1991 *Guidance for Water Quality-Based Decisions* describes categories of water quality-related data and information that may be existing and readily available.³ While States are required to evaluate all existing and readily available water quality-related data and information, States

¹ 40 Code of Federal Regulations (CFR) §130.7(b)(1).

² 40 CFR §130.7(b)(5).

³ Guidance for Water Quality-Based Decisions: The TMDL Process, U.S. EPA Office of Water, 1991, Appendix C (hereafter, EPA's 1991 Guidance).

may decide to rely or not rely on particular data or information in determining whether to list particular waters.

In addition to requiring States to assemble and evaluate all existing and readily available water quality-related data and information, EPA regulations at 40 CFR §130.7(b)(6) require States to include, as part of their submissions to EPA, documentation to support decisions to rely or not rely on particular data and information and decisions to list or not list waters. Such documentation needs to include, at a minimum, the following information: (1) a description of the methodology used to develop the list; (2) a description of the data and information used to identify waters; and (3) any other reasonable information requested by the Region.⁴

C. Priority Ranking

EPA regulations codify and interpret the requirement in Section 303(d)(1)(A) of the CWA that States establish a priority ranking for listed waters. The regulations at 40 CFR §130.7(b)(4) require States to prioritize waters on their Section 303(d) lists for TMDL development, and also to identify those WQLS targeted for TMDL development in the next two years. In prioritizing and targeting waters, States must, at a minimum, take into account the severity of the pollution and the uses to be made of such waters. As long as these factors are taken into account, the CWA provides that States establish priorities. States may consider other factors relevant to prioritizing waters for TMDL development, including immediate programmatic needs, vulnerability of particular waters as aquatic habitats, recreational, economic, and aesthetic importance of particular waters, degree of public interest and support, and State or national policies and priorities.

II. Analysis of Minnesota's Submission

On October 1, 2012, Minnesota submitted to EPA the State's final draft TMDL list, plus supporting documentation. The submittal received by EPA included the following:

- Submittal letter, dated September 17, 2012
- Final Draft MPCA 2012 303(d) List cover page, dated September 17, 2012
- Guidance Manual for Assessing the Quality of Minnesota Surface Waters for Determination of Impairment: 305(b) Report and 303(d) List 2012 Assessment Cycle (December 2011)
- Public participation documentation
 - o 2012 TMDL List Response Summary
 - o Public comments received during public comment period
 - o MPCA responses to public comments
 - o Documentation of public meeting announcements (newspaper articles, etc.)
 - Attendance sheets from public meetings
 - o Documentation of public participants in MPCA Professional Judgment Groups (PJG)
- Contested case documentation on 2012 chlorpyrifos listing

^{4 40} CFR §130.7(b)(6).

⁵ 40 CFR §130.7(b)(4).

⁶ CWA Section 303(d)(1)(A).

⁷ 57 FR 33040, 33045 (July 24, 1992); see also EPA's 1991 Guidance.

- Minn. Dept. of Agriculture's (MDA) response to public comments made on the 2012 chlorpyrifos listing
- Three (3) copies of the final draft TMDL list, September 17, 2012 (printed spreadsheet)
- Inventory of all impaired waters, September 17, 2012 (printed spreadsheet)
- 2012 Mercury TMDLs within Appendix A, September 17, 2012 (printed spreadsheet)
- 2012 Mercury TMDL additions to Appendix A, September 17, 2012 (printed spreadsheet)

Within this Decision Document, the State's submittals received by EPA on October 1, 2012 and other supporting information are collectively referred to as the "2012 Submittal." All of this information is compiled in EPA's record for this decision.

EPA has reviewed Minnesota's 2012 submittal, and has concluded that the State developed its Section 303(d) list in compliance with Section 303(d) of the CWA and 40 CFR §130.7. EPA's review is based on its analysis of whether the State reasonably considered existing and readily available water quality-related data and information, and reasonably identified water quality-limited segments. EPA has reviewed the State's description of data, information considered, and the Minnesota Pollution Control Agency's (MPCA) 2012 Methodology⁸ for identifying waters. EPA concludes that Minnesota properly assembled and evaluated existing and readily available data and information, including data and information relating to categories of waters specified at 40 CFR §130.7(b)(5). EPA also concludes that Minnesota provided an acceptable rationale for not relying on particular existing and readily available water quality-related data and information as a basis for listing waters on the 303(d) list.

EPA has also determined that the State properly listed waters with nonpoint sources causing or expected to cause impairment, consistent with Section 303(d) of the CWA and EPA guidance. Section 303(d) lists are to include all WQLS still needing TMDLs, regardless of whether the source of the impairment is a point source and/or nonpoint source. EPA's long-standing interpretation is that Section 303(d) applies to waters impacted by point source and/or nonpoint sources. In *Pronsolino v. Marcus* ⁹, the 9th Circuit for the Northern District of California held that Section 303(d) of the CWA authorizes EPA to identify and establish TMDLs for waters impaired by nonpoint sources.

EPA's approval of Minnesota's 2012 303(d) list extends to water bodies as identified in Table A-1 (Attachment #1) of this Decision Document with the exception of those waters that are within Indian Country. EPA is taking no action to approve or disapprove the State's list with respect to those waters that are within Indian Country. EPA, or eligible Indian Tribes, as appropriate, will retain responsibilities under Section 303(d) for those waters.

A. Identification of Water Quality-Limited Segments for Inclusion on Section 303(d) List

1. Minnesota's 2012 303(d) list

Minnesota uses an Integrated Report to fulfill the reporting requirements of Sections 305(b) and 303(d) of the CWA. Since the 2002 listing cycle, EPA has encouraged states to integrate their 305(b) report and their 303(d) list into one submittal, the Integrated Report (IR). EPA has recommended five beneficial use attainment reporting categories where the various categories represent varying levels of use

⁸ Guidance Manual for Assessing the Quality of Minnesota Surface Waters for Determination of Impairment: 305(b) Report and 303(d) List, 2012 Assessment Cycle (December 2011) (hereafter, 2012 Methodology).

⁹ EPA Impaired Waters and Total Maximum Daily Loads http://water.epa.gov/lawsregs/lawsguidance/cwa/tmdl/pronsolino.cfm

attainment. Minnesota has chosen to use the recommended five categories with the addition of several subcategories. Minnesota's 2012 integrated report includes the following beneficial use attainment categories (Table 1 of this Decision Document).¹⁰

Table 1: MPCA's Beneficial Use Attainment Reporting Categories

| Integrated Report Category | Description | | | | | |
|-------------------------------|--|--|--|--|--|--|
| 1 | All designated uses are fully assessed and met, and no use is threatened. | | | | | |
| 2 | Some uses or parameters are met; but insufficient data to determine if remaining uses or parameters are met. | | | | | |
| <i>3A</i> | No data or information to determine if any use is attained. | | | | | |
| <i>3B</i> | Data are available for a review and generally indicate non-support, but insufficient data and information to determine TMDL impairment. (Example: single lake data point showing non-support) | | | | | |
| 3C | Data available that currently has no assessment tools to allow its use in assessing. (Example: data with only eco-region expectation standards) | | | | | |
| 3D | Data are available for a review and generally indicated full support, but insufficient data and information to assess for Category 1 or 2. | | | | | |
| <i>3E</i> | Data are available for a review, but insufficient data and information to determine full support or TMDL impairment. (Example: lake data just below the threshold showing non-support) | | | | | |
| <i>4A</i> | Impaired or threatened but all needed TMDL plans have been completed. | | | | | |
| 4B | Impaired or threatened but doesn't require a TMDL plan because it is expected to attain standards within a reasonable period of time. | | | | | |
| 4C | Impaired or threatened but doesn't require a TMDL plan because impairment not caused by a pollutant. | | | | | |
| 4D | Impaired or threatened but doesn't require a TMDL plan because the impairment is due to natural conditions with only insignificant anthropogenic influence. To be considered "insignificant", the elimination of the anthropogenic influence would not lead to the attainment of water quality standards and it would not be included in formal pollution reduction goal setting activities. A reach-specific water quality standard based on local natural conditions has yet to be determined. Upon determination, the assessment unit will be considered non-impaired for the natural conditions and re-categorized to an appropriate category. | | | | | |
| 4E | Impaired or threatened but existing data strongly suggests a TMDL plan is not required because impairment is solely a result of natural sources; a final determination of Category 4D will be made in the next assessment cycle pending confirmation from additional information (i.e. water quality or land use). | | | | | |
| 5A | Impaired or threatened by multiple pollutants and no TMDL plans approved. | | | | | |
| 5B | Impaired by multiple pollutants and either some TMDL plans are approved but not all or at least one impairment is the result of natural conditions. | | | | | |
| 5C | Impaired or threatened by one pollutant. | | | | | |

The general process used by Minnesota to develop the 2012 Integrated Report starts with the collection and assessment of readily available data and information. Following guidelines established in MPCA's 2012 Methodology, an assessment of use support for individual water body units is made.

The water body unit used for river system assessments is the river reach. A river reach typically extends from one significant tributary river to another or from the headwaters to the first significant tributary. River reaches are typically less than 20 miles in length. A river reach may be further divided into two or more assessment reaches when there is a change in use classification or when there is a significant morphological feature. Minnesota uses the United States Geological Survey (USGS) eight digit

¹⁰ 2012 Methodology, page 47.

hydrologic unit code (HUC) (ex. 07020012) plus a three digit reach code (ex. 505) to name river reach segments (ex. 07020012-505). River reach segment numbers are also referred to as 'River identification numbers' (River ID#).

MPCA relies on the *Protected Waters Inventory*, which is assembled by the Minnesota Department of Natural Resources (MDNR), to provide identification codes for lakes and wetlands within the state. MDNR uses a unique eight digit identification number to identify lakes and wetlands. The eight digit number consists of a two digit prefix, which represents the county within Minnesota, followed by a four digit number, which identifies the lake or wetland, followed by a two digit suffix which represents either the whole lake (as '-00') or represents a specific bay of the lake (ex. -01, -02, etc.). The entire eight digit identifier is something similar to the following (ex. 82-0020-01). Throughout the remainder of this Decision Document the term 'assessment unit' is used generally to refer to any river segment identified with a River ID# or a lake segment identified with a Lake/Wetland ID# on Minnesota's 2012 303(d) list.

Once an assessment has been completed, the water body is placed into one of the five categories described in Table 1 of this Decision Document. Waters within categories 4 and 5 represent the inventory of impaired waters in Minnesota. Category 5 waters represent impaired waters requiring TMDLs, i.e., Minnesota's 303(d) list. EPA is approving the waters identified in Table A-1 of this decision as Minnesota's 2012 303(d) list.

2. Methodology

EPA's regulations at 40 CFR §130.7(b)(6) require that states provide documentation to support their decisions to list or not list waters including a description of the methodology used to develop the list. MPCA developed its methodology for the 2002 listing cycle and has subsequently modified the methodology with each listing cycle. Minnesota's 2012 submittal included MPCA's 2012 Methodology (December 2011). MPCA's 2012 Methodology defines the data and information requirements needed to assess and determine if a water is meeting its designated beneficial use(s). The 2012 Methodology also establishes thresholds that indicate impairment for various categories of pollutants. As with prior versions of its methodology, the State made the 2012 Methodology available to the public through MPCA's website beginning on or about January 23, 2012.

Minnesota rules identify seven beneficial uses for which surface waters in Minnesota are protected. These beneficial uses are assigned the following use class numbers:

Class 1: Drinking water

Class 2: Aquatic life and recreation

Class 2A: Cold water fisheries, trout waters

Class 2B: Cool and warm water fisheries (not protected for drinking water use)

Class 2Bd: Cool and warm water fisheries (protected for drinking water use)

Class 2C: Indigenous fish and associated aquatic community

Class 2D: Wetlands

Class 3: Industrial use and cooling

Class 4: Agricultural use

Class 5: Aesthetics and navigation

Class 6: Other uses

¹¹ 2012 Methodology, page 8.

Class 7: Limited resource value waters

All surface waters in Minnesota are considered either a Class 2 or Class 7 designated water. ¹² Unless classified as a Class 7 water, surface waters in Minnesota are protected for aquatic life and recreation (Class 2 designated water). The State of Minnesota defines protection of aquatic life and recreation as, "the maintenance of healthy, diverse, and successfully reproducing populations of aquatic organisms, including invertebrates as well as fish. Protection of recreation for all surface waters, except wetlands and limited resource value waters means the maintenance of conditions suitable for swimming and other forms of water recreation. Recreation in wetlands means boating and other forms of aquatic recreation for which they may be usable (this does not preclude swimming if that use is suitable)." Limited resource value waters (Class 7 designated water) are not fully protected for aquatic life. Class 7 designated waters have a very limited aquatic and fish community mostly due to lack of water, lack of habitat, or extensive physical alterations. Both Class 2 and 7 designated waters are also protected for Classes 3, 4, 5 and 6 designations.

Typically water quality standards applicable to Class 2 designated waters are the most stringent, therefore, Minnesota's assessments usually consider water quality standards applicable to Class 2 waters. Beneficial use supports assessed by Minnesota include;

- Aquatic Life (toxicity-based standards, conventional pollutants, biological indicators);
- Drinking Water and Aquatic Consumption (human health-based standards);
- Aquatic Consumption (wildlife-based standards);
- Aquatic Recreation (Escherichia coli (E. coli) bacteria, eutrophication);
- Limited Value Resource Waters (toxicity-based standards, bacteria, conventional pollutants).

Aquatic life use support assessments consider protection of the organisms that reside in the surface waters, while aquatic consumption use support assessments consider protection of the consumers of the aquatic life. Aquatic recreation use support is assessed for the protection of recreation in surface waters.¹⁴

Class 7 waters and Class 1 waters were first assessed during the 2010 listing cycle. These two beneficial uses are 'newer' beneficial use classes to be assessed by MPCA. Class 7 waters, MPCA designated limited resource value waters, are protected to allow secondary body contact use, to preserve groundwater for potable water supply, and to protect aesthetic qualities of the water. ¹⁵ Class 1 waters, MPCA designated drinking waters, are protected surface waters for water supply purposes. All groundwater in Minnesota is protected as a source of drinking water, however, only select surface waters are protected as a source of drinking water. ¹⁶ Before being assessed for the 2010 listing cycle, Class 1 surface waters and groundwater were outside the scope of MPCA's assessment methodologies. However, over more recent listing cycles, MPCA recognized a trend of increasing nitrate concentrations in Minnesota streams. Class 1 water bodies have been assessed since the 2010 listing cycle to measure potential exceedances of the nitrate-nitrogen Class 1 drinking water consumption standard.

¹² MPCA Water Quality Standards, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/water-quality-standards.html

¹³ MPCA Water Quality Standards, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/water-quality-standards.html ¹⁴ 2012 Methodology, page 4.

¹⁵ Class 7 Limited Resource Value Waters Fact Sheet, http://www.pca.state.mn.us/index.php/view-document.html?gid=7255

¹⁶ MPCA Water Quality Standards, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/water-quality-standards.html

3. Assessment Process

MPCA redesigned its data collection and assessment process between the 2010 and 2012 listing cycles. Up to and including the 2010 listing cycle, MPCA assessed the condition of the State's waters via water quality data which was collected under a biennial, statewide water quality assessment strategy. Since 2006-2007, MPCA has been moving away from collecting water quality data via a biennial, statewide monitoring approach, and is instead focusing its data collection efforts on the eight digit hydrologic unit code (HUC-8) scale. Each year, MPCA targets specific HUC-8 watersheds for water quality monitoring in an approach called the 'Intensive Watershed Monitoring Approach' (IWMA). Water quality monitoring of targeted HUC-8 watersheds under the IWMA was first employed by MPCA in 2007, in the Pomme de Terre River watershed and the North Fork of the Crow River watershed (Table 3 of this Decision Document).

The 2012 assessment cycle is the first assessment cycle in which MPCA is assessing water quality data which was collected via IWMA efforts. Prior to the 2012 listing cycle, MPCA was solely analyzing water quality data collected under the biennial, statewide assessment approach. Data collected during the IWMA strategy resulted in MPCA revising its internal assessment processes for analyzing water quality data. MPCA explained that the IWMA strategy generated an increased volume of water quality monitoring data which necessitated amendments to how MPCA conducted its internal review of water quality monitoring data for assessment decisions. MPCA believes that the IWMA generates a more robust water quality data set which MCPA can more efficiently use to assess water quality in surface waters of the State. Details of this approach can be found in the 2011-2012 Minnesota Water Quality Monitoring Strategy.¹⁷

The incorporation of the IWMA for the 2012 listing cycle generated large amounts of water quality data which necessitated MPCA to redesign its water quality data review process. The redesigned review process combined computerized data analysis, expert analysis, and input from external partners. The goal of the revamped review process was to incorporate all of the available water quality data and information to best determine whether or not the water body was meeting its beneficial uses (ex. drinking water, aquatic life, aquatic recreation, aquatic consumption and limited use waters).

The data review and analysis process utilized to create the 2012 303(d) list expanded upon data analysis methods of the previous (2010 and earlier) assessment processes. Changes made to the data review and analysis process for the 2012 cycle included an additional round of MPCA staff review of water quality data at the parameter level and an additional round of internal comprehensive review of water quality data prior to the professional judgment group (PJG) meeting. These changes were incorporated in response to the increased volume and complexity of the water quality data collected during the IWMA. Details on the specific steps employed by MPCA in the 2012 303(d) water quality assessment process are: ¹⁸

<u>Step 1:</u> 'Pre-assessment': Monitor and gather data information (automated data compilation) MPCA employs an intensive watershed monitoring schedule that provides comprehensive assessments of all of the major watersheds on a 10-year cycle. This schedule provides intensive monitoring of

¹⁷ 2011-2021 Minnesota Water Quality Monitoring Strategy, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/minnesota-s-water-quality-monitoring-strategy.html
¹⁸ 2012 Methodology, page 6-7.

streams and lakes within each major watershed to determine overall health of the water resources, to identify impaired waters, and to identify those waters in need of additional protection to prevent future impairments.

In addition to gathering water quality information, the first step also includes an initial data review process. The 'pre-assessment' data review involves a computerized/automated screening tool which analyzes water quality monitoring results collected within the HUC-8 watershed (See Table 3 of this Decision Document for a list of watersheds targeted during the 2012 listing cycle). The automated process summarizes the number of data points that exceed the criteria, the total number of data points, and the number of years of data. This step produces a parameter-specific pre-assessment (e.g., for Dissolved Oxygen, or Fish Index of Biotic Integrity (IBI), or *E. coli*). Water quality data is assessed on an individual water body basis. The pre-assessment is the first opportunity in the water quality data review process where individual water bodies' water quality monitoring data are compared against water quality criteria.

Step 2: 'Expert Review': Assessment of the water quality data by MPCA staff

Based on results of intensive watershed monitoring in Step 1, MPCA staff review data to determine whether or not water resources meet water quality standards and designated uses. Waters that do not meet water quality standards are listed as impaired waters.

The second step involves a review by MPCA staff of automated pre-assessment summary data for quality assurance (QA). This step ensures that the computerized screening captured appropriate data and the automated process properly calculated pre-assessments data.

Step 3: Desktop assessment by resource specific MPCA staff

The desktop assessment involves a review of Steps 1 and 2 pre-assessment and expert review information by resource-specific MPCA staff. For example, chemistry data will be reviewed by MPCA water quality staff and biological specific data will be reviewed MPCA biologists. Step 3 of the water quality data review process considers other climatic and hydrochemical evidence (ex. flow conditions, precipitation, land use, habitat, etc.) to ascertain the overall quality of the dataset. The overall quality is a measure of temporal and spatial completeness and whether the chemical parameter is meeting or exceeding the criterion. During Step 3, water body candidates for delisting or natural background review are identified and work begins to determine if those assessment unit identification numbers (AUIDs) meet the criteria to be removed from the impaired waters List (i.e., 303(d) list).

Step 4: Watershed Assessment Team review of water quality data

The fourth step incorporates a joint internal meeting of MPCA staff involved in the review of water quality data in Step 1 through Step 3, the regional watershed project manager and stressor identification staff for specific HUC-8 watersheds. This grouping of people makes up the Watershed Assessment Team (WAT). The joint internal meeting allows the WAT to review comments and parameter-level evaluations from the desktop assessment and any watershed specific supplemental information to reach an overall use-support decision. Delisting and natural background candidates may also be identified at this time.

Step 5: Professional Judgment Group review of water quality data

The fifth step includes a joint meeting between the WAT and external parties (ex. local data collectors, local government units, etc.). This joint meeting is referred to as the Professional Judgment Group (PJG). The MPCA regional watershed project manager is responsible for inviting external parties to the PJG discussions.¹⁹

Prior to the PJG meeting, the results of the WAT meeting are distributed to all invitees, including parameter-level evaluations, overall use-support recommendations, and all other comments made by reviewers. Invitees are asked to identify AUIDs they wish to discuss; an agenda is developed based on these submissions. The agenda of the PJG meeting is to review the water quality data review process, to hold a general discussion of the watershed and major subwatersheds, and to review requested AUIDs, delisting and natural background candidates. The determinations made within the PJG meeting are the final use-support determinations. Additionally, the PJG may consider the magnitude, duration and frequency of exceedances, timing of exceedances, natural occurring conditions that may affect pollutant concentrations and toxicity, weather and flow conditions, and changes in the watershed that may have changed water quality.

The analyses and recommendations for each AUID are documented in a transparency database. The transparency database is archived following the completion of the assessments. Throughout the annual assessment process, care is taken to maintain consistency among the HUC-8 assessments and decisions. Consistency is maintained via internal training and quality control, and the assignment of individual staff to multiple HUC-8 data sets for the expert review. MPCA designates a team of scientists to oversee desktop assessments and to ensure consistency among watershed assessment discussions and decisions. PPCA's goal is to ensure a robust decision is reached by the staff reviewers regarding the appropriate management actions to be pursued for each assessment unit (water body, or AUID). This decision will impact the planning and implementation phases of the watershed approach (i.e. restoration for impaired waters and protection for unimpaired waters).

MPCA reports the assessment decisions made by the PJG in *Watershed Monitoring and Assessment Reports* (on the HUC-8 scale) and the *Integrated Reports*. The Watershed Monitoring and Assessment Reports are a compilation of the results of the assessments following the determinations of the PJG. AUIDs are discussed by HUC-8 subwatersheds and overall water quality conditions, potential stressors, and protection areas are identified. These documents inform the restoration and protection strategies that are developed by MPCA.

The Integrated Report is composed of a narrative report and Assessment Database (ADB) and geospatial data. The Integrated Report summarizes the results of the water quality assessments conducted by MPCA. MPCA is responsible for uploading assessment decision information to the EPA via the ADB and also preparing a narrative report to the U.S. Congress as required by section 305(b) of the CWA. Each designated use is identified as "full support," "not support," "insufficient information," or "not assessed" as a result of the assessments. In addition, the use assessment data types are rated per the levels in the ADB.

¹⁹ A note should be made that the assessment for aquatic consumption (fish) at this time utilizes only the first two steps in the process. ²⁰ 2012 Methodology, pages 6-7.

4. Assessment of Waters Based on Narrative and Numeric Water Quality Standards

As previously stated in this decision, Minnesota assesses aquatic life, drinking water consumption, aquatic consumption (via human health-based standards), aquatic consumption (via wildlife-based standards), aquatic recreation use, and limited value resource waters. Minnesota's 2012 Methodology sets forth the specific assessment methods used by the State when determining if these uses are attained. EPA recognizes that water quality criteria have three elements: magnitude, duration, and frequency of exceedance. Minnesota's 2012 Methodology sets forth specific information about how these three elements were considered by the State in development of Minnesota's 2012 303(d) list. EPA finds that Minnesota's use of its 2012 Methodology supports the reasonable identification of WQLS.

The following discussion briefly explains the data requirements, information considered, and impairment thresholds used in Minnesota's assessments as described in Minnesota's 2012 Methodology. The 2012 Methodology sets forth methods for assessing surface waters based on the following:

- numeric and narrative standards for the protection of aquatic life;
- numeric and narrative standards for the protection of human health (aquatic consumption and drinking water);
- numeric standards for protection of aquatic consumption (wildlife);
- numeric standards for protection of aquatic recreation; and
- numeric and narrative standards for the protection of limited resource value waters.

A key component in the assessment process employed by MPCA was the determination of whether an individual parameter within a specific water body met or exceeded the applicable water quality criteria (numeric or narrative standards). MPCA water quality data evaluation also considered the quality of the dataset, whether or not there were sufficient data to make a determination, and ultimately assigned a 'dataset quality' rating. Dataset quality was graded on a scale of 'low,' 'medium,' or 'high' quality ratings. The determinations were stored in a working database and referenced during MPCA WAT reviews and PJG meetings. Additional supporting information, such as magnitude, duration and frequency of exceedances, timing of exceedances, naturally occurring conditions that may affect pollutant concentrations and toxicity, weather and flow conditions, and changes in the watershed that may have changed water quality, were considered in the final use-support determinations.

To further assist MPCA technical staff in their parameter-level evaluations, MPCA considers a 10 percent and 25 percent exceedance frequency²¹ (details within Table 2 of this Decision Document) for conventional pollutants. These thresholds were appropriate for the conventional category of pollutants for several reasons, including that none were considered 'toxic' (or bioaccumulative), and all were subject to periodic 'natural exceedances' because of natural causes.²² An example of natural exceedances from the 2012 Methodology explained that turbidity typically increases in streams after rain events, even in relatively undisturbed parts of the State. Similarly, dissolved oxygen can drop below the standard in low gradient rivers and streams for reasons other than pollution (i.e., the AUID is located downstream of or flows through extensive wetland complexes). These potential pollutants are also natural characteristics of surface waters and aquatic organisms have adapted to cope with the

 ²¹ EPA Guidelines for Preparation of the Comprehensive State Water Quality Assessments (305(b) Reports) and Electronic Updates:
 Supplement, Office of Water, U.S. EPA. EPA-841-B-97-002B. September 1997.
 ²² 2012 Methodology, pages 10-11.

fluctuations over time.²³ MPCA considered these and other 'natural exceedances' during its review of water quality data and factored these occurrences into its review during the assessment process.

Table 2: Guidelines for Parameter-Level Evaluations of Conventional Pollutants*

| Assessment | Frequency of Exceedances | Magnitude of Exceedances | Duration of Exceedances | Timing of Exceedances ¹ | |
|--|--|--|---|---|--|
| Water Chemistry Parameter Indicating Unimpaired or Supporting Conditions | Less than 10% exceedances of chronic standard | Exceedances generally within 10% of water quality criteria | Continuous data or extensive grab sample data set indicates no or few instances of prolonged exceedance | Exceedances only occurring during extreme events such as 100-year flood (e.g., TSS) or severe drought conditions (e.g., DO) | |
| Water Chemistry Parameter Indicating Potential Impairment | Between 10 – 25% exceedances of chronic standard | Exceedances generally greater than 10% but less than 25% of water quality criteria | Continuous data or extensive grab sample data set indicates some instances of prolonged exceedance | Exceedances only occurring during periods in which they are most likely to occur (e.g., before 9 am, 7Q10 low flow, storm events, etc.); not counting extreme events above | |
| Water Chemistry Parameter Indicating Potential for Severe Impairment | Greater than 25% exceedances of chronic standard | Exceedances generally greater than 25% of water quality criteria | Continuous data or extensive grab sample data set indicates chronic exceedance or many instances of prolonged exceedance | Exceedances occurring during periods (seasonal or daily cycle) in which they typically do not occur in addition to occurring in periods in which they are most likely to occur. | |

^{*} Most parameters will have data sets that only allow frequency and magnitude to be evaluated. When sufficient data exist (e.g., continuous monitoring or extensive grab samples) or appropriate ancillary data (e.g., flow, precipitation) are accessible, duration or timing of exceedances may also be considered in the evaluation. The parameter-level evaluation requires best professional judgment to integrate information across all applicable columns.

4a. Assessment of Surface Waters Based on Numeric and Narrative Standards for Protection of Aquatic Life

Assessments based on numeric standards for protection of aquatic life are considered to safeguard the aquatic community. Toxicity-based chronic numeric standards and conventional pollutant standards are calculated to preserve the aquatic community from the harmful effects of toxic substances, and the protection of human and wildlife consumers of fish and other aquatic organisms. Minnesota's 2012 Methodology establishes data requirements and thresholds for pollutants that have toxicity-based chronic numeric standards.

Two types of data are used in these toxicity-based assessments: water chemistry and biological data. In aquatic life determinations, pre-assessments consider chemistry data, biological data, and other data quality indicators. Pollutants which have toxicity-based numeric standards considered in MPCA's assessments are trace metals, un-ionized ammonia, and chloride. Sections V.A.1. and V.A.2. in Minnesota's 2012 Methodology explain the applicable Class 2 numeric water quality standards, data requirements, and impairment thresholds considered in these toxicity-based numeric standard assessments. In general, for the assessment of pollutants with toxicity-based numeric standards, five data points collected within a 3-year period within the most recent 10 year period are necessary. Two or more exceedances of the chronic standard in 3 years is considered an impairment and is included on the 303(d) list. ²⁵

¹ Based on evaluation of available flow data and/or precipitation records as well as observations made by monitoring staff.

²³ 2012 Methodology, pages 10-11.

²⁴ 2012 Methodology, page 13.

²⁵ 2012 Methodology, page 15.

The State also assesses conventional pollutants with numeric standards and water quality characteristics which typically include low dissolved oxygen, pH, turbidity, temperature, and biological indicators. Sections V.B.1. and V.B.2. of the 2012 Methodology explain the applicable Class 2 numeric water quality standards, data requirements, and impairment thresholds considered in these assessments. Sections V.B.1 and V.B.2 also describe characteristics for dissolved oxygen in the applicable Class 7 standard. In general, a minimum of 20 independent observations (i.e. data points) in the most recent 10 years are needed for an assessment. Data demonstrating greater than 10 percent exceedance are designated as impaired and included on the 303(d) list. ²⁶

The biological quality of any given surface water body is assessed by comparison to the biological conditions determined for a set of reference water bodies which best represent the most natural conditions for that surface water body type within a geographic region.²⁷ The basis for assessing the biological community for impairment is found in the narrative water quality standards and assessment factors in Minn. R. ch. 7050.0150.²⁸ Biological integrity is commonly defined as the ability to support and maintain a balanced, integrated, and adaptive community of organisms having a species composition, diversity and functional organization comparable to those of natural habitats within a geographic region (in Minnesota this is also referred to as 'eco-region'). The presence of a healthy, diverse, and reproducing aquatic community is a good indication that the aquatic life beneficial use is being supported by a lake, stream, or wetland. The aquatic community integrates the cumulative impacts of pollutants, habitat alteration, and hydrologic modification on a water body over time.

MPCA has developed fish and invertebrate index of biological integrity (IBI) scores to assess the aquatic life use of rivers and streams in Minnesota as well as plant and invertebrate IBI scores to assess depressional wetlands. Monitoring the aquatic community, via biological and chemical monitoring, is a direct way to assess aquatic life use support. Interpreting aquatic community data is accomplished using an IBI. Minnesota uses a regional reference site approach to develop and calibrate the IBI for specific regions of Minnesota. The IBI incorporates multiple attributes of the aquatic community, called 'metrics,' to evaluate a complex biological system. Typically, 8-12 metrics related to structural and functional aspects of the aquatic communities are considered. A score is assigned to each metric and the sum of all scores is used to characterize the biological integrity of the site being assessed. The 2012 Methodology does not include assessment protocols for measuring IBI scores for aquatic communities in lakes. These assessment protocols are still being developed by MPCA.

Interpretation of aquatic community data by the PJG is completed by comparing the IBI score against the assessment threshold or biocriteria. In general, an IBI score above the assessment threshold indicates aquatic life use support, while a score below the threshold indicates non-support. MPCA utilizes a Biological Condition Gradient (BCG) along with reference conditions to calculate its biocriteria thresholds. The BCG-derived criteria are compared to criteria derived from reference sites within Minnesota to ensure that the BCG and reference conditions are closely aligned in defining the fish and invertebrate IBI classes. Minnesota used the median of BCG level 4 to develop biocriteria that are protective of the structural and functional health of biological communities. Communities with IBI

²⁶ 2012 Methodology, pages 16-17.

²⁷ Determination of Water Quality, Biological and Physical Conditions, and Compliance with Standards (7050.0150, subp. 6), https://www.revisor.mn.gov/rules/?id=7050.0150

²⁸ Determination of Water Quality, Biological and Physical Conditions, and Compliance with Standards (7050.0150, subp. 6), https://www.revisor.mn.gov/rules/?id=7050.0150

scores near this median value can be expected to have biological communities which exhibit "...overall balanced distribution of all expected major groups; ecosystem functions largely maintained through redundant attributes."²⁹

MPCA incorporated a margin of safety into its IBI assessment process. Bracketing each IBI assessment threshold is a 90 percent confidence interval that is based on the variability of IBI scores obtained at sites sampled multiple times in the same year (i.e., duplicate samples). The confidence interval accounts for variability attributed to natural temporal changes within the community as well as method error. Section V.B.e.2 in the 2012 Methodology explains the data requirements and determination criteria for assessing whether AUIDs are meeting their biological use support (i.e. fully supporting, not supporting, or insufficient information). Overall assessment of whether an AUID adequately supports aquatic life involves the review of the parameter-level evaluations and data quality in conjunction with all available supporting information (ex. flow, habitat, precipitation, etc.). The determination of available data is an important step in this review process.

Section V.B.2 in the 2012 Methodology explains the nuances of MPCA's decision making process in determining whether biological communities are deemed as fully supporting of aquatic life or non-supporting of aquatic life. These assessment decisions are made after consulting both biological and chemical data. For a given AUID, there may be chemistry indicator data, biological indicator data, or both types of data available for assessment. The assessment of whether an AUID adequately supports aquatic life involves the review of the parameter-level evaluations and data quality in conjunction with all available supporting information (flow, habitat, precipitation, etc.) to make an overall use-support determination. The final assessment takes into consideration the strength of the various indicators, the quality of the data sets and the upstream and downstream conditions of the water body segment. ³⁰

In general, a stream reach is considered to be <u>fully supporting</u> of aquatic life if:

- IBI scores for all available assemblages indicate fully supporting conditions; or
- The criteria for both dissolved oxygen and turbidity/t-tube/total suspended solids are adequately met; and
- Other lines of evidence considered comprehensively, including upstream/downstream conditions, do not contradict a finding of full support.

A stream reach is considered to be <u>not supporting</u> if:

- IBI scores for at least one biological assemblage indicate impairment; or
- One or more water chemistry parameters indicates impairment; and
- Other lines of evidence considered comprehensively, including upstream/downstream conditions, do not contradict a finding of non-support.

If the above criteria are not met and the assessment is inconclusive, the result is a determination of insufficient information. A determination of biological impairment must be supported by failing IBI scores for at least one biological assemblage, or one or more water chemistry parameters indicating impairment. In cases where an assessment unit has been determined to be not supporting based on biological indicators, water chemistry parameters are added to the list of impairments only when the

²⁹ 2012 Methodology, page 17.

³⁰ 2012 Methodology, page 19.

chemical impairment is clear enough that the AUID would be considered impaired even without the biological evidence.³¹

4b. Assessment Based on Numeric and Narrative Standards for the Protection of Human Health: Aquatic Consumption and Drinking Water

Assessments based on numeric and narrative standards for protection of human health include consideration of pollutants with Class 2 health-based chronic water quality standards. Section VI.A in Minnesota's 2012 Methodology discusses the development of human health protective numeric chronic standards. Class 2 chronic standards are established after determining the water column concentration of a pollutant that will be protective for chronic exposure for aquatic organisms, human health, and fisheating wildlife. The most protective is chosen as the chronic standard included in Minnesota rules.³²

Pollutants that have human health based chronic standards which are most often included in the State's assessments include mercury, polychlorinated biphenyls (PCBs), dioxins and chlorinated pesticides.³³ Minnesota Rule ch. 7050.0222 identifies the pollutants which have human health-based and toxicity-based criteria which have similar values. Section VI.A.2.(a) – (c) in Minnesota's 2012 Methodology discusses these pollutants and the applicable Class 2 water quality standards used in assessments of these pollutants. In general, two exceedances of the chronic standard or a single exceedance of the maximum standard in 3 years indicates impairment. For data considerations, five data points within a 3 year period during the most recent 10 years are necessary for assessment.³⁴ As stated above, when the State develops water quality standards, both a toxicity-based and a human health-based chronic criterion is calculated and the most restrictive is used to establish the chronic standard. For some pollutants, the toxicity-based and the human health-based criterion are very similar. For these pollutants, Minnesota's assessments consider both criteria.

As previously stated in this Decision Document, support of aquatic life means that concentrations of toxicants in water must be low enough that fish and other aquatic organisms are safe for people and wildlife to eat. Minnesota has four wildlife-based water quality standards (dichlorodiphenyltrichloroethane (DDT), Mercury, PCBs and 2,3,7,8 tetrachlorodibenzo-dioxin (2,3,7,8 TCDD)) within Minn. R. ch. 7052, the Great Lakes Water Quality Initiative (GLI) rule. The GLI rule focuses on bioaccumulative toxics within the Great Lakes and these four wild-life based standards are only applicable to the surface waters of the Lake Superior basin. Section VII of Minnesota's 2012 Methodology provides details of the water quality standards for DDT, Mercury, PCBs, and 2,3,7,8 TCDD. Data requirements and exceedance thresholds for pollutants with wildlife-based standards are the same as those used by the State in its assessments of pollutants that have human health-based chronic standards.³⁵

Human consumption of fish is considered a separate use support in Minnesota. Toxicants may be at levels sufficient to support aquatic life but because of bioaccumulation the fish are not safe for human consumption. Mercury, PCBs and perfluorochemicals (ex. perfluoroctane sulfonate (PFOS)), are contaminants found in fish that are considered in Minnesota's assessments. Other bioaccumulative

³¹ 2012 Methodology, page 20.

³² 2012 Methodology, pages 22-23.

³³ 2012 Methodology, pages 23-24.

³⁴ 2012 Methodology, pages 23-24.

³⁵ 2012 Methodology, page 31.

pollutants such as DDT, dioxins and toxaphene have been analyzed in fish tissue samples but only where potential problems were suspected.³⁶

In assessment of the aquatic consumption use support, Minnesota considers the use to be supported if it is safe to consume one fish meal per week over a lifetime. Limiting consumption to less than one meal per week indicates impairment. Impairment thresholds for PCBs and PFOS are established at the fish tissue concentration considered to be the upper threshold for one meal per week fish consumption advisory level for the 'sensitive' population.³⁷ The impairment threshold for PCBs is based on fish tissue concentrations exceeding 0.22 ppm and impairment threshold for PFOS is based on fish tissue concentrations exceeding 0.2 ppm.³⁸ In 2008, MPCA adopted into Minnesota Rule chapter 7050 a mercury fish tissue criterion of 0.2 ppm. This criterion for mercury is more stringent than the upper threshold for one meal per week fish consumption advisory for the sensitive population used by Minnesota Department of Health (MDH) fish consumption advisory. Consistent with Minnesota water quality standards, 0.2 ppm is the impairment threshold for aquatic consumption due to mercury.³⁹

In the 2012 Methodology, MPCA included assessments based on standards for the protection of human health Class 1 drinking consumption. All groundwater and selected surface waters are designated as Class 1 resources in Minnesota. The MDH monitors municipal finished water supplies for compliance with drinking water standards. The assessment of Class 1B and 1C listed surface waters for potential impairment by nitrate-nitrogen was outlined in the 2012 Methodology. Nitrate-nitrogen concentrations in drinking water exceeding the 10 mg/L safe drinking water standard (federal standard incorporated into Minn. R. ch. 7050.0221) pose a risk to human health. The 10 mg/L standard is an acute toxicity standard. Long term, chronic exposure to nitrate in drinking water is less well understood but has been linked to the development of cancer, thyroid disease, and diabetes in humans.

To assess drinking water-protected surface water (Class 1B and 1C) MPCA calculates a 24-hour average nitrate concentration and compares this average value to the 10 mg/L drinking consumption standard. If the water body exhibits two 24-hour exceedances within 3 years, then the water body is deemed impaired and placed on the 303(d) list. Exceedances were assessed over consecutive 3 year periods and the most recent 10 years of water quality data are considered. A minimum of five data points is required for assessments, but impairment determinations may be made with fewer data points when appropriate.⁴¹

4c. Assessment Based on Numeric Standards for Protection of Aquatic Consumption: wildlife-based standards

Minnesota rules set forth water quality standards for the protection of aquatic life uses related to wildlife consumers of aquatic organisms. Minnesota has four wildlife-based water quality standards (Minn R. ch. 7052, the Great Lakes Water Quality Initiative (GLI) rule). These water quality standards apply to concentrations of DDT, mercury, PCBs and 2,3,7,8-TCDD (tetrachlordibenzo-p-dioxin). The GLI water quality standards focus on the reduction of bioaccumulative pollutants in the surface waters

³⁶ 2012 Methodology, page 24.

³⁷ Sensitive population is comprised of pregnant women, women who may become pregnant, and children under age 15. See Minnesota Department of Health, Minnesota Fish Consumption Advisory at http://www.health.state.mn.us/divs/eh/fish/ and 2012 Methodology, page 26.

^{38 2012} Methodology, page 27.

³⁹ 2012 Methodology, pages 27-28.

⁴⁰ 2012 Methodology, page 29.

⁴¹ 2012 Methodology, pages 29-30.

⁴² 2012 Methodology, page 31.

of the Lake Superior basin. It should be noted that the GLI standards within Minn R. ch. 7052 only apply to surface waters of the Lake Superior basin.⁴³

4d. Assessment Based on Numeric Standards for Protection of Aquatic Recreation

Minnesota has two sets of numeric standards protecting waters for aquatic recreation. Numeric standards established for *E. coli* protect for primary and secondary body contact⁴⁴ while eutrophication standards protect for aquatic recreation in Minnesota lakes.

Minnesota has established *E. coli* standards for both Class 2 and Class 7 waters. Table 7 in Minnesota's 2012 Methodology identifies these water quality standards. The *E. coli* water quality standards include both a monthly geometric mean standard and an individual maximum standard. Minnesota considers both standards in their assessments. The monthly geometric mean *E. coli* standard is a geometric mean of not less than five samples collected in a month. However, most monitoring programs do not collect samples more often than once a month. In order to use the available data to the maximum extent, Minnesota aggregates available *E. coli* data for an individual month across the most recent 10 years of data. Minnesota's method of aggregating data for an individual month is based on a fecal coliform study conducted by the State which showed that for any given monitoring site there was less variability in fecal coliform data for a given month across years than there was for all months within one year. Minnesota's prior assessment methodologies have included this same approach for fecal coliform assessments.

For assessment of the monthly geometric mean standard, the State considers the most recent 10 years of data, aggregates the data by individual month for a specific assessment unit, and if one or more months exceed the monthly geometric mean standard, ⁴⁶ the assessment unit is added to Minnesota's 303(d) list. For assessment of the individual maximum standard, an assessment unit is added to Minnesota's 303(d) list if more than 10% of individual values over the most recent 10 years exceed the maximum *E. coli* standard. ⁴⁷ In order to assess against the individual maximum *E. coli* threshold, Minnesota analyzes a minimum of 15 sampling points over the most recent 10 year period. Assessment decisions of data sets with less than the minimum number of samples are made by the WAT on a case by case basis. ⁴⁸ Prior assessment methodologies established methods for assessment using fecal coliform data or a statistical relationship between fecal coliform and *E. coli* data. Minnesota explained that there is a considerable amount of *E. coli* and older fecal coliform data. Assessment decisions for the 2012 list used solely *E. coli* data. Exceptions to the exclusive use of *E. coli* measurements for assessment decisions (i.e., the use

⁴³ 2012 Methodology, page 31.

⁴⁴ For purposes of bacteriological standards, recreation in or on the water is divided into two types: primary body contact and secondary body contact. Primary body contact is considered to be any type of water recreation during which the accidental ingestion of a small amount of water is likely such as swimming, snorkeling, SCUBA, water skiing, kayaking, tubing and wading by young children. Secondary body contact is considered to be any type of water recreation during which the accidental ingestion of a small amount of water is unlikely such as boating, canoeing, fishing and wading by older children and adults. Statement of Need and Reasonableness, Book III of III, In the Matter of Proposed Revisions of Minnesota Rules Chapter 7050, Relating to the Classification and Standards for Waters of the State, July 2007, pg. 83, and 2012 Methodology, page 32.

⁴⁵ 2012 Methodology, pages 32-34, and *Fecal Coliform Bacteria in Rivers*, MPCA, H.D. Markus, 1999 in EPA Region 5's 2002 administrative record to support EPA's approval of Minnesota's 2002 303(d) list.

⁴⁶ The monthly geometric mean water quality standard for Class 2 waters is 126 organisms per 100mL of water and for Class 7 waters is 630 organisms per 100mL of water. See 2012 Methodology, pages 32-34, Minn. R. ch. 7050.0222 subp. 2-5, and Minn. R. ch. 7050.0227 subp. 2.

⁴⁷ The *E. coli* maximum individual water quality standard for both Class 2 and 7 waters is 1260 organisms per 100mL of water. See 2012 Methodology pages 32-34, and Minn. R. ch. 7050.0222 subp. 2-5, and Minn. R. ch. 7050.0227 subp. 2.

⁴⁸ 2012 Methodology, page 32.

of fecal coliform data to augment the *E. coli* data set) were only employed in special cases. These exceptions utilized the ratio of 200 cfu/100 mL (fecal coliform) to 126 cfu/100 mL (*E. coli*).

Minnesota's promulgated ecoregion-based lake eutrophication numeric water quality standards for total phosphorus, chlorophyll-a (chl-a) and Secchi Disk depth (Minn. R. ch. 7050.0222 subp. 2-4.) are the parameters monitored in lake assessments. Eutrophication standards are specific to ecoregion and lake depth. Minn. R. ch. 7050.0150 defines the State-recognized depths of a lake, a shallow lake, a reservoir and a wetland. The determination between the four requires an analysis of basin depth and littoral area. Appendix A of the 2012 Methodology lists the factors used to separate lakes, shallow lakes and wetlands. 49 Table 9 of Minnesota's 2012 Methodology identifies the lake eutrophication standards used for aquatic recreation use assessments.

Assessments utilizing the eutrophication water quality standards consider data collected over the most recent 10-year period. Samples must be collected over a minimum of 2 years and sampled from June to September. Typically, a minimum of 8 individual data points for TP, corrected chl-*a* (chl-*a* corrected for pheophytin), and Secchi are required. If there are multiple samples collected on the same day, the daily average of samples collected is calculated. All daily data from June to September is averaged to calculate a summer mean value. The summer mean value is the water quality measurement compared to eco-region and depth specific water quality standards. Lakes where total phosphorus and at least one of the response variables (chl-a or Secchi disk depth) exceed the applicable standard are identified on Minnesota's 303(d) list as impaired. Standard are identified on Minnesota's impaired.

4e. Assessment Based on Numeric Standard for Protection of Limited Resource Value Waters Minnesota rules set forth water quality standards for Class 7 waters in chapter 7050.0227. The rules include standards for *E. coli*, dissolved oxygen, pH and toxic pollutants. Limited resource value waters include surface waters of the State that have been subject to a use attainability analysis and have been found to have limited value as a water resource. These waters are specifically listed in rule 7050.0470 and are protected so as to allow secondary body contact use, to preserve the groundwater for use as a potable water supply, and to protect aesthetic qualities of the water. ⁵²

Because Class 7 waters may be used by game fish for spawning and/or maintaining minnow populations during brief periods in the spring, a special protection against bioaccumulative pollutants is needed. The 2012 Methodology includes a discussion on the application of toxic standards to Class 7 waters. The water quality standard states, "toxic pollutants shall not be allowed in such quantities or concentrations that will impair specified uses." The 2012 Methodology explains that for Class 7 assessments, for most toxic pollutants, the maximum standard or 100 times the chronic standard, whichever is lower, would apply. For bioaccumulative pollutants in Class 7 designated waters, the chronic standard would apply.

⁴⁹ 2012 Methodology, pages 35-36.

⁵⁰ 2012 Methodology, pages 35-36.

⁵¹ Minnesota Rules include narrative eutrophication standards for Class 2 lakes, shallow lakes and reservoirs which explain a polluted condition as an exceedance of total phosphorus and either the chlorophyll-a or Secchi disk standard using data that is averaged over the summer season. See Minn. R. ch. 7050.0222 subp. 2a, 3a, and 4a.

^{52 2012} Methodology, page 37.

⁵³ 2012 Methodology, page 37.

⁵⁴ Minnesota Administrative Rules (MN R. ch. 7050.0227), https://www.revisor.mn.gov/rules/?id=7050.0227

5. Removing a Water from the 303(d) List

Minnesota's 2012 Methodology identifies four reasons for removing a water from the 303(d) list;

- If, during subsequent monitoring or the development of the TMDL study, new and reliable water quality data or information indicates that the water body is no longer impaired and is meeting water quality standards. Such a water body would be de-listed before a TMDL plan was completed.
- If a TMDL assessment and preliminary plan for reducing the sources of pollution is completed and approved by the EPA.
- If the sources of impairment are determined to be non-anthropogenic in origin.
- If it was determined that the water body was placed on the list in error. 55

When deciding to remove a water body from the 303(d) list based on new data and information, the State generally applies the same standards, guidelines and thresholds used to add a water to the 303(d) list. The 2012 Methodology identifies minimum data requirements and impairment thresholds that must be considered for the various categories of pollutants before removing a water body from the 303(d) list. ⁵⁶ Decisions to remove a water body from the 303(d) list are subject to review by the appropriate MPCA staff and PJG.

The second basis for removing a water body from the 303(d) list is where a TMDL has been approved by EPA. In accordance with Minnesota's 2012 Methodology, if a water body is identified as being impaired, and EPA has approved all necessary TMDLs for that water body, then the water body will be placed in category 4A. It should be noted that the water body is still considered as impaired and remains on the Impaired Waters Inventory (part of MPCA Integrated Report submittal to the EPA). The water body will remain on the Impaired Waters Inventory until it is demonstrated that the water body supports all of its beneficial uses (i.e. meets water quality standards for each beneficial use designation).

The third basis for removing a water body from the 303(d) list is where a water body is found to be impaired by natural conditions, i.e., non-anthropogenic in origin. In this situation, all sources of the impairment are naturally occurring. Although Minnesota continues to identify these waters as impaired, it places these waters in category 4D (i.e. impaired but does not require a TMDL).

The fourth basis for removing waters from the 303(d) list occurs under circumstances where:

- A water was placed on the 303(d) list in error (ex. wrong AUID assigned);
- A resegmentation or reclassification of a water has occurred since the last listing cycle;
- There has been a change/update to the State's standards or methodology since the last listing cycle.

Errors can be made in the original assessment of a water body. These errors, which may be a result of either human or computer error, are usually discovered during future assessments. Occasionally there is a need for the State to change how a water body is divided into assessment units. This change may cause a water body originally listed under one specific assessment unit ID# to now be listed as two new ID#s. Although it may appear that changing the ID# results in removing waters from or adding waters to the 303(d) list, in most cases the original impaired water is still on the list, it is just identified in a different

⁵⁵ 2012 Methodology, page 39.

⁵⁶ 2012 Methodology, pages 39-40.

manner. Another water identification change that could affect how a water is listed is when a lake is reclassified. As the State develops watershed plans and TMDLs, specific lake characteristic information could become available which would cause the State to re-evaluate how the lake is classified; e.g., deep or shallow. Since water quality standards are applicable to a lake based on lake type and lake location, a change in a lake's classification could change where the State places that lake in its integrated report.

Minnesota revises its methodology in response to changes to the State's water quality standards. For the 2012 listing cycle, the state made no significant changes to water quality standards which impacted the 2012 303(d) list.

Table A-2 of this Decision Document provides a list of the assessment unit/pollutant combinations that Minnesota has removed from its 303(d) list. EPA concludes that the State has demonstrated good cause for removing these waters from the 303(d) list. In evaluating the reasonableness of the State's decision to remove these waters, EPA considered the delisting explanations provided by the State in its 2012 submittal, ⁵⁷ information made available to the public during the public notice and comment period, and MPCA lake/wetland and stream assessment transparency documents made available to the public on MPCA's website. ⁵⁸

Consideration of Existing and Readily Available Water Quality-Related Data and Information

1. State Monitoring Data and Information

Minnesota conducts a variety of surface water monitoring activities which focus on generating crucial water quality data for assessing the chemical, biological, bacteriological, and physical conditions, within Minnesota's surface waters. This information is used to assess potential and actual threats to water quality within the State and to evaluate the effectiveness of management strategies taken to address impairments and other threats to water quality. Water quality monitoring by local, state and federal partners, along with citizen monitoring efforts, and remote sensing monitoring are all utilized by MPCA in its assessment process.

Through the 2010 listing cycle, MPCA assessed the condition of the State's waters via a biennial, statewide assessment process. Over the previous few years, MPCA has moved away from a statewide monitoring approach and focused its efforts toward targeted watersheds via the intensive watershed monitoring strategy. The IWMA generates more voluminous data sets within those watersheds targeted for water quality monitoring. The 2012 listing cycle is the first assessment cycle in which MPCA is assessing water quality data from earlier IWMA efforts. For assessment decisions made for the 2012 listing cycle, MPCA assessed water quality information from watersheds listed in Table 3 of this decision document. It should be noted, that water quality sampling, under the IWMA, was conducted in the watersheds in Table 3 during 2007, 2008 and 2009.

⁵⁷See Inventory of all impaired waters, De-listings from the inventory, Changes initial to final draft, and New removals from the 2012 inventory within submitted spreadsheets from MPCA for detailed discussion from State

⁵⁸ http://www.pca.state.mn.us/index.php/water/water-types-and-programs/minnesotas-impaired-waters-and-tmdls/assessment-and-listing/303d-list-of-impaired-waters.html

Table 3: Watersheds in which water quality data was assessed for the 2012 Listing Cycle

| Watershed Name | Year in which data was collected under the Intensive Watershed Monitoring Approach (IWMA) |
|--|---|
| North Fork of the Crow River Watershed | 2007 |
| Pomme de Terre River Watershed | 2007 |
| Le Sueur River Watershed | 2008 |
| Little Fork River Watershed | 2008 |
| Mississippi (Red Wing) River Watershed | 2008 |
| Red River of the North (Headwaters) Watershed | 2008 |
| Root River Watershed | 2008 |
| Sauk River Watershed | 2008 |
| Tamarac (Red River of the North) River Watershed | 2008 |
| Buffalo River Watershed | 2009 |
| Cedar River Watershed | 2009 |
| Chippewa River Watershed | 2009 |
| Mississippi (St. Cloud) River Watershed | 2009 |
| Shell Rock River Watershed | 2009 |
| St. Croix (Stillwater) River Watershed | 2009 |
| St. Louis River Watershed | 2009 |

Toxic parameter monitoring continues to occur on a statewide basis. Assessment of those parameters is done on a statewide basis every two years. Watershed assessments employed via the IWMA focus primarily on the aquatic life and recreation beneficial uses. Statewide assessments focus primarily on aquatic consumption and aquatic life toxicity. MPCA has set a schedule to intensively monitor each major watershed once every 10 years (Figure 1 of this Decision Document). The IWMA is designed to identify waters which are impaired and require restoration. Also, information from the IWMA is utilized to identify those waters which are not yet impaired but require further protection to prevent water quality conditions which would lead to that water body being designated as impaired.




Figure 1: Intensive Watershed Monitoring Map (2008 to 2018)⁵⁹

MPCA's review of water quality data collected during the IWMA involves a five step approach, discussed earlier in this Decision Document in Section 3. The four steps discussed immediate below are related to MPCA's approach for addressing water quality impaired segments.

Step 1: Monitor and gather data information

MPCA employs an intensive watershed monitoring schedule that provides for comprehensive assessments of all of the major watersheds on a 10-year cycle. This schedule provides intensive monitoring of streams and lakes within each major watershed to determine overall health of the water resources, to identify impaired waters, and to identify those waters in need of additional protection to prevent future impairments.

⁵⁹ MPCA Watershed Monitoring Approach (Intensive Watershed Monitoring Map), http://www.pca.state.mn.us/index.php/water/watershed-types-and-programs/surface-water/watershed-approach/watershed-approach.html

Step 2: Assess the data

Based on results of intensive watershed monitoring in step one, MPCA staff and its partners implement a rigorous process to determine whether or not water resources meet water quality standards and designated uses. Waters that do not meet water quality standards are listed as impaired waters.

Assessment of toxic parameters (eg. mercury) continues to occur on a statewide basis every two years. The statewide toxic assessment focuses on those pollutants which influence aquatic consumption and aquatic life toxicity. Also, while MPCA's IWMA focuses monitoring efforts on selected watersheds each year, the State does not discourage outside parties from submitting data and proposing waters to be considered for the 303(d) list which lie outside of the watersheds targeted by the IWMA. MPCA accepts water quality information during the public notice period of the draft 303(d) TMDL list (for the 2012 listing cycle, this was January 23, 2012 to February 27, 2012).

MPCA uses data collected over the most recent 10-year period for water quality assessments. ⁶⁰ The 'year of record' is based on the USGS water year (October 1 of one year through September 30 of the following year). A full 10 years of data are not required to make an assessment. MPCA uses a 10-year period to provide reasonable assurance that data will have been collected over a range of weather and flow conditions and that all seasons will be adequately represented. MPCA also considers trends in water quality data or changes in climatic conditions (eg. drought periods) which impact water quality during the 10-year period. EPA finds the State's use of the 10-year period for water quality assessments a reasonable approach to ensure that data are collected over a range of weather and flow conditions, and that all seasons are adequately represented.

Step 3: Establish implementation strategies to meet standards

Based on the watershed assessment, a TMDL study and/or protection strategy is completed. Existing local water plans and water body studies are incorporated into the planning process.

Step 4: Implement water quality activities

Included in this step are all traditional permitting activities, in addition to programs and actions directed at nonpoint sources. Partnerships with State agencies and various local units of government, including watershed districts, municipalities, and soil and water conservation districts, will be necessary to implement these water quality activities.

2. Active Solicitation of Data from other Sources

MPCA relies on data it collects along with data from other credible sources, such as other state and federal agencies, local government partners and volunteers, to assess water bodies. In preparation for assessing waters for the 2012 listing cycle, MPCA actively solicited data and information for use in the assessment process. MPCA communicates annual 'Calls for Water Quality Data' which encourage local water organizations to share water quality information. MPCA completed a *Call for Data for the 2010 Annual Surface Water Assessments* and *Call for Data for the 2011 Annual Surface Water Assessments* prior to the 2012 assessment of water quality data by MPCA. These communications are made through the State's 'GovDelivery' electronic mail distribution system. ⁶¹ In the *Call for Water Quality Monitoring Data* communication MPCA clearly outlines date deadlines for data submittal from outside parties/organizations. Data submitted before the deadline was considered by MPCA in its staff review

^{60 2012} Methodology, pages 8-9.

^{61 2012} Call for Data email (email dated October 5, 2011), shared by David Christopherson (MPCA) via Email on 11/9/12 at 8:04 PM.

process to determine whether or not the water body was meeting appropriate water quality standards and designated uses.

In addition to the *Call for Water Quality Monitoring Data* MPCA also conducted a series of meetings around the State with watershed partners in the 16 watersheds (Table 3 of this Decision Document) identified for Intensive Watershed Monitoring within the 2012 listing cycle. During these informal meetings, MPCA asked watershed partners to submit relevant water quality monitoring data for water bodies within each of these watersheds. The 2012 listing cycle was the first listing cycle where MPCA did not publish a solicitation for water quality monitoring data within the Minnesota State Register. MPCA explained that in addition to changes carried forward in the water quality monitoring strategy (i.e. the change to an Intensive Watershed Monitoring strategy) it elected to alter its communication strategy for petitioning for water quality information. MPCA chose to directly contact watershed partners within the 16 watersheds, and felt that this was a more efficient and effective use of resources than State Register announcements. 62

In 2003, MPCA issued the *Volunteer Surface Water Monitoring Guide*. This guidance discusses data uses and goals of data collection, data quality issues, and includes a specific section on monitoring requirements for data that can be used in 305(b) and 303(d) assessments. This guidance, along with information contained in the formal *Call for Water Quality Monitoring Data (email dated October 5, 2011)*, cited MPCA webpages where interested parties could obtain specific criteria that water quality monitoring data and other information submitted must meet in order to be considered in MPCA's staff review assessment process.

Data used by the State in its assessments are stored in MPCA's water quality data management system, Environmental Quality Information System (EQuIS). EQuIS is the central data repository for assessment information utilized by MPCA. Water quality monitoring data collected by parties other than MPCA are added to EQuIS so long as they meet acceptable MPCA quality assurance and quality control (QA/QC) protocols. Data meeting the QA/QC requirements are entered into EQuIS so that a permanent record is created and data may be merged or considered in light of any other data available for a given water body. Monitoring and data management at MPCA are in accordance with the requirements specified in the Quality Management Plan (June 2007) approved by the EPA and available for review via MPCA's website.⁶⁴

3. Public Participation

In developing Section 303(d) lists, States are required to assemble and evaluate all existing and readily available water quality-related data and information, including consideration of existing and readily available data, and information about waters for which water quality problems have been reported by members of the public. EPA expects states to have full public participation in development of their 303(d) lists prior to submitting the final 303(d) list to EPA for review. Public participation efforts need to be consistent with Section 101(e) of the CWA. When a proposed list has been established, states should, in accordance with the requirements in 40 CFR Part 25, provide the opportunity for public notice

⁶² Electronic mail communication (11/9/12 at 8:04 PM): David Christopherson (MPCA) to Paul Proto (EPA, R5).

⁶³ Appendix D of the *Volunteer Surface Water Monitoring Guide* provides specific requirements for MPCA integrated assessments. This Appendix was revised in September 2009.

⁶⁴ MPCA Water Quality Management Plan (June 2007), http://www.pca.state.mn.us/index.php/view-document.html?gid=5479 ⁶⁵ 40 CFR §130.7.

and submission of comments from the public. States should prepare responses for the comments received.⁶⁶

Minnesota provided the public with the opportunity to review and comment on the assessment decisions through a 35-day formal comment period, public informational meetings and availability of the 2012 Methodology and draft 303(d) list. The 35-day formal comment period was from January 23, 2012 to February 27, 2012. Normally, MPCA holds a 30-day public comment period. For the 2012 listing cycle, MPCA extended its public comment period by 5 additional days. MPCA held seven informational meetings at various locations throughout the State between December 21, 2011 and January 25, 2012. Notice of these meetings and/or the 35-day formal comment period was made available to the general public through news releases, a November 2011 mass mailing by MPCA, information on MPCA's website, and publication in the State Register. ⁶⁷

Thirty-nine (39) comment letters or electronic correspondences, were received by MPCA during the public comment period (January 23, 2012 to February 27, 2012). MPCA considered the comments from all thirty-nine comment letters and provided responses to the commenters in a response to public comments summary document. MPCA's response to public comments was shared on an MPCA 2012 303(d) webpage. With the exception of responses to comments regarding Jail and Wine Lakes discussed below, EPA believes that MPCA adequately addressed the comments submitted during the public notice period. MPCA included its responses to public comments within its final 2012 303(d) submittal package to EPA on October 1, 2012.

Data received by MPCA in response to the *Call for Water Quality Monitoring Data* before November 1, 2011, were uploaded into EQuIS for review by MPCA staff. Water quality monitoring data and other information related to specific water bodies, received in public comments within the 35-day public notice period were also uploaded to EQuIS and considered by MPCA staff. Loren J. Larson of Plymouth, Minnesota, submitted summary data showing exceedances of the lake eutrophication water quality standards and a request that MPCA include Jail Lake (18-0415-00) on the 2012 303(d) list. ⁶⁹ MPCA responded to the commenter within the response to public comment document. MPCA explained that it will review all available water quality data for Jail Lake, and other waters within the Pine River watershed, during the Pine River Watershed comprehensive assessment scheduled for 2014. MPCA stated that deviations from the watershed schedule will be considered by exception, and it will only consider data outside of the schedule if the local benefits of the schedule exception offset the lost assessment efficiency and effectiveness that results from an "out-of-order" assessment. ⁷⁰

On February 27, 2012 MPCA asked that the commenter provide the rationale as to why Jail Lake should be considered for listing outside of the Intensive Watershed Monitoring schedule as explained in MPCA 2012 Methodology document. The response received from the commenter by MPCA on March 11, 2012 indicated that local monitoring efforts were losing funding due to the completion of an MPCA grant, and

⁶⁶ Supplemental Guidance on Section 303(d) Implementation, EPA Memorandum, August 13, 1992, Approval of 303(d) Lists, Promulgation Schedules/Procedures, Public Participation, EPA Memorandum, October 30, 1992, and Guidance for 1994 Section 303(d) Lists, EPA Memorandum, November 26, 1993.

⁶⁷ State Register Vol. 36 No. 27 p. 847-849, http://www.comm.media.state.mn.us/bookstore/stateregister/36_27.pdf.

⁶⁸ MPCA Impaired Waters 2012 TMDL List, http://www.pca.state.mn.us/index.php/water/water-types-and-programs/minnesotas-impaired-waters-and-tmdls/impaired-waters-list.html.

⁶⁹ See February 27, 2012 correspondence from Loren J. Larson to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).
⁷⁰ 2012 Methodology, page 3.

that a TMDL was required to improve conditions of the lake. MPCA decided that a potential Jail Lake TMDL would at the earliest be initiated by MPCA after the watershed assessment scheduled for early 2014. MPCA did not add Jail Lake to the final 2012 303(d) list.

EPA disagreed with MPCA's decision not to add Jail Lake to the final 2012 303(d) list as a Category 5 water body. The EPA explained that the water quality monitoring data shared by the commenter were appropriate data (i.e. within the EQuIS data management system and met the minimum data requirements for lake eutrophication described within the 2012 Methodology. and that MPCA should have considered this water quality data in its assessment of Jail Lake. While EPA understands MPCA's interest in following the State's schedule for its systematic watershed approach (the Intensive Watershed Monitoring strategy) when assessing water quality monitoring data, MPCA needs to consider all readily available and accessible data for assessment decisions. In an email message sent on November 30, 2012, EPA requested that MPCA add Jail Lake (18-0415-00) to the final 2012 303(d) list as a Category 5 water body. MPCA agreed with the request in an email sent to EPA on December 10, 2012 and added Jail Lake to the final 2012 303(d) list.

Tera L. Guetter, on behalf of the Pelican River Watershed District, submitted available water quality data and a request that MPCA return St. Clair Lake (03-0382-00) to the 2012 303(d) list. MPCA removed St. Clair Lake from the 303(d) list due to 'insufficient data.' The commenter also requested that MPCA include Wine Lake (03-0398-00) as a Class 5 water body on the final 2012 303(d) list. The commenter included summary water quality data from the EQuIS data management system to demonstrate non-attainment of lake eutrophication water quality standards for both St. Clair Lake and Wine Lake in her February 15, 2012 letter to Howard Markus (MPCA). Upon further consideration, MPCA concurred that St. Clair Lake should be returned to the 2012 303(d) list as a Category 5 water body.

MPCA asked the commenter to provide additional rationale as to why Wine Lake should be considered for listing outside of the Intensive Watershed Monitoring schedule as explained in MPCA 2012 Methodology document. MPCA was not persuaded that Wine Lake should be added as a Category 5 water on the final 2012 303(d) list. EPA disagreed with MPCA on this decision. EPA explained that the water quality monitoring data shared by the commenter were appropriate data (i.e. within the EQuIS data management system and met the minimum data requirements for lake eutrophication described within the 2012 Methodology and MPCA should have considered this water quality data in its assessment of Wine Lake. In an email message sent on November 30, 2012, EPA requested that MPCA add Wine Lake (03-0398-00) to the final 2012 303(d) list as a Category 5 water body. MPCA agreed with the request in an email sent to EPA on December 6, 2012 and added Wine Lake to the final 2012 303(d) list.

Jean B. Sweeney, Vice President of 3M Environmental, Safety and Health Operations, on behalf of 3M, submitted data and a request that the State remove four assessment units in Pool 2 on the Mississippi

⁷² 2012 Methodology, page 35.

⁷⁴ See Administrative Record Document #35, telephone conversation between EPA and MPCA on November 7, 2012.

⁷⁵ 2012 Methodology, page 35.

⁷¹ See Administrative Record Document #35, telephone conversation between EPA and MPCA on November 7, 2012.

⁷³ See February 15, 2012 correspondence from Tera L. Guetter to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

River, which have been identified by MPCA as being impaired for aquatic consumption due to PFOS. ⁷⁶ PFOS are manmade chemicals used to manufacture products which are heat resistant, stain resistant and repel water. Minnesota originally added these four assessment units within Pool 2 to its 2008 303(d) list based on water quality data which showed that a consumption advisory was necessary for the freshwater drum species in Pool 2. Minnesota Administrative Rules (7050.0150 subpart 7) stated that, "A waterbody will be considered impaired when the recommended consumption frequency is less than one meal per week, such as one meal per month, for any member of the population...the impaired condition must be supported with measured data on the contaminant levels in the indigenous fish."

Despite the data and information submitted by the commenter, the State believes that assessment units in Pool 2 are still not meeting the recommended consumption frequency and therefore not meeting water quality standards. MPCA declined to remove these 4 assessment units from the 2012 303(d) list. explaining that the commenter failed to provide sufficient data to support her case for delisting. In particular, MPCA found that the water quality data submitted by the commenter were not robust enough to cite downward trends in PFOS concentrations within fish tissue in Pool 2. MPCA stated in its response to public comment document, "Given the wide range of PFOS concentrations observed in Pool 2 fish tissue and the insufficiency of available data, MPCA believes it is prudent and protective of public health and the environment to be very cautious as MPCA determines if and when to delist Pool 2 as an impaired water." MCPA indicated that fish tissue data from Pool 2 would continue to be analyzed in future assessment cycles and explained that it was working with the MDNR and the MDH to complete additional fish sampling of Pool 2 in the future. EPA agrees with MPCA that due to the variability of PFOS concentrations and the insufficiency of available data, delisting is not supported. EPA finds the continued listing of the four assessment units in Pool 2 on the Mississippi River, identified by the commenter, as being impaired for aquatic consumption due to PFOS on the State's 2012 303(d) list to be reasonable.

Although no other public comments included data, some comments highlighted data and information that were already available to the State, and requested that the State reconsider this available information. Commenter Paul Nelson, a Program Manager for Scott County's Natural Resources Program, submitted a request encouraging MPCA to reconsider the data and information used in listing two river segments. The commenter proposed that MPCA remove County Ditch 10 (CD3 to Raven Str) (07020012-628) and Picha Creek/Unnamed Creek (Unnamed Creek to Unnamed Creek) (07020012-579) from the State's 2012 303(d) list due to the misidentification of designated use for County Ditch 10, and the misidentification of a sampling location and flawed water quality monitoring data which led to the listing for Picha Creek/Unnamed Creek.

Upon reconsideration of information presented by the commenter, MPCA determined that County Ditch 10 and Picha Creek/Unnamed Creek were to remain on the 2012 303(d) list. MPCA explained that for Picha Creek to be removed from the 303(d) list, MPCA would need to see evidence that low flow conditions cited by the commenter were due solely to natural factors, and that the natural factors were the only stressors causing or contributing to the impairment. The stressor identification document for

⁷⁶ See January 31, 2012 correspondence with enclosures from Jean B. Sweeney to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

⁷⁷ See MPCA's Responses to the draft 2012 Total Maximum Daily Load List 30-Day Public Notice Comments (September 7, 2012) document (received by EPA on October 1, 2012).

⁷⁸ See February 2, 2012 electronic mail (E-mail) correspondence from Paul Nelson to Howard Markus and *Appendix B: MPCA's response* to comments on the draft 2012 TMDL, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

Picha Creek, which was assembled by MPCA staff, indentified other potential non-natural causes (ex. habitat fragmentation, habitat alteration and sedimentation) which are likely causing and contributing to the impairment in Picha Creek. MPCA also explained that County Ditch 10 (CD3 to Raven Str) (07020012-628) was assigned the correct designated use and provided supporting data which demonstrated that the water body was impaired for bacteria. EPA agrees with MPCA's analysis and finds the continued listing of County Ditch 10 (CD3 to Raven Str) (07020012-628) and Picha Creek/Unnamed Creek (Unnamed Creek to Unnamed Creek) (07020012-579) on the State's 2012 303(d) list to be reasonable.

Commenter Greg Bartz of Sleepy Eye, Minnesota, with the support of approximately twenty-seven (27) other co-signees, submitted a request encouraging MPCA to reconsider data and information utilized in designating County Ditch 10 (John's Creek) (07020007-571) as impaired for nitrate-nitrogen exceedances. The commenter explained that county and judicial ditches cannot be designated as impaired for Class 1 or Class 2 water quality standards. Also, the commenter described how MPCA misidentified County Ditch 10 as a trout stream and the Minnesota River basin has not historically had trout species in its waters. The commenter believes that the impairment listing is incorrect if the listing is based on the protection of an introduced species. Upon reconsideration of information presented by the commenter, MPCA determined that County Ditch 10 was to remain on the 2012 303(d) list. MPCA cited Minnesota Rule 7050.0470, subpart 5 as justification for designating County Ditch 10 as a Class 1b water. Class 1b waters are protected for drinking water use (under Minnesota Rule 7050.0220, subpart 3a) and waters recognized as potential drinking water resources are protected under a nitrate-nitrogen water quality standard. Since MPCA has appropriately identified County Ditch 10 as a water where Class 1b water quality standards are applicable and data supports a finding that it has exceeded the nitrate-nitrogen water quality standard, EPA find MPCA's listing of County Ditch 10 on the State's 2012 303(d) list to be reasonable.

Commenter Tom Moe, on behalf of US Steel Minntac, submitted a request encouraging MPCA to reconsider the data and information utilized in designating the Minntac Tailings Basin (69-1351-00) as not attaining the water quality standards for mercury in fish tissue. ⁷⁹ The commenter asserted that the Minntac Tailings Basin is not a water of the State. Additionally, the commenter communicated that US Steel Minntac had completed independent water quality sampling and had determined that mercury concentrations in fish tissue were below the water quality standard. The commenter did not provide water quality monitoring data to substantiate these claims. Upon reassessment, MPCA concluded that the Minntac Tailings Basin was not to remain as a Category 4A water, which would be addressed by the 2012 Revision to the Statewide Mercury TMDL. MPCA explained that the Minntac Tailings Basin is not a water of the State and is considered part of the facility's treatment system, covered under Minntac's NPDES/SDS permit. Since the Minntac Tailings Basin is not a water of the State, EPA finds it reasonable for MPCA to delist the water.

Several commenters requested that MPCA reconsider the listing of Seven Mile Creek (07020007-562) for violations of the chlorpyrifos water quality standard. Chlorpyrifos is a pesticide which is used throughout the State. Amy Linnerooth of Nicollet County, Kerry Hastings and Elisha Modisett-Kemp from Dow AgroSciences LLC, Ken Ostlie of the University of Minnesota, Kurt Kruger of the Minnesota

⁷⁹ See January 31, 2012 E-mail correspondence from Jesse Anderson (MPCA), referencing the commenter Tom Moe, to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

Soybean Growers Association, and John Mages of the Minnesota Corn Growers Association, were some of the commenters making this request. Upon consideration of the information submitted from these three commenters, MPCA determined that Seven Mile Creek should remain on the 2012 303(d) list for chlorpyrifos water quality violations.

The compound known as 'chlorpyrifos' is a pesticide which is measured via water quality studies carried out by the MDA. In its response to these commenters, the MPCA described how available pesticide data, collected by the MDA, were carefully screened to satisfy all quality assurance and quality control (QA/QC) protocols and Quality Assurance Program Plans (QAPPs). The MPCA considered the data collected within the Seven Mile Creek assessment unit to be valid and scientifically defensible.

In addition to the MPCA's defense of MDA's procedures within the response to public comments summary documentation, the MDA also drafted and included a letter (dated May 17, 2012) to public commenters. In this letter, MDA addressed individual questions from commenters and outlined other supporting scientific observations which were backed by MDA collected water quality data. MDA explained that although it did not detect exceedances of the chlorpyrifos water quality standard, it has observed upward trends in chlorpyrifos detection frequency and concentration magnitude. MDA attributed these increases to localized changes in pesticide usage and agricultural management practices.

MPCA added that MDA's water quality data observations combined with its own ambient water quality sampling data signified that Seven Mile Creek was threatened by chlorpyrifos and therefore should be listed on its 2012 303(d) list. MPCA will continue to monitor the Seven Mile Creek water body and will work with the MDA in promoting best management practices for pesticide usage throughout Minnesota. After reviewing the MDA data, EPA agrees with MPCA that the data meet the appropriate QA/QC protocols and the QAAP requirements, therefore, EPA finds MPCA's decision to list Seven Mile Creek (07020007-562) for impairments under chlorpyrifos water quality standard reasonable.

Kevin Pylka on behalf of PolyMet Mining Inc., Keith Hanson of the Minnesota Chamber of Commerce and David Skolasinski of Cliffs Natural Resources Inc., all submitted comments requesting MPCA reconsider Index of Biotic Integrity (IBI) listings in the 2012 303(d) list. The commenters stated that MPCA needs to provide the opportunity for public review and comment on the IBI development process including calibration, scoring and application of the IBI assessment methodology. Additionally, the commenters requested that MPCA provide a Statement of Need and Reasonableness (SONAR) for protocols and documentation associated with the IBI development.

MPCA's response to public comments document re-emphasized that MPCA's biological assessment process is grounded in the biological assessment framework provided in a SONAR document associated with the 2002 rulemaking for Minn. Rules 7050.0150, subp. 6. This document acknowledges the use of biological community assessments as direct ways of predictably measuring aquatic life conditions in streams, and that biological community assessments integrate the combined effects of all stressors over time and space. MPCA utilized this IBI assessment framework in its biological assessments for the 2012 303(d) list. MPCA explained that increases in the breadth and scope of sampling data, due to the Intensive Watershed Approach, have allowed MPCA to refine the calibration of its IBIs scoring system for the 2012 List. If and when the biological assessment process is further refined, MPCA indicated that future revisions will be available for review via the public notice process. Additionally, the MPCA communicated that it will keep the public updated on its progress through its webpage and other

communication outlets (ex. State Register notices, email notifications, public meetings etc.). Appropriate language outlining the changes to the biological assessment methodology will be reflected within the Methodology document (Assessment Guidance) for the listing cycle which the changes are applicable. Stakeholders may submit comments on the Assessment Guidance during the public notice period for the draft 303(d) list. EPA agrees that the IBI assessment methodology used for the 2012 303(d) list was subject to adequate public notice and comment and therefore finds MPCA's IBI listings to be reasonable.

Minnesota's final 2012 303(d) list did not include water bodies impaired due to nonattainment of the State's sulfate water quality standard (Minnesota Rule 7050.0224) (sulfate WQS). Prior 303(d) lists did not include impairment listings due to non-attainment of the sulfate WQS. In addition to the concerns expressed from tribal partners, MPCA received comments from members of the public requesting that the State reconsider listing specific water bodies for nonattainment of the sulfate WQS. Some of these commenters cited sulfate values above the sulfate WQS from draft and final Environmental Impact Statements (EIS) for mining operations in northern-central Minnesota. Other commenters referenced water bodies which they believed to be impacted by sulfate but did not provide water quality data in support of their comments.

As a result of public comments and discussions EPA held with federally recognized tribes, EPA completed an independent review of water bodies cited within the public comments submitted to MPCA in February 2012. EPA reviewed ambient water quality data related to segments discussed in the draft and final EIS, effluent discharge data from discharge monitoring reports, and NPDES permits and other sulfate and wild rice-related documentation. MPCA assisted EPA throughout this evaluation process. Based on this review, EPA did not identify any waters for which available data indicate that waters specifically identified in Minnesota Rule 7050.0224 & 7050.0470 as wild rice production waters were not attaining the sulfate water quality standard.

In its response to the public comments and EPA inquiries, MPCA explained that it does not intend to assess water bodies potentially impaired by sulfate until it has developed a wild rice/sulfate impaired waters assessment approach and this approach has gone through the necessary public review process. MPCA explained that without an approved wild rice/sulfate impaired waters assessment approach, it was inappropriate to analyze ambient sulfate data to determine compliance with the sulfate WQS for the 2012 303(d) list. MPCA committed to the development of a wild rice/sulfate impaired waters assessment approach for the 2014 listing cycle within its response to public comments received for the 2012 303(d) list and in subsequent communications with EPA. MPCA also committed to utilizing this wild rice/sulfate impaired waters assessment approach to analyze and assess water quality data for potential impairment of the sulfate water quality standard for the 2014 listing cycle.

MPCA's general method for assessing a water body for potential non-attainment of a water quality standard involves the review and analysis of ambient water quality data and the comparison of that data to the appropriate water quality standard. During the review of ambient water quality data, MPCA verifies that the data meet minimum data requirements, including the criteria defining the time period of sample collection, and determines whether they indicate the attainment or non-attainment of the relevant water quality standard. ⁸⁰ If it is found that the water body does not meet the water quality standard, then the water is added to the State's 303(d) Impaired Waters list. MPCA has indicated that it cannot

^{80 2012} Methodology, pages 8-12.

undertake assessments utilizing its sulfate WQS until MPCA has developed a wild rice/sulfate impaired waters assessment approach. This assessment approach would outline the specific criteria which must be utilized in order to evaluate water bodies against the sulfate WQS.

In order for MPCA to develop its wild rice/sulfate impaired waters assessment approach, MPCA indicated that it must first clarify how it will define specific provisions within the sulfate WQS. In conversations with EPA, MPCA explained it must define the protocols it will use for determining which water bodies it considers as waters used for the production of wild rice. Additionally, MPCA must determine when the sulfate WQS applies to those waters, for the determination of the period when rice may be susceptible to damage from high sulfate levels. MPCA has committed to including the details of the wild rice/sulfate impaired waters assessment approach as part of its 2014 Integrated Report (IR) Methodology document.

MPCA is soliciting sulfate water quality data and wild rice information from tribal partners and other stakeholders in 2013, in advance of the assessment of waters for sulfate impairment for the 2014 303(d) list. MPCA has issued a *Call for Sulfate and Wild Rice Monitoring Data for the 2013 Assessment Cycle*⁸¹ specific to sulfate and wild rice data. MPCA is accepting sulfate and wild rice related data through May 1, 2013. MPCA explains that these data will be analyzed and assessed against the wild rice/sulfate impaired waters assessment approach in 2013 and the determinations of these assessments will be reflected in the 2014 impaired waters list. MPCA stated that where sulfate water quality data meet all of the criteria for assessment and data indicate that a water body is not attaining the sulfate WQS, the State will list the water body as a Category 5 water on the 2014 303(d) list.

In the same email message to stakeholders⁸² which announced the *Call for Sulfate and Wild Rice Monitoring Data For the 2013 Assessment Cycle* MPCA explained the procedures for sharing sulfate and wild rice data with MPCA by May 1, 2013. This email message clearly defined how interested parties could upload data to MPCA. Additionally, MPCA shared some of the progress which it had made in the development of the wild rice/sulfate impaired waters assessment approach. This information can be found on the MPCA's 'Minnesota's sulfate standard to protect wild rice' webpage. ⁸³ MPCA communicated that it is still working on finalizing the wild rice/sulfate impaired waters assessment approach and plans to formally solicit input from tribes and other interested parties on the assessment approach. The solicitation and consideration of outside input will be completed prior to the MPCA's assessment of sulfate and wild rice data collected via *Call for Sulfate and Wild Rice Monitoring Data For the 2013 Assessment Cycle*. The final wild rice/sulfate impaired waters assessment approach will be included as part of MPCA's 2014 Integrated Report Guidance Manual for Assessing the Quality of Minnesota Surface Waters. EPA expects that this document will be public-noticed, along with the draft impaired waters list, sometime in the late fall of 2013 (approximately November 2013 to January 2014).

EPA encourages states to evaluate water bodies according to the provisions described in their integrated report assessment methodology. EPA believes that it is reasonable for MPCA to delay in its assessment of water bodies against the sulfate WQS until the 2014 303(d) list. EPA agrees with MPCA's decision to not add the water bodies cited by the stakeholders and tribes for impairment of the sulfate WQS on the

⁸¹ State Register Vol. 37 No. 40 p. 1438, http://www.comm.media.state.mn.us/bookstore/stateregister/37_40.pdf

⁸² Email from Katrina Kessler (MPCA) on April 1, 2013

⁸³ Minnesota's Sulfate Standard to Protect Wild Rice http://www.pca.state.mn.us/index.php/water/water-permits-and-rules/water-rulemaking/minnesotas-sulfate-standard-to-protect-wild-rice.html

Page 31

State's 2012 303(d) list. EPA expects MPCA to provide guidance on the following requirements in the development of the wild rice/sulfate impaired waters assessment approach:

- Criteria defining the minimum number of water quality sampling points necessary to make an assessment decision;
- Criteria defining the time period for collection of water quality sampling data to make an assessment decision (ex. sample collection must occur between X date and Y date);
- Criteria for whether ambient sulfate water quality data will be averaged, and if so, how; and
- A definition of 'seasonality' applicable to sulfate waters (i.e., when the water quality standard would be applicable to surface waters).
- A description of the approach MPCA will utilize for making determinations on whether a water body is classified as a 'wild rice production water';

EPA will continue to monitor the development of the wild rice/sulfate impaired waters assessment approach by MPCA and its use in assessing water bodies for the 2014 303(d) list.

Tribal Consultation

Under its tribal consultation process, EPA consults with federally-recognized tribal partners, on a government-to-government basis in instances when EPA decisions may impact tribal interests. EPA contacted federally-recognized tribal partners within the State of Minnesota to provide these partners the opportunity to consult with EPA on the final 2012 Minnesota 303(d) list of impaired waters. The Fond du Lac Band of Lake Superior Chippewa and Grand Portage Band of Ojibwe requested tribal consultation with EPA. EPA hosted a tribal consultation conference call on November 5, 2012, during which EPA and the tribes discussed tribal concerns related to Minnesota's final 303(d) list, the 2012 Assessment Methodology Guidance document, and other concerns expressed by the tribes. EPA considered the tribal input during its deliberations related to the approval of the final 2012 Minnesota 303(d) list. EPA provided the Fond du Lac Band of Lake Superior Chippewa and Grand Portage Band of Ojibwe a written response which explained how EPA considered their input in EPA's final decision on the list. This response was sent to the most senior tribal official involved in the consultation from the Fond du Lac Band of Lake Superior Chippewa and Grand Portage Band of Ojibwe.

Priority Ranking

EPA reviewed the State's priority ranking of listed waters for TMDL development, and concluded that the State properly took into account the severity of pollution and the beneficial uses to be made of such waters, as well as other relevant factors. MPCA's TMDL priority ranking is reflected in the scheduled target start and end dates for each impairment, as indicated on Minnesota's 2012 303(d) List. Schedules are developed by MPCA's watershed staff located in each regional office. MPCA management analyzes the schedules on a statewide basis and makes final decisions. The schedules are based upon the following ranking criteria:

• Sequencing with MPCA's intensive watershed schedule, which initiates monitoring in approximately eight major watersheds (HUC-8 size) each year. The watershed monitoring schedule was established by MPCA, and was designed to distribute workload as evenly as possible across all basins (1-2 watersheds per basin per year). In addition, watersheds selected for monitoring are based on a number of factors, including local organizational readiness to do the work, amount of data about the watershed, progression of work upstream to downstream, and whether a major TMDL plan was recently completed and there is a desire to delay monitoring

Page 32

until after implementation work has been well established to understand progress. The ultimate goal is to complete the first round of watershed monitoring statewide by 2018.

- TMDLs are scheduled to be completed within approximately four years after the initiation of TMDL specific water quality monitoring. TMDLs are also considered as a component of the Watershed Restoration and Protection Strategies (WRAPs).
- TMDL projects that are currently in progress (particularly those that are independent of a scheduled WRAP).
- TMDLs that are scheduled to be started outside of a WRAP due to their unique or complex nature (i.e. toxic impairments like mercury, PCBs and other legacy pollutants).
- Beneficial use, severity of the pollution, regulated dischargers, public interest in the resource, and relative cost and resource requirements of a TMDL are also taken into account in the TMDL scheduling process.⁸⁴

The State's priorities are reflected in the target start and completion dates provided on the 303(d) list. Minnesota has begun scheduling TMDL studies by a watershed approach, i.e., all rivers, streams and lakes in a watershed will be targeted for TMDL development at the same time. Minnesota has developed a schedule for monitoring all major watersheds using the watershed approach.

Criteria considered by the State in developing the watershed approach and associated schedules include, among other things, risk to human and aquatic health; readiness of partners and collaboration opportunities with partners to implement; basin management and basin planning efforts; and programmatic needs and resources. The target start and completion dates on the 303(d) list reflect these priorities. EPA reviewed the State's identification of WQLSs targeted for TMDL development in the next two years, and concludes that the targeted waters are appropriate for TMDL development in this time frame. Minnesota also submitted a long-term schedule for TMDL development for all waters on the 303(d) list. As a policy matter, EPA has requested that States provide such schedules, however, at this time EPA is not taking any action to approve or disapprove the State's long-term schedule pursuant to Section 303(d).

Tables

Table A-1: Approved 2012 303(d) List of Impaired Waters needing TMDLs

Table A-2: Waters being removed from 303(d) list

⁸⁴ See Administrative Record Document #9, "Electronic mail message, Subject: MPCA responses to Batch Questions #2 and #3", pages 1-2.

| | | | | PRELIM | | WILD RICE | | |
|--------------|--------------------|---------------------|---------|-----------|--|-----------|--|---|
| | | | MEDIAN | | | PRODUCTIO | | |
| | | | SULFATE | QUALITY | | N WATER | | |
| AUID | NAME | | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTION WATER COMMENTS | WILD RICE DATA SOURCE |
| | | | | | | | | |
| | | | | | | | Determination of a split will be made dependent upon | |
| | | | | | | | finding wild rice between lakes along upstream portion of | |
| | | | | | | | reach. No indication of wild rice along suggested new | |
| | | | | | | | downstream AUID (outlet of Esquagama to St. Louis River) | |
| | | | | | | | that would result from splitting. 1854 data indicate rice | |
| | | | | | | | presence along northern portion of reach. Need to contact | |
| | | | | | | | | |
| | | | | | | | Darren Vogt for additional WR information on northern | |
| | | | | | | | portion of reach. From mining information, northern portion | |
| | | | | | Recommend split below Esquagama Lake. Stations on lower | | includes sparse stands indicated with low density locations. | |
| | | Embarrass Lk to St | | | and upper portions of AUID separated by multiple lakes. | | Based solely on this, determined not to be wild rice | |
| 04010201-577 | Embarrass River | Louis R | 27 | Impaired | Median calculated based on station S005-751. | IF | production water. | Mining company surveys, 1854 Treaty Authority |
| | | | | | High variability in sample measurements within close | | | |
| | | | | | proximity, geographic and temporal. Flows through Colby | | | |
| | | Headwaters to St | | | Lake (69-0249-00), which has wild rice and 2 high sulfate | | | Mining company surveys, 1854 Treaty Authority, |
| 04010201-552 | Partridge River | Louis R | 48 | Impaired | measurements. | | | UMN study |
| | | | | | | | | |
| | | Headwaters | | | | | | |
| | | (Sandy Lk 69-0730- | | | | | | Mining company surveys, 1854 Treaty Authority, |
| 09030002-501 | Sandy River | 00) to Pike R | 85 | Impaired | One discrepant data point. | | | UMN study |
| | | • | | | wild rice data (actual point locations) are constrained to river | | | |
| 1 | | | l | l | AUID, but are associated in database with St Louis Estuary | l | | T . |
| 1 | | | | l | (69-1292-00), which is broader than river AUID. | l | | Data linked to Estuary polygon: Perleberg list, |
| 1 | | | l | l | (Measurements collected further downstream at Blatnik | l | | MCBS, DNR call for data submittal, Ann Geissen |
| 1 | | Oliver Bridge to | l | l | Bridge (downstream from WLSSD discharge) have lower | l | | shapefile, 1854 Treaty Authority, mining |
| 04010201-533 | St Louis River | Pokegama River | 30 | Impaired | concentrations.) | 1 | | company surveys |
| 04010201 333 | St Louis Hivei | r okegama mrei | 33 | impuncu | concentrations.) | | | Data linked to Estuary polygon: Perleberg list, |
| 1 | 1 | | | l | | 1 | | MCBS, DNR call for data submittal, Ann Geissen |
| 1 | 1 | | | l | Only 2 data points on AUID, but concentrations immediately | 1 | | shapefile, 1854 Treaty Authority, mining |
| | | Mission Creek to | | | upstream (S000-021) and downstream (S007-512, S007-515) | | | company surveys. DNR 2008 study point |
| 04010201-532 | Ct Laurie Diver | Oliver Bridge | 15 | Impaired | (12 out of 15 measurements above 10) indicate impairment. | | | aloneside AUID |
| 04010201-532 | St Louis River | Headwaters to | 15 | impaired | (12 out of 15 measurements above 10) indicate impairment. | | | alongside AUID |
| | | Lake of the | | | Data is from 4 months of 1 was but consistently shows high | | | |
| 09030009-537 | Description of | Woods | | | Data is from 4 months of 1 year, but consistently shows high sulfate concentrations. | | | DAID 2000 of the city of the |
| 09030009-537 | Bostick Creek | woods | 33 | Impaired | DNR 2008 study point indicates rice somewhere on County | | | DNR 2008 study point shapefile |
| | | Here de contract de | | | | | | |
| | | Headwaters to | | | Ditch 12 (Rice Creek), which is more extensive than the AUID | | | |
| | | T113 R36W S8, | | | with sulfate data. AUID is impaired if wild rice is present in | | | |
| 07020004-551 | County Ditch 12 | north line | 113 | Impaired | close proximity to sampling station. | | | DNR 2008 study point shapefile |
| | | | | | DNR 2008 study point indicates rice somewhere on Rice | | | |
| | | | | | Creek, which is more extensive than the AUID with sulfate | | | |
| | | | | | data. AUID is impaired if wild rice is present in close | | | |
| 07010203-512 | Rice Creek | Rice Lk to Elk R | 18 | Impaired | proximity to sampling station. | | | DNR 2008 study point shapefile |
| | | | | | DNR 2008 study point indicates rice somewhere on Long | | | |
| | | | | | Prairie River, which is more extensive than the AUID with | | | |
| | | Fish Trap Creek to | | | sulfate data. AUID is impaired if wild rice is present in close | | | 2006 Harvester's report, DNR 2008 study point |
| 07010108-501 | Long Prairie River | Crow Wing R | 13 | Impaired | proximity to sampling station. | | | shapefile |
| | | Headwaters to | | | Consistently high sulfate concentrations at all 4 stations | | | |
| 07020011-531 | Rice Creek | Maple R | 28 | Impaired | along entire AUID. | | | DNR 2008 study point shapefile |
| | | ., | | | | | | |
| | | | | | DNR 2008 study point indicates rice somewhere on | | | |
| | | | | | Chippewa River, which is more extensive than the AUIDs with | | DNR 2008 report indicates wild rice somewhere along the | |
| | | | | | | | | |
| 1 | | Watson Sag to | l | l | sulfate data. Wherever sampled, the Chippewa River has high sulfate concentrations. Listing individual AUIDs is dependent | l | Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information | T. |
| 07030005 5 | Chiana ni | | | | | L. | | DAID 2000 |
| 07020005-501 | Chippewa River | Minnesota R | 139 | Impaired | upon location of wild rice. | No | about rice in the ditch. | DNR 2008 study point shapefile |
| 1 | 1 | | | l | | 1 | DNR 2008 report indicates wild rice somewhere along the | |
| 1 | 1 | | | l | | 1 | Chippewa River. Only documentation of wild rice was on a | |
| 1 | | Unnamed cr to E | | l | | l | tributary (Danvers Ditch). There is insufficient information | |
| 07020005-505 | Chippewa River | Br Chippewa R | 88 | Impaired | See above comment regarding Chippewa River. | No | about rice in the ditch. | DNR 2008 study point shapefile |
| | | | | | | | DNR 2008 report indicates wild rice somewhere along the | |
| 1 | | | l | l | | l | Chippewa River. Only documentation of wild rice was on a | T. |
| 1 | 1 | E Br Chippewa R | | l | | 1 | tributary (Danvers Ditch). There is insufficient information | |
| 07020005-506 | Chippewa River | to Shakopee Cr | 70 | Impaired | See above comment regarding Chippewa River. | No | about rice in the ditch. | DNR 2008 study point shapefile |
| | . appeare meet | | 0 | paned | | 1 | DNR 2008 report indicates wild rice somewhere along the | |
| 1 | | | l | l | | l | Chippewa River. Only documentation of wild rice was on a | T. |
| 1 | | Cottonwood Cr to | l | l | | l | tributary (Danvers Ditch). There is insufficient information | T. |
| 07030005 5 | Chiana ni | | | | 5 t | L. | | DAID 2000 |
| 07020005-508 | Chippewa River | Dry Weather Cr | 90 | impaired | See above comment regarding Chippewa River. | No | about rice in the ditch. | DNR 2008 study point shapefile |
| 1 | 1 | | | l | | 1 | DNR 2008 report indicates wild rice somewhere along the | |
| 1 | 1 | | | l | | 1 | Chippewa River. Only documentation of wild rice was on a | |
| 1 | | Stowe Lk to Little | l | l | | l | tributary (Danvers Ditch). There is insufficient information | T. |
| 07020005-503 | Chippewa River | Chippewa R | 39 | Impaired | See above comment regarding Chippewa River. | No | about rice in the ditch. | DNR 2008 study point shapefile |
| | | | | | | | | |
| 1 | 1 | | | l | DNR 2008 study point indicates rice somewhere on Cannon | 1 | | |
| 1 | 1 | | | l | River, which is more extensive than the AUIDs with sulfate | 1 | | |
| 1 | | | l | l | data. Wherever sampled, the Cannon River has high sulfate | l | | T . |
| 1 | 1 | | | l | concentrations. Listing individual AUIDs is dependent upon | 1 | | |
| 07040002-502 | Connen Diver | Pine Cr to Belle Cr | | Immaira 4 | | 1 | | DND 2008 study point shop of its |
| 07040002-502 | Cannon Kiver | | 33 | Impaired | location of wild rice. | ļ | | DNR 2008 study point shapefile |
| L | L | Headwaters to | | l | | 1 | | L |
| 07040002-542 | Cannon River | Cannon Lk | 17 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| 1 | 1 | Byllesby Dam to | | l | | 1 | | |
| 07040002-539 | Cannon River | Little Cannon R | 27 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| 1 | | Belle Cr to split | 1 | | - | | | 1 |
| 07040002-501 | Cannon River | near mouth | 31 | Impaired | See above comment regarding Cannon River. | 1 | | DNR 2008 study point shapefile |
| | | | | | | | | |

- Footnotes:

 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff

 2. Nothing in this spreadsheet represents a final agency decision

 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request

 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L

 5. Notations in the column "MILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data documenting some history of wild rice

Ex. 3 WaterLegacy Cmt 2016 MN 303(d) List

| | | PRELIM | | WILD RICE | | | |
|---------------------------|--------|----------|---|-----------|---|-----------|--|
| | MEDIAN | | | PRODUCTIO | | WILD | |
| | | QUALITY | | N WATER | | RICE | |
| NAME | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | ACRES | WILD RICE DATA SOURCE |
| | | | | | Mining company survey shows low to moderate density of | | |
| | | | Multiple sites with data collected same date, but | | rice throughout perimeter of lake. DNR lake survey jul 12, | | |
| | | | concentrations consistent across sites, median still | | 1990 noted abundant wild rice, especially along west shore. | | |
| | | | significantly above 10. Evaluate together with S. Portion, | | Sulfate sampling locations are near wild rice observation | | |
| Cedar Island (N portion) | 21 | Impaired | Fourth, and Esquagama, all connected via Embarrass R. | Yes | sites. | | Mining Companies, 1854 Treaty Authority |
| ccuai isiana (iv portion) | | impairea | Tourth, and Esquagama, an connected via Embarrass it. | 103 | sics. | | ivining companies, 1834 freaty Authority |
| | | | | | Mining company survey shows moderate density of rice | | |
| | | | Multiple sites with data collected same date, but | | throughout perimeter of lake. DNR lake survey jul 12, 1990 | | |
| | | | concentrations consistent across sites, median still | | noted abundant wild rice, especially along west shore. Sulfate | | |
| Cedar Island (S portion) | 20 | Impaired | significantly above 10. | Yes | sampling locations are near wild rice observation sites. | | Mining Companies, 1854 Treaty Authority |
| ccuai isiana (5 portion) | 20 | impaired | significantly above 10. | 103 | Need to contact Darren Vogt for additional WR information. | | ivining companies, 1654 freaty Authority |
| | | | Only 1 measurement on lake itself, but concentrations on | | From mining information, sparse stands indicated with single | | |
| | | | (connected) Esquagama (69-0565-00-203) and Cedar Island S. | | low density location. Based on this, determined not to be | | Mining Companies, 1854 Treaty Authority, Ann |
| Fourth | 20 | Impaired | Portion (69-0568-02-204,69-0568-02-207) are also high. | IE | wild rice production water. | | Geissen shapefile, 2008 Study shapefile |
| rourtii | 20 | impairea | 1 of tion (05 0500 02 204,05 0500 02 207) are also high. | " | Need to contact Darren Vogt for additional WR information. | | deissen snapenie, 2000 Stady snapenie |
| | | | Only 3 measurements on lake itself, but concentrations on | | From mining information, a single stand with low density. | | |
| | | | (connected) Fourth Lake (69-0573-00-201) and downstream | | Based on this, determined not to be wild rice production | | |
| Esquagama | 26 | Impaired | (S005-751) are also high. | IE | water. | | Mining Companies, 1854 Treaty Authority |
| Loquagama | 20 | mpairea | (5005 752) are diso nigh. | | Significant acreage of rice in Big Bay. Assumed to be at least | | Transporting 1004 Treaty Authority |
| İ | | | | | 70 acres in Big bay based on estimated size of Rice Bay at 180 | | |
| İ | | | Multiple sites with data collected same date, but | | acres, and total wild rice area of 250 acres. Rice Bay is also | | |
| | | | concentrations consistent across sites, median still | | indicated for wild rice, but no sulfate data have been | | 1854 Treaty Authority, Ann Geissen shapefile, |
| East Vermilion | 1/1 | Impaired | significantly above 10. | Yes | collected there. | 250 | 2008 Study shapefile |
| Lust verminon | 17 | impairea | significantly above 10. | 103 | insufficient information to determine that this is a production | 230 | 2000 Study Shapeme |
| Trout | 42 | Impaired | | No | water. | | DNR call for data submittal, U of MN study sites |
| 11000 | | impairea | | 110 | Insufficient information to determine that this is a production | | Divited in the data submitted, of or third study sites |
| | | | | | water. DNR lake survey reports dates 6/2006, 5/1997 no wild | | |
| Elizabeth (main basin) | 30 | Impaired | | No | rice noted. | | DNR call for data submittal |
| Enzabeth (main basin) | 50 | impairea | | 140 | The Hoteur | | Divition data submittal |
| | | | Impaired, subject to verification of location of station 31- | | Staff recommendation for the ESSAR water permit is that this | | 2006 Harvest Survey (00 polygon), Ann Geissen |
| | | | 0067-01-204. If judged strictly on station 01-205, sulfate not | | is a production water. Check with Stephanie for | | shapefile, Perleberg list, 2008 Study shapefile. |
| Swan (W bay) | thd | TBD | significantly above 10. | Yes | recommendation date. | 50 (00) | Rice data tied to underlying lake (-00) |
| (4=// | | | | | | 00 (00) | |
| | | | | | | | 2006 Harvest Survey (00 polygon), Ann Geissen |
| | | | Median dependent upon station 31-0067-01-204 being | | * The outlet bay upstream of the dam is a wild rice | | shapefile, Perleberg list, 2008 Study shapefile. All |
| | | | included in main basin. Regardless, median is significantly | | production water, based on mining company survey from | | tied to underlying lake (-00). UMN study data |
| Swan (main basin) | tbd | Impaired | above 10. | Yes | 2011 has densities of 4 and 5. | 50 (00) | tied to Main Basin polygon (-02). |
| , , , , , , | | | | | insufficient information to determine that this is a production | , , , , , | , |
| | | | | | water. Lake Survey reports from 3/29/1995, 2/21/2006 noted | | |
| Preston | 45 | Impaired | | No | no wild rice. | | DNR call for data submittal |
| | | | | | | | |
| | | | | | Upper portion of Embarrass shows numerous low to | | |
| 1 | | | | | moderate density observations around entire perimeter in | | |
| İ | | | Multiple sites with data collected same date, but | | mining surveys from 2009 and 2010. However, Lower | | |
| 1 | | | concentrations consistent across sites, median still | | Embarrass had few observations of low density. *Only Upper | | 1854 Treaty Authority, mining company data, |
| Embarrass | 21 | Impaired | significantly above 10. | Yes | Embarrass is considered a wild rice production water. | | Perleberg list, UMN Study |
| | | | Multiple sites; station 203 has single observation, still above | | 1997 fisheries transect from 1997 indicated small area of rice. | | |
| Lady Slipper | 314 | Impaired | 10, but well below other observations. | No | 2011 and 2012 UMN study found no wild rice. | | Perleberg list, UMN study |
| | | | | | Photo from 2012 exists of high density wild rice. Mark Gernes | | |
| 1 | | | | | has harvested rice on the lake for several recent years. U of | | |
| | | | | | MN study showed 3 pct coverage at study site. Contact Ed | | |
| | | | | | Swain and Mark Gernes for details on location of harvestable | | UMN study (tied to main basin -01). MCBS, |
| Monongalia (main | | | | | rice. Contact Donna Perleberg for more information on | | Perleberg list, Ann Geissen shapefile, 2008 study |
| basin) | 31 | Impaired | | IF | inclusion in her list. | | shapefile on underlying waterbody (-00) |
| | | | | | | | |
| | | | One questionable sample with very low concentration, | | Photo from 2012 exists of high density wild rice. Mark Gernes | | UMN study (tied to polygon -02). MCBS, |
| Monongalia - Middle Fk | | | turned out to be pore water, sample was excluded and | | has harvested rice on the lake for several recent years. U of | | Perleberg list, Ann Geissen shapefile, 2008 study |
| Crow | 29 | Impaired | median recalculated. | Yes | MN study showed 38.75 pct coverage at study site. | | shapefile on underlying waterbody (-00) |
| | | | | | Contact Donna Perleberg for more information on Mill Pond | | MCBS, Perleberg list, Ann Geissen shapefile, |
| Crow River Mill Pond | | | | | observation from MCBS survey 8/6/2002. Contact Mark | | 2008 study shapefile, all on underlying |
| (East) | 26 | Impaired | | IF | Gernes for local knowledge. | | waterbody (-00) |
| Footnotes: | | | | | · | • | |

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
- 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 5. Notations in the column "WILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data

| | | PRELIM | | WILD RICE | | | |
|--------------------------|--------|-----------------------------|--|-----------|--|----------|--|
| | MEDIAN | | | PRODUCTIO | | MAIL D | |
| | | | | | | WILD | |
| | | QUALITY | | N WATER | | RICE | |
| NAME | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | ACRES | WILD RICE DATA SOURCE |
| | | | | | Staff recommendation for Keetac permit in 2011 was that | | |
| | | | | | this is a wild rice production water. Check with Brandon | | And Colored the softly LINAN stocks 2000 DND |
| Have | | Impaired | | Yes | Smith on the date of the Perry Pit dewatering permit. | | Ann Geissen shapefile, UMN study, 2008 DNR study |
| Hay | 32 | iiipaireu | | res | Smith on the date of the Perry Pit dewatering permit. | | study |
| | | | | | insufficient information to determine that this is a production | | |
| Big Stone | 404 | Impaired | | No | water. DNR lake survey from 3/17/2004 noted no wild rice. | | DNR call for data submittal |
| big storic | 707 | ппранса | | 140 | water. Divit lake survey from 5/17/2004 noted no wild nee. | | DNR call for data submittal - on underlying |
| Lac Qui Parle (NW bay) | 293 | Impaired | | No | 3/23/2000 DNR lake survey - no wild rice noted. | | waterbody (-00) |
| 220 (201 201) | | | Only 1 data point on this bay, but concentrations on | | | | |
| | | | upstream portion of lake (37-0046-02) and downstream river | | | | DNR call for data submittal - on underlying |
| Lac Qui Parle (SE bay) | 270 | Impaired | (07020004-688) are also high. | No | 3/23/2000 DNR lake survey - no wild rice noted. | | waterbody (-00) |
| | | P | to a see a self-read miles | | DNR Lake Surveys from 8/4/1949, 1/2/1998 indicated wild | 1 | , \ / |
| 1 | | ĺ | | | rice presence. 1949 comment indicates sparse presence. | | |
| ĺ | | | | | 1998 survey was a fisheries transect. Contact Ann Geisen for | | |
| | | | | | further detail on why this waterbody was included in call for | | |
| Mina | 25 | Impaired | | IF | data submission. | | DNR call for data submittal |
| | | , | | | | | |
| | | | | | DNR lake survey indicates wild rice was rare August 24 - 28, | | |
| | | | | | 1987. Contact Ann Geisen for further detail on why this | | |
| Pearl | 21 | Impaired | | IF | waterbody was included in call for data submission. | | DNR call for data submittal |
| | | | | | Locate draft staff recommendation for production water | | 1854 Treaty Authority, UMN study, Ann Geissen |
| Sandy | 135 | Impaired | | Yes | status. Wild rice acreage from 2008 report. | 121 | List, 2008 study shapefile |
| · | | | | | Locate draft staff recommendation for production water | | 1854 Treaty Authority, Ann Geissen List, 2008 |
| Little Sandy | 145 | Impaired | | Yes | status. Wild rice acreage from 2008 report. | 89 | study shapefile |
| | | | | | DNR lake survey reports from 3/9/2004, 3/28/2001 noted no | | |
| | | | | | wild rice, 4/14/1954 waterfowl/muskrat habitat survey | | |
| | | | | | comment says "wild rice would not do well in this lake". | | |
| | | | | | 8/1962 map showed no wild rice. 7/1968 game and fish map | | |
| Marsh | | Impaired | | No | showed no wild rice. | | DNR call for data submittal |
| Lillian | 151 | Impaired | | No | 5/13/1997 lake survey report noted no wild rice. | | DNR call for data submittal |
| | | | Only 1 measurement on lake itself, but concentrations on | | 2/5/1997 lake survey report no rice noted. 1949 report did | | |
| | | | lakes immediately adjacent (21-0108-00, 21-0180-00, 21- | | not note any rice and "wild rice would not do well in this | | |
| Lobster | 22 | Impaired | 0150-00) are also high. | No | lake". Follow up with 1997 fisheries report. | | Perleberg list |
| | | | All data collected on Mississippi (MissR 796.9, MissR 805.0), | | insufficient information to determine that this is a production | | |
| Sturgeon | 58 | Impaired | but direct hydrologic connection with Sturgeon. | No | water. | | Ann Geissen shapefile, DNR 2008 study |
| | | | Only 4 management and block but according to 10 % | | insufficient information to determine that this is a production | | |
| | | lan and and | Only 1 measurement on lake, but concentrations (5 miles) | | water. DNR Lake Survey report from 2/5/1997 did not note | | DND!! for data subscittal |
| Long | 33 | Impaired | downstream (S005-630) are also high. | No | any wild rice. | | DNR call for data submittal |
| | | | Drinking water intake near dam may yield additional sulfate | | | | |
| | | ĺ | data. Downstream sulfate concentrations high (S002-324), | | | | |
| | | ĺ | but only 2 measurements recorded. Wild rice location | | | | |
| | | | unknown; will determine whether it is necessary to seek | | No. of the control of | | |
| Red Lake River Reservoir | +b-d | Insufficient Information | additional sulfate data, leading to possible judgment of impairment. | IE. | Need to consult fisheries area surveys from 7/2/2009 and 8/1/1994 to determine wild rice location. | | DNR call for data submittal, Perleberg list |
| neu Lake River Reservoir | LDO | mormation | P | II. | of 1/ 1334 to determine with fice location. | - | DIVIN Call for data Submittal, Perieberg list |
| | | ĺ | Outflow stream has high sulfate. Main inflow is close to | | | | |
| | | | outlet, large distance from lake sampling locations. Wild rice location within lake unknown, but will determine whether | | | | |
| | | Insufficient | T | | Insufficient information to determine that this ' | | Ann Coissan shanofile, DND 2009 study 118481 |
| Pico | +b-d | Insufficient Information | outflow sulfate concentrations are sufficient for judgment of impairment. | No | Insufficient information to determine that this is a production water. UMN study did not observe any rice in 2012. | | Ann Geissen shapefile, DNR 2008 study, UMN study |
| Rice Footnotes: | ιου | mormation | пправитен. | INU | water. Owns study did not observe any rice in 2012. | <u> </u> | study |

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
- 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 5. Notations in the column "WILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data documenting some history of wild rice



Paula Goodman Maccabee, Esq.

Just Change Law Offices

1961 Selby Ave., St. Paul, Minnesota 55104, pmaccabee@justchangelaw.com
Ph: 651-646-8890, Fax: 651-646-5754, Cell 651-775-7128

http://justchangelaw.com

May 28, 2014

Tinka Hyde, Water Division Director (Hyde.Tinka@EPA.gov) United States Environmental Protection Agency, Region 5 77 W. Jackson Blvd. Chicago, Illinois 60604-3507

Paul Proto, Environmental Scientist (Proto.Paul@EPA.gov) United States Environmental Protection Agency, Region 5 77 W Jackson Blvd Chicago, IL 60604

Dear Ms. Hyde, Mr. Proto:

WaterLegacy is a Minnesota non-profit organization formed to protect Minnesota's water resources and the communities that rely on them. We commented on the Minnesota Pollution Control Agency (MPCA) 2014 Impaired Waters List on February 10, 2014, and our comment letter and Exhibits A and C are attached. We are writing to ask that the U.S. Environmental Protection Agency (EPA) deny approval of the MPCA's 2014 Impaired Waters List pending MPCA's consideration of additional data regarding mercury impairments. We also request that the EPA recommend a timeline for the MPCA to provide a listing of wild rice impaired waters.

WaterLegacy asks that the EPA deny approval of the 2014 Impaired Waters List pending more thorough consideration of information regarding mercury in the water column and mercury in fish in the Partridge River, Embarrass River and Colby Lake. We believe that the rationale provided by the MPCA in rejecting the listing of these waters as mercury impaired waters is insufficient and does not consider all readily available water-quality related data.

We also believe that the MPCA has more than enough information to list at least all of the waters identified in the MPCA August 2013 spreadsheet (*See* Exhibit C, MPCA August 2013 Wild Rice Impairments spreadsheet) as waters used for the production of natural wild rice impaired due to sulfate water quality standard exceedance. We ask that the EPA advise the MPCA to propose listing wild rice impaired waters by August 2014 so that the public can comment and EPA can review Minnesota's complete 2014 Impaired Waters List by the close of the year.

Mercury Impaired Waters

WaterLegacy appreciates the MPCA's addition of Wynne Lake and Sabin Lake to its draft 2014 Impaired Waters List due to mercury impairments. However, WaterLegacy believes that the MPCA's rationale for rejecting proposed listing of the Embarrass River, the Partridge River and Colby Lake as mercury impaired waters is inconsistent with applicable regulations. The MPCA was required under law to assemble and analyze all existing and readily available water quality-related data.

Ms. Tinka Hyde & Mr. Paul Proto (2014 Impaired Waters) May 28, 2014 Page 2

WaterLegacy is puzzled by the MPCA's statement in its responses to our impaired waters comments that the Barr Engineering report 2010c did not provide assessment of mercury in the Embarrass River. Barr 2010c included 2009 sampling data showing average total mercury concentrations of 3.7 ng/L and 3.5 ng/L at sites PM12 and PM13 in the Embarrass River. Barr 2010c, Table 1, p. 15. This data seems more than sufficient to demonstrate that the Embarrass River fails to meet the applicable Great Lakes mercury standard of 1.3 ng/L.

WaterLegacy is also troubled by the implication in the MPCA's response to comments that, if the public has not provided sufficient mercury sampling data for Colby Lake, the Partridge River and the Embarrass River, the Agency will not consider readily available data from other sources to decide whether to list these waters as impaired. The Clean Water Act and its implementing regulations do not entitle state agencies to assume blinders to avoid listing impaired waters.

Federal regulations require that states identify water-quality limited segments requiring waste load allocations, load allocations and total maximum daily loads. 40 C.F.R. §130.7. To identify and set priorities for water-quality limited segments, states must "assemble and evaluate all existing and readily available water quality-related data and information to develop the list." 40 C.F.R. §130.7 (b)(5). At a minimum "all existing and readily available water quality-related data and information" includes waters where dilution calculations or predictive models indicate nonattainment of applicable water quality standards and waters for which water quality problems have been reported by local, state, or federal agencies; or members of the public; or academic institutions. Organizations and groups should be actively solicited for research they may be conducting or reporting. 40 C.F.R. §130.7(b)(5).

Once members of the public had identified the Embarrass River, the Partridge River, Wynne Lake, Sabin Lake and Colby Lake as mercury impaired waters, the MPCA had an obligation to review all existing and readily available data, including data from discharge monitoring reports, data from the Minnesota Department of Natural Resources Mine Water Research Advisory Panel (MWRAP) research in the St. Louis River watershed, and any data collected by the Fond du Lac Band of the Lake Superior Chippewa or other Bands, including fish tissue as well as water column concentrations. We believe that additional data about mercury impairments in these waters should have been solicited by MPCA from MDNR, from tribal researchers, and from commenters as well as sought from its own files.

WaterLegacy has reviewed only a small portion of the MWRAP data sponsored by the Minnesota Department of Natural Resources, which includes the attached spreadsheet from J. Jeremiason's data. This spreadsheet, highlighted to call attention to data for the Embarrass River and Partridge River, contains total mercury data for the Embarrass River and Second Creek/Partridge River. The MWRAP data confirms mercury concentrations far above the 1.3 ng/L standard. We calculated the mean total mercury concentration from Jeremiason's 19 samples for the Embarrass River as 3.2 ng/L and the mean total mercury concentration from his 18 samples for Second Creek/Partridge River as 8.0 ng/L. (*See* Exhibit D, 2013 (MWRAP) Jeremiason Master Sample List).

WaterLegacy requests that the EPA deny approval of the 2014 Section 303(d) Impaired Waters List until the MPCA reviews all readily available data on the mercury impairments identified by the public. We believe that this review will further support the MPCA's proposal to list Wynne

Lake and Sabin Lake and will also result in the 2014 listing of the Embarrass River, Partridge River and Colby Lake as mercury impaired waters.

Sulfate Impaired Wild Rice Waters

WaterLegacy has requested for more than two years that wild rice waters impaired due to exceedance of the 10 mg/L sulfate standard be listed without delay on Minnesota's Section 303(d) Impaired Waters List. Documents received by WaterLegacy through the Minnesota Data Practices Act suggest that this year's delay in listing wild rice impaired waters until criteria for "waters used for the production of wild rice" are resolved was a response to industry pressure.

As reflected in our comments submitted on February 10, 2014, WaterLegacy agrees with the statement made in the MPCA's letter to U.S. Steel Corporation on November 8, 2103 that the MPCA is authorized to determine whether a water body is an impaired water used for the production of wild rice on the basis of information developed about the particular water. (*See* Exhibit A, MPCA Letter to USS, November 8, 2013). The 2011 legislation pertaining to rulemaking review of the wild rice sulfate standard does not affect the MPCA's obligation under the Clean Water Act to designate and protect impaired waters.

There is also no requirement in law that regulated parties must agree to the methodology used to list impaired waters or that the desire to amend definitions through rulemaking supersedes a state's obligation to designate impaired waters. WaterLegacy is concerned that the MPCA's 2014 listing of wild rice impaired waters is being held hostage until a rulemaking definition of "waters used for the production of wild rice" has been negotiated.

WaterLegacy believes that the assessment criteria developed by the MPCA for its preliminary listing of wild rice impaired waters are under-inclusive. But, Minnesota must move forward and, for the first time in its history, demonstrate a willingness to consider sulfate-polluted waters as wild rice impaired waters. We urge the EPA to require that the MPCA proceed without further delay to list as wild rice impaired waters at least the "low-hanging fruit" identified in August 2013. These wild rice impaired waters include:

Embarrass River (Embarrass Lake to St. Louis River)

Partridge River (Headwaters to S. Louis River)

Sandy River (Headwaters - Sandy Lake to Pike River)

St. Louis River (Oliver Bridge to Pokegama River)

St. Louis River (Mission Creek to Oliver Bridge)

Bostick Creek (Headwaters to Lake of the Woods)

County Ditch 12 (Headwaters to T113 R36W S8 north line)

Rice Creek (Rice Lake to Elk River)

Long Prairie River (Fish Trap Creek to Crow Wing River)

Rice Creek (Headwaters to Maple River)

Chippewa River (Watson Sag to Minnesota River)

Chippewa River (Unnamed Creek to E. Br. Chippewa River)

Chippewa River (E. Br. Chippewa River to Shakopee Creek)

Chippewa River (Cottonwood Creek to Dry Weather Creek)

Chippewa River (Stowe Lake to Little Chippewa river)

Cannon River (Pine Creek to Belle Creek)

Ms. Tinka Hyde & Mr. Paul Proto (2014 Impaired Waters) May 28, 2014 Page 4

Cannon River (Headwaters to Cannon Lake)

Cannon River (Byllesby Dam to Little Cannon River)

Cannon River (Belle Creek to split near mouth)

Cedar Island Lake (North Portion)

Cedar Island Lake (South Portion)

Fourth Lake

Esquagama Lake

East Vermillion Lake

Trout Lake

Elizabeth Lake (Main Basin)

Swan Lake (West Bay)

Swan Lake (Main Basin)

Preston Lake

Embarrass Lake

Lady Slipper Lake

Monongalia Lake (Main Basin)

Monongalia Lake (Middle Fork Crow)

Crow River Mill Pond (East)

Hay Lake

Big Stone Lake

Lac Qui Parle (NW Bay)

Lac Qui Parle (SE Bay)

Mina Lake

Pearl Lake

Sandy Lake

Little Sandy Lake

Marsh Lake

Lillian Lake

Lobster Lake

Sturgeon Lake

Long Lake

WaterLegacy has suggested in our February 2014 comments that the MPCA also include in the 2014 Impaired Waters List several waters identified in the PolyMet SDEIS as wild rice waters with excessive sulfates. Based on data in Table 4.2.2-3 on page 4-37 of the SDEIS, these include: Second Creek, Sabin Lake, and Wynne Lake.

WaterLegacy believes this above list would reflect a very limited portion of Minnesota's wild rice impaired waters. However, the listing process is intended to be iterative, and we would support continued rigorous analysis to identify impairments, control sulfate releases and restore conditions that comply with the numeric and narrative water quality standards that were enacted in Minnesota Rules Chapter 7050.0224, subparts 1 and 2 to protect natural stands of wild rice.

Conclusion

For the reasons explained above, WaterLegacy requests that the EPA deny approval of Minnesota's partial 2014 Impaired Waters List until the MPCA has considered the full range of readily available data regarding mercury impairments in the Embarrass River, Partridge River

Ms. Tinka Hyde & Mr. Paul Proto (2014 Impaired Waters) May 28, 2014 Page 5

and Colby Lake. We also request that EPA advise the MPCA to proceed without further delay to identify wild rice waters impaired due to sulfate exceedances. An August 2014 deadline for the MPCA's revised proposal on mercury impairments and the MPCA's proposal of wild rice impaired waters is suggested to ensure that Minnesota can propose, the public can comment, and the EPA can review the state's complete impaired waters list before the end of 2014.

Respectfully submitted,

Paula Goodman Maccabee

Advocacy Director/Counsel for WaterLegacy

Enclosures: February 2014 WaterLegacy Comment, Exhibit A, Exhibit C

Exhibit D 2013 MWRAP Data Spreadsheet

Ex. 4 WaterLegacy Cmt 2016 MN 303(d) List



Minnesota Pollution Control Agency

520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300

800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

November 8, 2013

Mr. Larry Sutherland
General Manager – Minnesota Ore Operations
United States Steel Corporation
P.O. Box 417
Mountain Iron, MN 55768

RE: United States Steel Corporation Correspondence Related to the Designation of a "Water Used for Production of Wild Rice"

Dear Mr. Sutherland:

The Minnesota Pollution Control Agency (MPCA) has received two letters from United States Steel Corporation (USS) related to the MPCA's process for designation of a "water used for production of wild rice" (WUFPOWR). The first was an August 12, 2013, letter from David Smiga responding to a MPCA document called "Draft Staff Recommendation for 'waters used for production of wild rice' downstream of the US Steel Minntac tailings basin." The second was a September 27, 2013, letter from you responding to MPCA comments on a June 27, 2013, Sulfate Reduction Plan revision required by the reissued water permits for the Keetac operation. In both letters, USS cites Minnesota Session Laws 2011, First Special Session, Chapter 2, Article 4 (2011 Law) asserting it is premature for the MPCA to determine that waters, other than those specifically listed in Minnesota rules, qualify as "waters used for the production of wild rice."

Though those two letters may raise other issues, this letter will respond to that specific assertion.

The MPCA has carefully considered USS' assertion. The MPCA believes that it is authorized to determine whether a particular water is a WUFPOWR on the basis of information developed about the particular water. The MPCA will continue to apply the current draft staff recommendations related to WUFPOWR subject to possible future modification after the criteria development process is completed.

However, because the MPCA continues to receive questions from all stakeholders about how such a determination is made, and specifically a number of requests to review the criteria the MPCA is using for such determinations, the MPCA has concluded that it is appropriate to provide opportunity for input on the criteria following the process laid out in Section 32 (b) of the 2011 Law. The MPCA plans to begin to develop criteria by meeting with the Minnesota Department of Natural Resources and Indian Tribes in late 2013 and anticipates taking public comment from other interested parties through public notice and comment sometime in early 2014.

The draft MPCA staff recommendations mentioned by USS include the following language: "This draft MPCA staff recommendation for ... is based on information currently available. MPCA staff will consider additional information that may become available in the future, whether from project proposers or from other interested/affected parties, and reserves the right to modify the draft staff recommendation accordingly." Once the MPCA has completed the criteria development process, the MPCA will consider those criteria as additional information and will reconsider the current draft MPCA staff recommendations for the waters mentioned in the two USS letters. MPCA staff will share the resulting draft staff recommendation (related to whether those waters are WUFPOWR and subject to the existing standard) with USS and the Tribes as is the current practice. The resulting draft staff recommendation will include any revisions as appropriate based on the additional information.

Mr. Larry Sutherland Page 2 November 8, 2013

During the public comment period for any related permit or following issuance of such permit, USS may challenge the application of the criteria in the permitting process. As it did in the litigation initiated by the Minnesota Chamber of Commerce, the MPCA continues to reject any suggestion that WUFPOWR are limited to waters used for the irrigation of paddy rice, and not waters used for support of wildlife and other purposes. See Minn. R. 7050.0224, subp. 4.

Regarding the criteria development processes, the MPCA notes that the 2011 legislation has two distinct parts, rulemaking and criteria development. The 2011 legislation provides:

Sec. 32. WILD RICE RULEMAKING AND RESEARCH.

- (a) Upon completion of the research referenced in paragraph (d), the commissioner of the Pollution Control Agency shall initiate a process to amend Minnesota Rules, chapter 7050. The amended rule shall:
- (1) address water quality standards for waters containing natural beds of wild rice, as well as for irrigation waters used for the production of wild rice;
- (2) designate each body of water, or specific portion thereof, to which wild rice water quality standards apply; and
- (3) designate the specific times of year during which the standard applies.

Nothing in this paragraph shall prevent the Pollution Control Agency from applying the narrative standard for all class 2 waters established in Minn. R. ch. 7050.0150, subp. 3.

(b) "Waters containing natural beds of wild rice" means waters where wild rice occurs naturally. Before designating waters containing natural beds of wild rice as waters subject to a standard, the commissioner of the Pollution Control Agency shall establish criteria for the waters after consultation with the Department of Natural Resources, Minnesota Indian tribes, and other interested parties and after public notice and comment. The criteria shall include, but not be limited to, history of wild rice harvests, minimum acreage, and wild rice density.

2011 First Special Session, ch. 2, Art. 4 (emphasis added). The legislature has required that Minn. R. ch. 7050 be amended to designate each body of water, or specific portion thereof, to which wild rice water quality standards apply." Rulemaking has a long established formal process that the MPCA follows and will follow in designating waters. Referring to the italicized language, the legislature established a separate criteria development process for the MPCA to follow and specified that the process is to include a consultation component and a public notice and comment component separate from the public notice and comment process that will occur during the rulemaking called for by the legislation. The legislature has required the MPCA to complete the criteria development process prior to rulemaking for designating waters. While the criteria are to be used in the designation process, the legislation imposes no restrictions upon the MPCA's permitting authorities, its obligations to protect impaired waters or its use of the criteria on a case-by-case basis to identify impaired waters and when effluent limitations are necessary in permits.

Mr. Larry Sutherland Page 3 November 8, 2013

Based on the foregoing, the MPCA has concluded that it is appropriate to move forward with the process to establish criteria for designating "waters containing natural beds of wild rice," prior to the rulemaking.

The MPCA will use the criteria that emerge from this process for three purposes: to inform the process of "designating" waters subject to the standard in the wild rice standards rulemaking, to apply on a case-by-case basis to identify when effluent limitations are necessary in permits, and to aid the MPCA when listing impaired waters. Attached is a proposed timeline for activities related for the wild rice sulfate standard.

Please feel free to contact me with questions at 651-757-2366.

Sincerely,

Ann M. Foss

Director

Metallic Mining Sector

Industrial Division

AMF/SB:rm

Attachment

Wild Rice Sulfate Standard -- Proposed Timeline of Related Activities

(Note: Green shading identifies public notice and dialogue opportunities)

| Million Co. | | November-13 | December-13 | January-14 | February-14 | March-14 | April-14 | May-14 => |
|---|--|---|--|--|--|---|--|---|
| Wild Rice Sulfate Standards Study ¹ | | Receive preliminary MPCA evaluate study data and develop wild SI study results by rice sulfate standard rulemaking recommendations. | | Share and discuss recommendations; begin to develop technical support details. | Begin rulemaking process to subject to standard and add recommended changes to the | ress any | | |
| "Water Used for Production of Wild Rice" (WUFPOWR) Criteria Development ² | | MPCA meet with tribes, advisory committee to d criteria development. | | Public notice draft WUFPOWR criteria. | revise WUFPOWR | Use WUFPOWR criteria to inform process of "do to the sulfate wild rice standard; apply criteria to assessment, impaired waters list development." | | ulemaking, |
| 7 | Wild rice sulfate assess- ments | criteria are available. consistent with W Public notice dra | | | | | JFPOWR for the wild rice sulfa DWR criteria. Fate-impaired WUFPOWR. fate assessments to EPA whe | |
| | All other assess- ments | Draft 2014 impaired waters list (minus WUFPOWR assessments) on MPCA website. | Hold public meetings on draft 2014 impaired waters list. | Public notice draft 2014 impaired waters list. | Review and respond to draft 2014 impaired wa | | Draft 2014 impaired waters list due to EPA April 1, 2014. ⁴ | |
| NPDES Permit Development ⁵ | | Continue to develop per used for production of w | | ecommendations relate | ed to identifying water | Re-evaluate draft staff recommendations using WUFPOWR criteria. | | Any permit will be put on public notice prior to issuance. ⁶ |

^{1.} MN Session Laws 2011, First Special Session, Chapter 2, Article 4, Section 32 (d).

^{2.} MN Session Laws 2011, First Special Session, Chapter 2, Article 4, Section 32 (b).

^{3.} Federal Clean Water Act, 1972, Section 303 (d); MN Statutes 114D.25, subd. 1.

^{4.} Depending on timing, the wild rice sulfate assessments may be submitted to EPA with the other assessments, or more likely as a separate package.

^{5.} Federal Clean Water Act, 1972, Section 402; MN Statutes 115.03 , subd. 5

^{6.} Permits will be put on public notice prior to issuance; a permit could go on notice at any point in the timeline.

| | | | MATDIANI | PRELIM | | WILD RICE | | |
|--------------|--------------------|--|-------------------|------------------|--|----------------------|--|--|
| | | | MEDIAN SULFATE | WATER QUALITY | | PRODUCTIO N WATER | | |
| AUID | NAME | DESCRIPTION | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTION WATER COMMENTS | WILD RICE DATA SOURCE |
| | | | | | | | Determination of a split will be made dependent upon finding wild rice between lakes along upstream portion of reach. No indication of wild rice along suggested new downstream AUIO coulted of Esuagama to St. Louis Rivery that would result from splitting. 1854 data indicate rice presence along northern portion of reach. Need to contact Darren Vogt for additional WR information on northern | |
| 04010301 577 | Embarrass River | Embarrass Lk to St Louis R | 27 | 'Impaired | Recommend split below Esquagama Lake. Stations on lower and upper portions of AUID separated by multiple lakes. Median calculated based on station S005-751. | | portion of reach. From mining information, northern portion includes sparse stands indicated with low density locations. Based solely on this, determined not to be wild rice production water. | Mining company surveys, 1854 Treaty Authority |
| 04010201-577 | Embarrass Kiver | LOUIS R | 21 | impaired | High variability in sample measurements within close | IF. | production water. | Mining company surveys, 1854 Treaty Authority |
| 04010201-552 | Partridge River | Headwaters to St Louis R | 48 | Impaired | proximity, geographic and temporal. Flows through Colby Lake (69-0249-00), which has wild rice and 2 high sulfate measurements. | | | Mining company surveys, 1854 Treaty Authority, UMN study |
| 09030002-501 | Sandy River | Headwaters (Sandy Lk 69-0730- 00) to Pike R | 85 | Impaired | One discrepant data point. | | | Mining company surveys, 1854 Treaty Authority, UMN study |
| 04010201-533 | St Louis River | Oliver Bridge to Pokegama River | 39 | Impaired | AUID, but are associated in database with St Louis Estuary (69-129-200), which is broader than river AUID. (Measurements collected further downstream at Blatnik Bridge (downstream from WLSSD discharge) have lower concentrations.) | | | Data linked to Estuary polygon: Perleberg list, MCBS, DNR call for data submittal, Ann Geissen shapefile, 1854 Treaty Authority, mining company surveys Uata Inneed to Estuary polygon: Perleberg list, MCBS, DNR call for data submittal, Ann Geissen |
| 04010201-532 | St Louis River | Mission Creek to Oliver Bridge Headwaters to | 15 | Impaired | Only 2 data points on AUID, but concentrations immediately upstream (S000-021) and downstream (S007-512, S007-515) (12 out of 15 measurements above 10) indicate impairment. | | | shapefile, 1854 Treaty Authority, mining company surveys. DNR 2008 study point alongside AUID |
| | | Lake of the | | | Data is from 4 months of 1 year, but consistently shows high | | | |
| 09030009-537 | Bostick Creek | Woods | 33 | Impaired | sulfate concentrations. DNR 2008 study point indicates rice somewhere on County | | | DNR 2008 study point shapefile |
| | | Headwaters to T113 R36W S8 | | | Ditch 12 (Rice Creek), which is more extensive than the AUID with sulfate data. AUID is impaired if wild rice is present in | | | |
| 07020004-551 | County Ditch 12 | north line | 113 | Impaired | close proximity to sampling station. | | | DNR 2008 study point shapefile |
| 07010203-512 | Rice Creek | Rice Lk to Elk R | 18 | Impaired | DNR ZUUB study point indicates rice somewhere on Rice Creek, which is more extensive than the AUID with sulfate data. AUID is impaired if wild rice is present in close proximity to sampling station. | | | DNR 2008 study point shapefile |
| 07010108-501 | Long Prairie River | | 13 | Impaired | DNK ZOUS study point indicates rice somewhere on Long Prairie River, which is more extensive than the AUID with sulfate data. AUID is impaired if wild rice is present in close proximity to sampling station. | | | 2006 Harvester's report, DNR 2008 study point shapefile |
| 07020011-531 | Rice Creek | Headwaters to Maple R | 28 | Impaired | Consistently high sulfate concentrations at all 4 stations along entire AUID. | | | DNR 2008 study point shapefile |
| | | Watson Sag to | | | DNR 2008 study point indicates rice somewhere on Chippewa River, which is more extensive than the AUIDs with sulfate data. Wherever sampled, the Chippewa River has high sulfate concentrations. Listing individual AUIDs is dependent | | DNR 2008 report indicates wild rice somewhere along the Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information | |
| 07020005-501 | Chippewa River | Minnesota R | 139 | Impaired | upon location of wild rice. | No | about rice in the ditch. DNR 2008 report indicates wild rice somewhere along the | DNR 2008 study point shapefile |
| 07020005-505 | Chippewa River | Unnamed cr to E Br Chippewa R | 88 | Impaired | See above comment regarding Chippewa River. | No | Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. DNR 2008 report indicates wild rice somewhere along the | DNR 2008 study point shapefile |
| 07020005-506 | Chippewa River | E Br Chippewa R to Shakopee Cr | 70 | Impaired | See above comment regarding Chippewa River. | No | Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. DNR 2008 report indicates wild rice somewhere along the | DNR 2008 study point shapefile |
| 07020005-508 | Chippewa River | Cottonwood Cr to Dry Weather Cr | 90 | Impaired | See above comment regarding Chippewa River. | No | Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. DNR 2008 report indicates wild rice somewhere along the | DNR 2008 study point shapefile |
| | | Stowe Lk to Little | | | | | Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information | |
| 07020005-503 | Chippewa River | Chippewa R | 39 | Impaired | See above comment regarding Chippewa River. | No | about rice in the ditch. | DNR 2008 study point shapefile |
| 07040002-502 | Cannon River | Pine Cr to Belle Cr | 33 | Impaired | DNR 2008 study point indicates rice somewhere on Cannon River, which is more extensive than the AUIDs with sulfate data. Wherever sampled, the Cannon River has high sulfate concentrations. Listing individual AUIDs is dependent upon location of wild rice. | | | DNR 2008 study point shapefile |
| 07040002-542 | Cannon River | Headwaters to Cannon Lk | 17 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| | | Byllesby Dam to | | | | | | |
| 07040002-539 | Cannon River | Little Cannon R Belle Cr to split | 27 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| 07040002-501 | Cannon River | near mouth | 31 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |

- otes:

 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff

 2. Nothing in this spreadsheet represents a final agency decision

 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request

 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L

 5. Notations in the column "VILLO RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data documenting some history of wild rice

Ex. 4 WaterLegacy Cmt 2016 MN 303(d) List

| | | PRELIM | | WILD RICE | | | |
|--------------------------|--------|-------------|---|-----------|---|---------|--|
| | MEDIAN | | | PRODUCTIO | | WILD | |
| | | QUALITY | | N WATER | | RICE | |
| NAME | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | ACRES | WILD RICE DATA SOURCE |
| IVAIVIL | CONC | A33L33 | WATER-QUALITY ASSESSIVENT COMMENTS | DECISION | Mining company survey shows low to moderate density of | ACILLO | WIED RICE DATA SOURCE |
| | | | Multiple sites with data collected same date, but | | rice throughout perimeter of lake. DNR lake survey jul 12, | | |
| | | | concentrations consistent across sites, median still | | 1990 noted abundant wild rice, especially along west shore. | | |
| | | | significantly above 10. Evaluate together with S. Portion, | | Sulfate sampling locations are near wild rice observation | | |
| Cedar Island (N portion) | 21 | Impaired | Fourth, and Esquagama, all connected via Embarrass R. | Yes | sites. | | Mining Companies, 1854 Treaty Authority |
| Cedar Island (N portion) | 21 | IIIIpaireu | routti, and Esquagama, an connected via Embarrass N. | 163 | sites. | | Willing Companies, 1834 Treaty Authority |
| | | | | | Mining company survey shows moderate density of rice | | |
| | | | Multiple sites with data collected same date, but | | throughout perimeter of lake. DNR lake survey jul 12, 1990 | | |
| | | | concentrations consistent across sites, median still | | noted abundant wild rice, especially along west shore. Sulfate | | |
| Cedar Island (S portion) | 20 | Impaired | significantly above 10. | Yes | sampling locations are near wild rice observation sites. | | Mining Companies, 1854 Treaty Authority |
| (c posterior) | | | | | Need to contact Darren Vogt for additional WR information. | | |
| | | | Only 1 measurement on lake itself, but concentrations on | | From mining information, sparse stands indicated with single | | |
| | | | (connected) Esquagama (69-0565-00-203) and Cedar Island S. | | low density location. Based on this, determined not to be | | Mining Companies, 1854 Treaty Authority, Ann |
| Fourth | 20 | Impaired | Portion (69-0568-02-204,69-0568-02-207) are also high. | IF | wild rice production water. | | Geissen shapefile, 2008 Study shapefile |
| | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | Need to contact Darren Vogt for additional WR information. | | , |
| | | | Only 3 measurements on lake itself, but concentrations on | | From mining information, a single stand with low density. | | |
| İ | | | (connected) Fourth Lake (69-0573-00-201) and downstream | 1 | Based on this, determined not to be wild rice production | l | |
| Esquagama | 26 | Impaired | (S005-751) are also high. | IF | water. | | Mining Companies, 1854 Treaty Authority |
| | | | | | Significant acreage of rice in Big Bay. Assumed to be at least | | , |
| | | | | | 70 acres in Big bay based on estimated size of Rice Bay at 180 | | |
| | | | Multiple sites with data collected same date, but | 1 | acres, and total wild rice area of 250 acres. Rice Bay is also | l | |
| | | | concentrations consistent across sites, median still | | indicated for wild rice, but no sulfate data have been | | 1854 Treaty Authority, Ann Geissen shapefile, |
| East Vermilion | 14 | Impaired | significantly above 10. | Yes | collected there. | 250 | 2008 Study shapefile |
| | | | | | insufficient information to determine that this is a production | | |
| Trout | 42 | Impaired | | No | water. | | DNR call for data submittal, U of MN study sites |
| | | | | | Insufficient information to determine that this is a production | | |
| | | | | | water. DNR lake survey reports dates 6/2006, 5/1997 no wild | | |
| Elizabeth (main basin) | 30 | Impaired | | No | rice noted. | | DNR call for data submittal |
| | | | | | | | |
| | | | Impaired, subject to verification of location of station 31- | | Staff recommendation for the ESSAR water permit is that this | | 2006 Harvest Survey (00 polygon), Ann Geissen |
| | | | 0067-01-204. If judged strictly on station 01-205, sulfate not | | is a production water. Check with Stephanie for | | shapefile, Perleberg list, 2008 Study shapefile. |
| Swan (W bay) | tbd | TBD | significantly above 10. | Yes | recommendation date. | 50 (00) | Rice data tied to underlying lake (-00) |
| | | | | | | | |
| | | | | | | | 2006 Harvest Survey (00 polygon), Ann Geissen |
| | | | Median dependent upon station 31-0067-01-204 being | | * The outlet bay upstream of the dam is a wild rice | | shapefile, Perleberg list, 2008 Study shapefile. All |
| | | | included in main basin. Regardless, median is significantly | | production water, based on mining company survey from | | tied to underlying lake (-00). UMN study data |
| Swan (main basin) | tbd | Impaired | above 10. | Yes | 2011 has densities of 4 and 5. | 50 (00) | tied to Main Basin polygon (-02). |
| | | | | | insufficient information to determine that this is a production | | |
| | | | | | water. Lake Survey reports from 3/29/1995, 2/21/2006 noted | | |
| Preston | 45 | Impaired | | No | no wild rice. | | DNR call for data submittal |
| | | | | | | | |
| ĺ | | | | | Upper portion of Embarrass shows numerous low to | | |
| 1 | | | Multiple sites with data collected same date, but | | moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower | | |
| | | | concentrations consistent across sites, median still | | Embarrass had few observations of low density. *Only Upper | | 1854 Treaty Authority, mining company data, |
| Embarrass | 21 | Impaired | significantly above 10. | Yes | Embarrass had few observations of low density. "Only Opper Embarrass is considered a wild rice production water. | | Perleberg list, UMN Study |
| LIIIDUII 033 | 21 | iiiipaii eu | Multiple sites; station 203 has single observation, still above | 103 | 1997 fisheries transect from 1997 indicated small area of rice. | | i cheberg list, own study |
| Lady Slipper | 31/ | Impaired | 10, but well below other observations. | No | 2011 and 2012 UMN study found no wild rice. | | Perleberg list, UMN study |
| гаа, эпррег | 514 | pair cu | 20) Sat Well Sciow Other Observations. | | Photo from 2012 exists of high density wild rice. Mark Gernes | | i creacing hat, owner study |
| | | | | | has harvested rice on the lake for several recent years. U of | | |
| | | | | | MN study showed 3 pct coverage at study site. Contact Ed | | |
| | | | | | Swain and Mark Gernes for details on location of harvestable | | UMN study (tied to main basin -01). MCBS, |
| Monongalia (main | | | | 1 | rice. Contact Donna Perleberg for more information on | l | Perleberg list, Ann Geissen shapefile, 2008 study |
| basin) | 31 | Impaired | | IF | inclusion in her list. | | shapefile on underlying waterbody (-00) |
| | | | | | | | |
| | | | One questionable sample with very low concentration, | | Photo from 2012 exists of high density wild rice. Mark Gernes | | UMN study (tied to polygon -02). MCBS, |
| Monongalia - Middle Fk | | | turned out to be pore water, sample was excluded and | | has harvested rice on the lake for several recent years. U of | | Perleberg list, Ann Geissen shapefile, 2008 study |
| Crow | 29 | Impaired | median recalculated. | Yes | MN study showed 38.75 pct coverage at study site. | | shapefile on underlying waterbody (-00) |
| | | | | | Contact Donna Perleberg for more information on Mill Pond | | MCBS, Perleberg list, Ann Geissen shapefile, |
| Crow River Mill Pond | | | | | observation from MCBS survey 8/6/2002. Contact Mark | | 2008 study shapefile, all on underlying |
| (East) | 26 | Impaired | | IF | Gernes for local knowledge. | | waterbody (-00) |
| Footnotes: | | | | | | | |

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
- 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 5. Notations in the column "WILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data

| | _ | loos | I | 14/II D DIG- | I | | |
|---------------------------|---------|--------------|--|--------------|--|-------|--|
| | | PRELIM | | WILD RICE | | | |
| | MEDIAN | | | PRODUCTIO | | WILD | |
| | SULFATE | QUALITY | | N WATER | | RICE | |
| NAME | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | ACRES | WILD RICE DATA SOURCE |
| | | | | | | | |
| | | | | | Staff recommendation for Keetac permit in 2011 was that | | |
| | | | | | this is a wild rice production water. Check with Brandon | | Ann Geissen shapefile, UMN study, 2008 DNR |
| Hay | 52 | Impaired | | Yes | Smith on the date of the Perry Pit dewatering permit. | | study |
| | | | | | | | |
| | | | | | insufficient information to determine that this is a production | | |
| Big Stone | 404 | Impaired | | No | water. DNR lake survey from 3/17/2004 noted no wild rice. | | DNR call for data submittal |
| Lac Qui Parle (NW bay) | 202 | Impaired | | No | 3/23/2000 DNR lake survey - no wild rice noted. | | DNR call for data submittal - on underlying waterbody (-00) |
| Lac Qui Parie (NW bay) | 293 | iiipaireu | Only 1 data point on this bay, but concentrations on | INO | 3/23/2000 DINK lake survey - 110 wild rice floted. | | waterbody (-00) |
| | | | upstream portion of lake (37-0046-02) and downstream river | | | | DNR call for data submittal - on underlying |
| Land Out Davida (CC base) | 270 | Impaired | · · · · · · · · · · · · · · · · · · · | NI- | 3/33/3000 DND late access as wild size asked | | , , |
| Lac Qui Parle (SE bay) | 270 | impaired | (07020004-688) are also high. | No | 3/23/2000 DNR lake survey - no wild rice noted. DNR Lake Surveys from 8/4/1949, 1/2/1998 indicated wild | | waterbody (-00) |
| | | | | | | | |
| | | | | | rice presence. 1949 comment indicates sparse presence. | | |
| | | | | | 1998 survey was a fisheries transect. Contact Ann Geisen for | | |
| | | | | | further detail on why this waterbody was included in call for | | |
| Mina | 25 | Impaired | | IF | data submission. | | DNR call for data submittal |
| | | | | | | | |
| | | | | | DNR lake survey indicates wild rice was rare August 24 - 28, | | |
| | | | | | 1987. Contact Ann Geisen for further detail on why this | | |
| Pearl | 21 | Impaired | | IF | waterbody was included in call for data submission. | | DNR call for data submittal |
| | | | | | Locate draft staff recommendation for production water | | 1854 Treaty Authority, UMN study, Ann Geissen |
| Sandy | 135 | Impaired | | Yes | status. Wild rice acreage from 2008 report. | 121 | List, 2008 study shapefile |
| | | | | | Locate draft staff recommendation for production water | | 1854 Treaty Authority, Ann Geissen List, 2008 |
| Little Sandy | 145 | Impaired | | Yes | status. Wild rice acreage from 2008 report. | 89 | study shapefile |
| | | | | | DNR lake survey reports from 3/9/2004, 3/28/2001 noted no | | |
| | | | | | wild rice, 4/14/1954 waterfowl/muskrat habitat survey | | |
| | | | | | comment says "wild rice would not do well in this lake". | | |
| | | | | | 8/1962 map showed no wild rice. 7/1968 game and fish map | | |
| Marsh | | Impaired | | No | showed no wild rice. | | DNR call for data submittal |
| Lillian | 151 | Impaired | | No | 5/13/1997 lake survey report noted no wild rice. | | DNR call for data submittal |
| | | | Only 1 measurement on lake itself, but concentrations on | | 2/5/1997 lake survey report no rice noted. 1949 report did | | |
| | | | lakes immediately adjacent (21-0108-00, 21-0180-00, 21- | | not note any rice and "wild rice would not do well in this | | |
| Lobster | 22 | Impaired | 0150-00) are also high. | No | lake". Follow up with 1997 fisheries report. | | Perleberg list |
| | | | All data collected on Mississippi (MissR 796.9, MissR 805.0), | | insufficient information to determine that this is a production | | |
| Sturgeon | 58 | Impaired | but direct hydrologic connection with Sturgeon. | No | water. | | Ann Geissen shapefile, DNR 2008 study |
| | | | L | | insufficient information to determine that this is a production | | |
| | | 1 | Only 1 measurement on lake, but concentrations (5 miles) | | water. DNR Lake Survey report from 2/5/1997 did not note | | |
| Long | 33 | Impaired | downstream (S005-630) are also high. | No | any wild rice. | | DNR call for data submittal |
| | | | Drinking water intake near dam may yield additional sulfate | | | | |
| | | | data. Downstream sulfate concentrations high (S002-324), | | | | |
| | | | but only 2 measurements recorded. Wild rice location | | | | |
| | | | unknown; will determine whether it is necessary to seek | | | | |
| | | Insufficient | additional sulfate data, leading to possible judgment of | | Need to consult fisheries area surveys from 7/2/2009 and | | |
| Red Lake River Reservoir | tbd | Information | impairment. | IF | 8/1/1994 to determine wild rice location. | | DNR call for data submittal, Perleberg list |
| | | | Outflow stream has high sulfate. Main inflow is close to | | | | |
| | | | outlet, large distance from lake sampling locations. Wild rice | | | | |
| | | | location within lake unknown, but will determine whether | | | | |
| | | Insufficient | outflow sulfate concentrations are sufficient for judgment of | | Insufficient information to determine that this is a production | | Ann Geissen shapefile, DNR 2008 study, UMN |
| Rice | tbd | Information | impairment. | No | water. UMN study did not observe any rice in 2012. | | study |
| | | | | | | | |

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
- 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 5. Notations in the column "WILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data

| Jeremiason ID | Field Id | | Site | THg (1) | THg (2) | THg (3) |
|---------------|--------------------------------|--------|----------------------------|---------|---------|---------|
| 1 | 3001 | 351653 | S2 Weir | 15.45 | | |
| 1 | 3002 | | S2 Sub | 17.70 | | |
| 1 | 3003 | 351655 | S2 N Lagg | 10.53 | | |
| 1 | 3004 | 351665 | S2 Surf | 11.69 | | |
| 1 | 3005 | 351697 | S2 Weir | 16.82 | | |
| 1 | 3006 | 351713 | S2 Sub | 13.36 | | |
| 1 | 3007 | 351700 | S2 N Lagg | -0.12 | 16.07 | |
| 1 | 3008 | 351712 | S2 Surf | 9.05 | | |
| | 3009 | 351730 | S2 Weir | 16.50 | | |
| | 3010 | | S2 N Lagg | 18.33 | | |
| | 13011 | 351734 | S2 Sub | 21.83 | | |
| | 3012 | | Filter Blank (MQ) | 0.42 | | |
| | 3013 | 351741 | S2 Weir | 16.77 | | |
| | 3014 | | S2 N Lagg | 18.61 | | |
| | 3015 | | S2 Sub | 11.93 | | |
| | 3016 | | S2 Weir | 15.56 | | |
| | 3017 | | S2 N Lagg | 13.96 | | |
| | 3018 | | S2 Weir | 15.65 | | |
| | 3019 | | S2 N Lagg | 13.45 | | |
| | 3020 F-S003-973-0 ⁻ | | SLR at Scanlon | 5.63 | | |
| | 3021 F-S000-119-01 | | SLR at Forbes | 5.79 | | |
| | 3022 F-S000-631-0 ⁻ | | SLR at CSAH 110 near Skibo | 5.96 | | |
| | 3023 F-S005-147-0 | | Cloquet River | 5.72 | | |
| | 3024 F-S004-599-0 ⁻ | | Floodwood River | 4.43 | 4.50 | |
| | 3025 F-S005-763-0 ⁻ | | Whiteface River | 6.14 | | |
| | 3026 F-S005-770-0 ⁻ | | Swan River | 4.76 | | |
| | 3027 F-S004-601-0 ⁻ | | West Two Rivers | 3.24 | | |
| | 3028 F-S005-751-0 ⁻ | | Embarrass River | 3.93 | | |
| | 3029 F-S005-752-0° | | River | 6.54 | | |
| | 3030 F-S007-052-0 | | Stony Creek | 6.19 | 7.21 | |
| | 3031 F-S003-973-0 | I FR | SLR at Forbes | 4.62 | | |
| | 3032 F-SB1-01 | | F-SB1-01 | 2.05 | | |
| | 3033 F-SB2-01 | | F-SB2-01 | 1.71 | | |
| | 3034 F-SB3-01 | | F-SB3-01 | 0.26 | | |
| | 3035 F-SB4-01 | 4 | F-SB4-01 | 0.14 | 4.40 | |
| | 3036 U-S003-973-0 | | SLR at Scanlon | 4.11 | 4.48 | |
| 1 | 3037 U-S000-119-0 ⁻ | I | SLR at Forbes | 7.32 | | |

| 13038 U-S000-631-01 13039 U-S005-147-01 13040 U-S004-599-01 13041 U-S005-763-01 13042 U-S005-770-01 13043 U-S004-601-01 | SLR at CSAH 110 near Skibo Cloquet River Floodwood River Whiteface River Swan River West Two Rivers | 8.54 4.03 4.99 7.55 11.41 3.82 | 7.45 | |
|--|---|--|--------------|-------------|
| 13044 U-S005-751-01 | Embarrass River | 4.14 | | |
| 13045 U-S005-752-01 13046 U-S007-052-01 13047 U-S003-973-01 FR 13048 U-SB1-01 13049 U-SB2-01 | River Stony Creek SLR at Forbes U-SB1-01 U-SB2-01 | 8.07 8.42 6.27 1.59 1.88 | 8.32 | |
| 13050 U-SB3-01 13051 U-SB4-01 13052 Trip Blank 1-1 13053 Trip Blank 1-2 | U-SB3-01 U-SB4-01 Trip Blank 1-1 Trip Blank 1-2 | 0.41 0.27 1.48 0.34 | 0.31 | |
| 13054 35179 13055 35179 13056 F-S000-119-02 | 3 S2 Weir 6 S2 N Lagg SLR at Forbes | 14.23 11.98 5.06 | | |
| 13057 F-S000-631-02 13058 F-S003-973-02 13059 F-S003-973-02 FR 13060 F-S004-599-02 | SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River | 6.17 4.71 4.70 4.27 | 4.18 | |
| 13060 F-3004-399-02 13061 F-S004-601-02 13062 F-S005-147-02 13063 F-S005-751-02 | West Two Rivers Cloquet River Embarrass River | 3.53 3.53 3.53 | 4.10 | |
| 13064 F-S005-752-02 | Second Creek / Partridge River | 5.56 | | |
| 13065 F-S005-763-02 13066 F-S005-770-02 13067 F-S007-052-02 13068 SB1-02 13069 SB2-02 13070 SB3-02 13071 SB4-02 13072 U-S000-119-02 13073 U-S000-631-02 13074 U-S003-973-02 13075 U-S003-973-02 FR | Whiteface River Swan River Stony Creek F-SB1-02 F-SB2-02 F-SB3-02 F-SB4-02 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon | 5.37 4.17 6.32 0.45 0.28 0.63 0.30 5.58 7.46 5.53 4.97 | 5.46 | |
| 13076 U-S004-599-02 13077 U-S004-601-02 | Floodwood River West Two Rivers | 4.33 3.66 | 4.35 3.54 | 4.316143138 |

| 130 | 078 U-S005-147-02 | Cloquet River | | 3.56 | 3.14 | |
|-----|----------------------|----------------------------|---|-------|------|-------------|
| 130 | 079 U-S005-751-02 | Embarrass River | | 3.83 | 3.41 | |
| | | Second Creek / Partridge | | | | |
| 130 | 080 U-S005-752-02 | River | | 6.07 | 5.74 | |
| 130 | 081 U-S005-763-02 | Whiteface River | | 5.93 | 5.96 | 6.030090153 |
| 130 | 082 U-S005-770-02 | Swan River | | 10.39 | | |
| 130 | 083 U-S007-052-02 | Stony Creek | | 7.59 | | |
| 130 | 084 U- | U-SB1-02 | | 0.50 | | |
| 130 | 085 U- | U-SB2-02 | | 0.27 | | |
| 130 | 086 U- | U-SB3-02 | | 0.46 | | |
| 130 | 087 U- | U-SB4-02 | | 0.36 | | |
| 130 | 088 Trip Blank 2-1 | Trip Blank 2-1 | | 0.41 | | |
| 130 | 089 Trip Blank 2-2 | Trip Blank 2-2 | | 0.22 | | |
| 130 | 090 351806 | S2 Weir | | 11.74 | | |
| 130 | 091 351808 | S2 N Lagg | | 9.21 | | |
| 130 | 092 F-S000-119-03 | SLR at Forbes | | 4.08 | 4.59 | |
| 130 | 093 F-S000-631-03 | SLR at CSAH 110 near Skibo | | 6.23 | | |
| 130 | 094 F-S003-973-03 | SLR at Scanlon | | 4.57 | | |
| 130 | 095 F-S003-973-03 FR | SLR at Scanlon | | 4.28 | | |
| 130 | 096 F-S004-599-03 | Floodwood River | | 3.61 | | |
| 130 | 097 F-S004-601-03 | West Two Rivers | | 1.79 | 1.78 | |
| 130 | 098 F-S005-147-03 | Cloquet River | | 2.66 | | |
| 130 | 099 F-S005-751-03 | Embarrass River | | 3.22 | | |
| | | Second Creek / Partridge | | | | |
| | 100 F-S005-752-03 | River | | 5.15 | | |
| | 101 F-S005-763-03 | Whiteface River | | 4.78 | | |
| | 102 F-S005-770-03 | Swan River | | 3.43 | 3.58 | |
| | 103 F-S007-052-03 | Stony Creek | | 6.16 | | |
| | 104 F-SB1-03 | | 0 | 0.50 | | |
| | 105 F-SB2-03 | | 0 | 0.50 | | |
| | 106 F-SB3-03 | | 0 | 0.44 | | |
| | 107 F-SB4-03 | | 0 | 0.83 | 0.92 | |
| | 108 U-S000-119-03 | SLR at Forbes | | 5.13 | | |
| | 109 U-S000-631-03 | SLR at CSAH 110 near Skibo | | 7.45 | | |
| | 110 U-S003-973-03 | SLR at Scanlon | | 4.36 | | |
| | 111 U-S003-973-03 FR | SLR at Scanlon | | 4.09 | | |
| | 112 U-S004-599-03 | Floodwood River | | 3.73 | 4.00 | |
| | 113 U-S004-601-03 | West Two Rivers | | 2.19 | | |
| | 114 U-S005-147-03 | Cloquet River | | 3.08 | | |
| 13 | 115 U-S005-751-03 | Embarrass River | | 3.79 | | |

| | Second Creek / Partridge | | |
|------------------------|----------------------------|-----|------|
| 13116 U-S005-752-03 | River | | 1.73 |
| 13117 U-S005-763-03 | Whiteface River | | 1.72 |
| 13118 U-S005-770-03 | Swan River | | 5.40 |
| 13119 U-S007-052-03 | Stony Creek | | 1.19 |
| 13120 U-SB1-03 | | 0 0 |).29 |
| 13121 U-SB2-03 | | 0 0 | 0.33 |
| 13122 U-SB3-03 | | 0 0 |).35 |
| 13123 U-SB4-03 | | 0 0 | 0.68 |
| 13124 Trip Blank 3-1 | | 0 0 |).41 |
| 13125 Trip Blank 3-2 | | 0 0 |).25 |
| 13126 | 0 | 0 | |
| 13127 | 0 | 0 (|).22 |
| 13128 | 0 S2 Weir | 1 | 1.64 |
| 13129 | 0 S2 N Lagg | 1 | 0.89 |
| 13130 F-S000-119-04 | SLR at Forbes | 5 | 5.54 |
| 13131 F-S000-631-04 | SLR at CSAH 110 near Skibo | 7 | 7.19 |
| 13132 F-S003-973-04 | SLR at Scanlon | 4 | 1.66 |
| 13133 F-S003-973-04 FR | SLR at Scanlon | 4 | 1.63 |
| 13134 F-S004-599-04 | Floodwood River | 4 | 1.35 |
| 13135 F-S004-601-04 | West Two Rivers | | 2.42 |
| 13136 F-S005-147-04 | Cloquet River | | 3.36 |
| 13137 F-S005-751-04 | Embarrass River | 3 | 3.16 |
| | Second Creek / Partridge | | |
| 13138 F-S005-752-04 | River | Ę | 5.24 |
| 13139 F-S005-763-04 | Whiteface River | 5 | 5.26 |
| 13140 F-S005-770-04 | Swan River | 4 | 1.44 |
| 13141 F-S007-052-04 | Stony Creek | 5 | 5.89 |
| 13142 F-SB1-04 | | 0 0 | 0.38 |
| 13143 F-SB2-04 | | |).14 |
| 13144 F-SB3-04 | | | 0.03 |
| 13145 U-S000-119-04 | SLR at Forbes | | 1.53 |
| 13146 U-S000-631-04 | SLR at CSAH 110 near Skibo | | 6.34 |
| 13147 U-S003-973-04 | SLR at Scanlon | | 6.12 |
| 13148 U-S003-973-04 FR | SLR at Scanlon | | 3.03 |
| 13149 U-S004-599-04 | Floodwood River | | 1.74 |
| 13150 U-S004-601-04 | West Two Rivers | | 3.15 |
| 13151 U-S005-147-04 | Cloquet River | | 3.20 |
| 13152 U-S005-751-04 | Embarrass River | | 3.55 |
| | Second Creek / Partridge | | |
| 13153 U-S005-752-04 | River | 5 | 5.61 |
| | | | |

| 13154 U-S005-763-04 | Whiteface River | 6.58 | |
|---|---|---|--------------|
| 13155 U-S005-770-04 | Swan River | 7.17 | |
| 13156 U-S007-052-04 | Stony Creek | 6.83 | |
| 13157 U-SB1-04 | SB1-04 | 0.19 | |
| 13158 U-SB2-04 | SB2-04 | 0.15 | |
| 13159 U-SB3-04 | SB3-04 | -0.02 | |
| 13160 Trip Blank 4-1 | Trip Blank 4-1 | 0.30 | |
| 13161 Trip Blank 4-2 | Trip Blank 4-2 | 0.02 | |
| 13162 Trip Blank 4-3 | Trip Blank 4-3 | -0.03 | |
| 13163 | 0 S2 Weir | 11.23 | |
| 13164 | 0 S2 N Lagg | | |
| 13165 | 0 S2 N Lagg | | |
| 13166 F-S000-119-05 | SLR at Forbes | 7.02 | |
| 13167 F-S000-631-05 | SLR at CSAH 110 near Skibo | 7.94 | |
| 13168 F-S003-973-05 | SLR at Scanlon | 4.67 | |
| 13169 F-S003-973-05 FR | SLR at Scanlon | 4.84 | |
| 13170 F-S004-599-05 | Floodwood River | 3.59 | 3.66 |
| 13171 F-S004-601-05 | West Two Rivers | 3.03 | |
| 13172 F-S005-147-05 | Cloquet River | 3.24 | |
| 13173 F-S005-751-05 | Embarrass River | 3.13 | |
| | Second Creek / Partridge | | |
| | | | |
| 13174 F-S005-752-05 | River | 20.94 | 5.88 |
| 13175 F-S005-763-05 | Whiteface River | 5.94 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 | Whiteface River Swan River | 5.94 4.49 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 | Whiteface River Swan River Stony Creek | 5.94 4.49 6.28 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 | Whiteface River Swan River Stony Creek 0 | 5.94 4.49 6.28 0.45 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 | Whiteface River Swan River Stony Creek 0 0 | 5.94 4.49 6.28 0.45 0.22 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 | Whiteface River Swan River Stony Creek 0 0 0 | 5.94 4.49 6.28 0.45 0.22 0.53 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 | Whiteface River Swan River Stony Creek 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 13187 U-S005-147-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers Cloquet River | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 3.90 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers Cloquet River Embarrass River | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 13187 U-S005-147-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers Cloquet River Embarrass River Second Creek / Partridge | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 3.90 3.86 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 13187 U-S005-751-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers Cloquet River Embarrass River Second Creek / Partridge River | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 3.90 3.86 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 13187 U-S005-147-05 13188 U-S005-751-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers Cloquet River Embarrass River Second Creek / Partridge River Whiteface River | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 3.90 3.86 12.76 7.50 | 5.88 |
| 13175 F-S005-763-05 13176 F-S005-770-05 13177 F-S007-052-05 13178 F-SB1-05 13179 F-SB2-05 13180 F-SB3-05 13181 U-S000-119-05 13182 U-S000-631-05 13183 U-S003-973-05 13184 U-S003-973-05 FR 13185 U-S004-599-05 13186 U-S004-601-05 13187 U-S005-751-05 | Whiteface River Swan River Stony Creek 0 0 0 SLR at Forbes SLR at CSAH 110 near Skibo SLR at Scanlon SLR at Scanlon Floodwood River West Two Rivers Cloquet River Embarrass River Second Creek / Partridge River | 5.94 4.49 6.28 0.45 0.22 0.53 9.26 9.07 6.26 6.88 4.17 3.84 3.90 3.86 | 5.88 6.94 |

| 13193 U-SB1-05 | SB1-05 | 0.54 | | |
|------------------------|---------------------------------------|-------|-------|------|
| 13194 U-SB2-05 | SB2-05 | 0.23 | | |
| 13195 U-SB3-05 | SB3-05 | 0.21 | | |
| 13196 Trip Blank 5-1 | Trip Blank 5-1 | 0.25 | | |
| 13197 Trip Blank 5-2 | Trip Blank 5-2 | 0.37 | | |
| 13198 F-S000-119-06 | SLR at Forbes | 6.13 | | |
| 13199 F-S000-631-06 | SLR at CSAH 110 near Skibo | 6.92 | | |
| 13200 F-S003-973-06 | SLR at Scanlon | 4.79 | | |
| 13201 F-S003-973-06 FR | SLR at Scanlon | 4.79 | | |
| 13202 F-S004-599-06 | Floodwood River | 2.75 | 2.70 | |
| 13203 F-S004-601-06 | West Two Rivers | 1.40 | | |
| 13204 F-S005-147-06 | Cloquet River | 3.43 | | |
| 13205 F-S005-751-06 | Embarrass River | 2.83 | | |
| | Second Creek / Partridge | | | |
| 13206 F-S005-752-06 | River | 8.28 | | |
| 13207 F-S005-763-06 | Whiteface River | 5.04 | 10.39 | 6.26 |
| 13208 F-S005-770-06 | Swan River | 3.11 | | |
| 13209 F-S007-052-06 | Stony Creek | 3.00 | | |
| 13210 F-SB1-06 | SB1-06 | 0.07 | | |
| 13211 F-SB2-06 | SB2-06 | 0.21 | | |
| 13212 F-SB3-06 | SB3-06 | 0.28 | | |
| 13213 U-S000-119-06 | SLR at Forbes | 6.73 | | |
| 13214 U-S000-631-06 | SLR at CSAH 110 near Skibo | 7.73 | | |
| 13215 U-S003-973-06 | SLR at Scanlon | 5.03 | 5.13 | |
| 13216 U-S003-973-06 FR | SLR at Scanlon | 5.00 | | |
| 13217 U-S004-599-06 | Floodwood River | 3.03 | | |
| 13218 U-S004-601-06 | West Two Rivers | 1.29 | | |
| 13219 U-S005-147-06 | Cloquet River | 0.14 | 4.05 | |
| 13220 U-S005-751-06 | Embarrass River | 0.07 | 3.09 | 3.40 |
| 13221 U-S005-752-06 | River | 9.02 | | |
| 13222 U-S005-763-06 | Whiteface River | 5.83 | | |
| 13223 U-S005-770-06 | Swan River | 5.19 | | |
| 13224 U-S007-052-06 | Stony Creek | 4.11 | | |
| 13225 U-SB1-06 | SB1-06 | 0.78 | | |
| 13226 U-SB2-06 | SB2-06 | 0.41 | | |
| 13227 U-SB3-06 | SB3-06 | 0.58 | | |
| 13228 Trip Blank 6-1 | Trip Blank 6-1 | 1.00 | | |
| 13229 Trip Blank 6-2 | Trip Blank 6-2 | 0.31 | | |
| 13230 Trip Blank 6-3 | Trip Blank 6-3 | 0.17 | | |
| 13231 | 0 S2 Weir | 15.28 | | |
| 13232 | 0 S2 N Lagg | 16.37 | | |
| | · · · · · · · · · · · · · · · · · · · | | | |

| 13233 F-S000-119-06 | SLR at Forbes | 6.09 | |
|------------------------|----------------------------|-------|------|
| 13234 F-S000-631-06 | SLR at CSAH 110 near Skibo | 7.32 | |
| 13235 F-S003-973-06 | SLR at Scanlon | 4.75 | |
| 13236 F-S003-973-06 FR | SLR at Scanlon | 4.61 | |
| 13237 F-S004-599-06 | Floodwood River | 3.52 | 3.57 |
| 13238 F-S004-601-06 | West Two Rivers | 2.85 | |
| 13239 F-S005-147-06 | Cloquet River | 3.63 | |
| 13240 F-S005-751-06 | Embarrass River | 3.15 | |
| 13241 F-S005-752-06 | River | 8.91 | |
| 13242 F-S005-763-06 | Whiteface River | 6.84 | 6.62 |
| 13243 F-S005-770-06 | Swan River | 4.95 | |
| 13244 F-S007-052-06 | East Two Rivers | 0.08 | |
| 13245 F-SB1-06 | SB1-06 | 0.59 | |
| 13246 F-SB2-06 | SB2-06 | 0.07 | |
| 13247 F-SB3-06 | SB3-06 | 0.25 | |
| 13248 U-S000-119-06 | SLR at Forbes | 6.07 | 6.02 |
| 13249 U-S000-631-06 | SLR at CSAH 110 near Skibo | 9.59 | |
| 13250 U-S003-973-06 | SLR at Scanlon | 4.51 | |
| 13251 U-S003-973-06 FR | SLR at Scanlon | 4.71 | |
| 13252 U-S004-599-06 | Floodwood River | 3.78 | |
| 13253 U-S004-601-06 | West Two Rivers | 3.16 | 3.54 |
| 13254 U-S005-147-06 | Cloquet River | 4.28 | |
| 13255 U-S005-751-06 | Embarrass River | 3.21 | |
| 13256 U-S005-752-06 | River | 9.66 | |
| 13257 U-S005-763-06 | Whiteface River | 7.89 | |
| 13258 U-S005-770-06 | Swan River | 8.73 | 8.83 |
| 13259 U-S007-052-06 | East Two Rivers | 3.92 | |
| 13260 U-SB1-06 | SB1-06 | 0.55 | |
| 13261 U-SB2-06 | SB2-06 | 0.50 | |
| 13262 U-SB3-06 | SB3-06 | 0.25 | |
| 13263 Trip Blank 6-1 | Trip Blank 6-1 | 0.64 | |
| 13264 Trip Blank 6-2 | Trip Blank 6-2 | 0.29 | |
| 13265 Trip Blank 6-3 | Trip Blank 6-3 | 0.40 | |
| 13266 | 0 S2 Weir | 14.89 | |
| 13267 | 0 S2 N Lagg | 16.07 | |
| 13268 F-S000-119-06 | SLR at Forbes | 5.75 | |
| 13269 F-S000-631-06 | SLR at CSAH 110 near Skibo | 6.89 | |
| 13270 F-S003-973-06 | SLR at Scanlon | 4.80 | |
| 13271 F-S003-973-06 FR | SLR at Scanlon | 4.12 | |

| 13272 F-S004-599-06 | Floodwood River | 3.05 | 3.07 | |
|------------------------|----------------------------|-------|------|------|
| 13273 F-S004-601-06 | West Two Rivers | 1.65 | | |
| 13274 F-S005-147-06 | Cloquet River | 3.59 | | |
| 13275 F-S005-751-06 | Embarrass River | 2.40 | | |
| 13276 F-S005-752-06 | River | 7.91 | | |
| 13277 F-S005-763-06 | Whiteface River | 5.92 | 5.69 | |
| 13278 F-S005-770-06 | Swan River | 3.72 | | |
| 13279 F-S007-052-06 | East Two Rivers | 1.63 | | |
| 13280 F-SB1-08 | SB1-06 | 0.30 | | |
| 13281 F-SB2-08 | SB2-06 | 0.19 | | |
| 13282 U-S000-119-06 | SLR at Forbes | 5.93 | 5.63 | |
| 13283 U-S000-631-06 | SLR at CSAH 110 near Skibo | 6.92 | | |
| 13284 U-S003-973-06 | SLR at Scanlon | 5.12 | | |
| 13285 U-S003-973-06 FR | SLR at Scanlon | 4.88 | | |
| 13286 U-S004-599-06 | Floodwood River | 3.01 | | |
| 13287 U-S004-601-06 | West Two Rivers | 1.59 | 1.61 | |
| 13288 U-S005-147-06 | Cloquet River | 3.90 | | 3.90 |
| 13289 U-S005-751-06 | Embarrass River | 2.69 | | |
| 13290 U-S005-752-06 | River | 8.26 | | |
| 13291 U-S005-763-06 | Whiteface River | 6.43 | | |
| 13292 U-S005-770-06 | Swan River | 5.38 | | |
| 13293 U-S007-052-06 | East Two Rivers | 2.81 | 2.71 | |
| 13294 U-SB1-08 | SB1-08 | 0.26 | | |
| 13295 U-SB2-08 | SB2-08 | 0.23 | | |
| 13296 Trip Blank 8-1 | Trip Blank 8-1 | 0.31 | | |
| 13297 Trip Blank 8-2 | Trip Blank 8-2 | 0.14 | | |
| 13298 | 0 S2 Weir | 10.49 | | |
| 13299 | 0 S2 N Lagg | 10.60 | | |
| | | | | |



Paula Goodman Maccabee, Esq.

Just Change Law Offices

1961 Selby Ave., St. Paul, Minnesota 55104, pmaccabee@justchangelaw.com
Ph: 651-646-8890, Fax: 651-646-5754, Cell 651-775-7128

http://justchangelaw.com

November 12, 2014

Miranda Nichols, Impaired Waters List Coordinator (Miranda.Nichols@state.mn.us) Minnesota Pollution Control Agency 520 Lafayette Road St. Paul, MN 55155

Dear Ms. Nichols:

WaterLegacy has previously provided the Minnesota Pollution Control Agency (MPCA) with comments on the 2014 Draft Impaired Waters List. We also informed the United States Environmental Protection Agency (EPA) of our concerns that the 2014 Draft Impaired Waters List did not include waters impaired for wild rice due to high sulfate levels and did not include certain waters impaired due to high levels of mercury. Although we appreciate the MPCA's identification of many other impaired waters, we believe that addressing these gaps is overdue.

As the end of 2014 approaches, WaterLegacy respectfully requests a written update on the MPCA's progress in listing wild rice sulfate impaired waters and completing the listing of mercury impaired waters for the 2014 Impaired Waters List.

With this letter requesting an update, we've attached copies of WaterLegacy's February 10, 2014 comments to the MPCA and our May 28, 2014 letter to the EPA pertaining to Minnesota's 2014 Draft Impaired Waters List, along with all pertinent exhibits. As explained in these documents, WaterLegacy asks the MPCA to immediately list at least the water bodies identified in the MPCA's August 2013 spreadsheet (Exhibit C) as impaired for wild rice. WaterLegacy also asks that the Embarrass River, Partridge River and Colby Lake be identified as mercury impaired waters as explained in our May 28, 2014 letter and supported with spreadsheet data from the Minnesota Department of Natural Resources Mine Water Research Advisory Panel (Exhibit D).

We look forward to an update. Please let us know when the MPCA expects that the 2014 Draft Impaired Waters List for Minnesota will be completed and when the public will be able to review and comment upon this revised listing. Thank you very much for your response.

Sincerely yours,

Paula Goodman Maccabee

Yaula Maccalra

Advocacy Director/Counsel for WaterLegacy

Enclosures (WaterLegacy Comment Letters and Exhibits A through D)

cc: Tinka Hyde, EPA Region 5 Water Division Director (Hyde.Tinka@EPA.gov)
Paul Proto, EPA Region 5 Environmental Scientist (Proto.Paul@EPA.gov)



Minnesota Pollution Control Agency

520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300 800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

September 17, 2012

RE: The 2012 Total Maximum Daily Load List 30-day Public Notice Period Minnesota Pollution Control Agency Response to Comments

Dear Commenters:

The Agency received 39 comments during the 30-day public notice period from January 23, 2012, to February 27, 2012. We appreciate the interest the draft 2012 Total Maximum Daily Load (TMDL) List has received. These comments have previously been added to the Minnesota Pollution Control Agency (MPCA) TMDL List webpage at the following hot link: http://www.pca.state.mn.us/enzq94b, as a PDF document.

The topics raised included wild rice, mining, sulfate concentrations in rivers and the new listing for chlorpyrifos. Two Contested Case Hearing Requests were also received. Enclosed are the Agency's responses to the comments received. This response document will be added to the MPCA TMDL List webpage at the hot link included above.

If you have any questions, please contact Howard Markus at 1-800-657-3864 or 651-757-2551. He may also be reached by e-mail at howard.markus@state.mn.us

Sincerely,

John Linc Stine Commissioner

JLS/HM:jab

Enclosure

Minnesota Pollution Control Agency Responses to the draft 2012 Total Maximum Daily Load List 30-Day Public Notice Comments September 7, 2012

The draft 2012 Total Maximum Daily Load (TMDL) List 30-day public comment period began on January 23, 2012, and ended on February 27, 2012. Listed below are the comments received and Minnesota Pollution Control Agency (MPCA) responses. The set of complete comments is contained in a pdf file at the following location: http://www.pca.state.mn.us/enzq94b.

A. Commenters object to the fact that the MPCA has not listed any wild rice waters as impaired for excess sulfate. (Comments 2, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20).

Prior to assessing a waterbody for potential non-attainment of a water quality standard (indicative of the impairment of a beneficial use), the MPCA must first develop a method for analyzing available data and comparing that analysis against the standard in question to determine if the standard is being met in the waterbody. This method development must consider minimum data requirements, analysis procedures, and the threshold that demarcates attainment and non-attainment of the standard.

With a state as water-rich as Minnesota the MPCA is faced with the need to prioritize our efforts to develop assessment methods and subsequently assess waters for water quality standards. The MPCA's first priority for assessing Minnesota's waterbodies is to determine whether they meet the swimmable and fishable goals of the federal Clean Water Act (CWA) (CWA Section 101(a)(2)). Typically, when the MPCA is assessing waters to see if they meet the swimmable and fishable goals, the MPCA focuses on Class 2 water quality standards that protect the beneficial uses of aquatic life, aquatic recreation (swimming) and aquatic consumption (usually consumption of fish by humans and wildlife).

The 10 mg/liter sulfate standard that applies to "water used for production of wild rice during periods when the rice may be susceptible to damage by high sulfate levels" is a Class 4A standard (Minn. R. 7050.0224, subp. 2), and the MPCA has not yet developed an assessment methodology for analyzing ambient sulfate data and comparing it to that standard. This method development is complicated by two key factors:

- 1. Where the standard applies (the MPCA is currently identifying "water used for production of wild rice" on a case-by-case basis as further described below), and
- 2. When the standard applies (the MPCA is currently working through the determination of "the period when the rice may be susceptible to damage from high sulfate levels" on a case-by-case basis in permitting decisions).

Given these questions/information gaps, the MPCA was not in a position to assess sulfate impairment for the 2012 303(d) List. However, the MPCA is very much aware of the concern about sulfate and wild rice, and the MPCA plans to develop a wild rice sulfate standard assessment method to use in the development of the draft 2014 303(d) List and will provide opportunities for public input into that method development.

The MPCA recognizes that 24 waters are specifically identified as "wild rice waters" in Minn. R. 7050.0470, subpart 1, and that a number of reports and information sources identify waters that support wild rice. However, those reports and information sources that identify "wild rice waters" or "wild-rice supporting waters" do not identify "wild rice production waters," which are the waters

protected by the wild rice sulfate standard in Minn. R. 7050.0224, subp. 2. A comprehensive inventory of wild rice production waters does not exist, and therefore, the identification of such waters is currently a case-by-case determination.

To make this determination, the MPCA first consults the list of designated wild rice waters in Minn. R. 7050.0470, subp. 1 then looks at other available information about wild rice presence and extent in the water(s) in question to make the case-by-case determination. This decision-making process is currently initiated by a permitting proposal or environmental review. Where the MPCA does not have any existing information about wild rice, but the MPCA suspects it might be present, the MPCA currently requires the proposer to survey the downstream waters to identify the presence and extent of wild rice, so that the MPCA can determine if there are any wild rice production waters that may be affected by the discharge.

The MPCA has not yet determined how to apply this case-by-case decision-making process about where the standard applies to 303(d) assessment activities. As noted above, the MPCA intends to develop a wild rice sulfate standard assessment method to use in the development of the draft 2014 303(d) List. This timing will allow us to benefit from an effort currently underway to further clarify the definition of "water used for production of wild rice" in Minn. R. 7050.0224, subp. 2, and to take into account learning from the Wild Rice Standards Study currently underway (please see http://www.pca.state.mn.us/ktqhd17 for more information about the wild rice sulfate standard and Study).

In the meantime, the MPCA is taking a conservative approach to permitting with regards to sulfate and wild rice. Discharges upstream of known stands of wild rice are being evaluated for the potential to cause or contribute to an exceedance of the sulfate standard. The MPCA is evaluating all available effluent and ambient sulfate data and wild rice information prior to issuing permits and considering potential impacts to assimilative capacity when establishing limits and other permit conditions. The MPCA is also collecting and storing ambient sulfate data for lakes and streams, and beginning to compile GIS layer(s) of locations of potential waters used for production of wild rice for use in assessment once the methodology has been developed.

B. Commenters are concerned with the impacts from mining (Comments 1, 3, 4, 5, 18)

The MPCA takes its' responsibility to implement the Clean Water Act National Pollutant Discharge Elimination System (NPDES) permit program in Minnesota very seriously. The concerns raised are all addressed during the process of issuing/denying and monitoring compliance with individual NPDES permits for mining facilities. The MPCA encourages participation in the public comment process for permit applications. Public notices of proposed permits are routinely posted on the MPCA's website at http://www.pca.state.mn.us/iryp3c9, and interested parties can sign up at this site to receive e-mail alerts of public notices and other MPCA matters.

G. Commenters object to Seven Mile Greek being listed for excess chlorpyrifos (Comments 21)

The proposed listing is being made only after a great deal of careful consideration and in full accord with Minnesota rules and guidance governing impairment decisions. Numeric water quality standards for



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

JUL 2 5 2013

REPLY TO THE ATTENTION OF:

WW-16J

John Linc Stine, Commissioner Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, Minnesota 55155-4194

Dear Mr. Stine:

The U.S. Environmental Protection Agency conducted a complete review of Minnesota's 2012 Section 303(d) list and supporting documentation and information. Based on this review, EPA determined that Minnesota's 2012 list of water quality limited segments still requiring Total Maximum Daily Load calculations meets the requirements of Section 303(d) of the Clean Water Act (CWA) and EPA's implementing regulations. Therefore, EPA approves Minnesota's 2012 Section 303(d) list which identifies the waters and associated pollutants along with the State's priority rankings for these waters and pollutants. The statutory and regulatory requirements, and EPA's review of Minnesota's compliance with each requirement, are described in the enclosed decision document.

EPA's approval of Minnesota's Section 303(d) list extends to all water bodies on the list with the exception of those waters that are within Indian Country, as defined in 18 U.S.C. § 1151. EPA is taking no action to approve or disapprove the State's list with respect to those waters at this time. EPA, or eligible Indian Tribes, as appropriate, will retain responsibilities under CWA Section 303(d) for those waters.

We appreciate your hard work in this area and your submittal of the list as required. If you have any questions, please contact Mr. Peter Swenson, Chief of the Watersheds and Wetlands Branch, at 312-886-0236.

Sincerely,

Tinka G. Hyde

Director, Water Division

Enclosure

cc:

Katrina Kessler, MPCA Miranda Nichols, MPCA Jeff Risberg, MPCA

bcc:

Sabrina Argentieri, EPA R5, ORC

Stephen Mendoza, EPA R5, ORC

<u>DECISION DOCUMENT FOR THE APPROVAL OF</u> MINNESOTA'S 2012 SECTION 303(d) LIST

The U.S. Environmental Protection Agency (EPA) has conducted a complete review of Minnesota's 2012 Section 303(d) list and supporting documentation and information. Based upon this review, EPA has determined that Minnesota's list of water quality limited segments (WQLS) still requiring total maximum daily loads (TMDLs) meets the requirements of Section 303(d) of the Clean Water Act (CWA) and EPA's implementing regulations. Therefore, EPA hereby approves Minnesota's 2012 303(d) list. The statutory and regulatory requirements, and EPA's review of Minnesota's compliance with each requirement, are described in detail below.

I. Statutory and Regulatory Background

A. Identification of Water Quality Limited Segments for Inclusion on the Section 303(d) List

Section 303(d)(1) of the CWA directs States to identify those waters within their jurisdiction for which effluent limitations required by Section 301(b)(1)(A) and (B) are not stringent enough to implement any applicable water quality standard, and to establish a priority ranking for such waters, taking into account the severity of the pollution and the uses to be made of such waters. The Section 303(d) listing requirement applies to waters impaired by point sources and/or nonpoint sources, pursuant to EPA's long-standing interpretation of Section 303(d).

EPA regulations provide that States do not need to list waters where the following controls are adequate to implement applicable standards: (1) technology-based effluent limitations required by the CWA, (2) more stringent effluent limitations required by State or local authority, and (3) other pollution control requirements required by State, local, or federal authority.¹

B. Consideration of Existing and Readily Available Water Quality-Related Data and Information

In developing Section 303(d) lists, States are required to assemble and evaluate all existing and readily available water quality-related data and information, including, at a minimum, consideration of existing and readily available data and information about the following categories of waters: (1) waters identified as partially meeting or not meeting designated uses, or identified as threatened in the State's most recent Section 305(b) report; (2) waters for which dilution calculations or predictive modeling indicate nonattainment of applicable standards; (3) waters for which water quality problems have been reported by governmental agencies, members of the public, or academic institutions; and (4) waters identified as impaired or threatened in any Section 319 nonpoint assessment submitted to EPA.² In addition to these minimum categories, States are required to consider any other data and information that is existing and readily available. EPA's 1991 *Guidance for Water Quality-Based Decisions* describes categories of water quality-related data and information that may be existing and readily available.³ While States are required to evaluate all existing and readily available water quality-related data and information, States

¹ 40 Code of Federal Regulations (CFR) §130.7(b)(1).

² 40 CFR §130.7(b)(5).

³ Guidance for Water Quality-Based Decisions: The TMDL Process, U.S. EPA Office of Water, 1991, Appendix C (hereafter, EPA's 1991 Guidance).

may decide to rely or not rely on particular data or information in determining whether to list particular waters.

In addition to requiring States to assemble and evaluate all existing and readily available water quality-related data and information, EPA regulations at 40 CFR §130.7(b)(6) require States to include, as part of their submissions to EPA, documentation to support decisions to rely or not rely on particular data and information and decisions to list or not list waters. Such documentation needs to include, at a minimum, the following information: (1) a description of the methodology used to develop the list; (2) a description of the data and information used to identify waters; and (3) any other reasonable information requested by the Region.⁴

C. Priority Ranking

EPA regulations codify and interpret the requirement in Section 303(d)(1)(A) of the CWA that States establish a priority ranking for listed waters. The regulations at 40 CFR §130.7(b)(4) require States to prioritize waters on their Section 303(d) lists for TMDL development, and also to identify those WQLS targeted for TMDL development in the next two years. In prioritizing and targeting waters, States must, at a minimum, take into account the severity of the pollution and the uses to be made of such waters. As long as these factors are taken into account, the CWA provides that States establish priorities. States may consider other factors relevant to prioritizing waters for TMDL development, including immediate programmatic needs, vulnerability of particular waters as aquatic habitats, recreational, economic, and aesthetic importance of particular waters, degree of public interest and support, and State or national policies and priorities.

II. Analysis of Minnesota's Submission

On October 1, 2012, Minnesota submitted to EPA the State's final draft TMDL list, plus supporting documentation. The submittal received by EPA included the following:

- Submittal letter, dated September 17, 2012
- Final Draft MPCA 2012 303(d) List cover page, dated September 17, 2012
- Guidance Manual for Assessing the Quality of Minnesota Surface Waters for Determination of Impairment: 305(b) Report and 303(d) List 2012 Assessment Cycle (December 2011)
- Public participation documentation
 - o 2012 TMDL List Response Summary
 - o Public comments received during public comment period
 - o MPCA responses to public comments
 - o Documentation of public meeting announcements (newspaper articles, etc.)
 - Attendance sheets from public meetings
 - o Documentation of public participants in MPCA Professional Judgment Groups (PJG)
- Contested case documentation on 2012 chlorpyrifos listing

⁴ 40 CFR §130.7(b)(6).

⁵ 40 CFR §130.7(b)(4).

⁶ CWA Section 303(d)(1)(A).

⁷ 57 FR 33040, 33045 (July 24, 1992); see also EPA's 1991 Guidance.

- Minn. Dept. of Agriculture's (MDA) response to public comments made on the 2012 chlorpyrifos listing
- Three (3) copies of the final draft TMDL list, September 17, 2012 (printed spreadsheet)
- Inventory of all impaired waters, September 17, 2012 (printed spreadsheet)
- 2012 Mercury TMDLs within Appendix A, September 17, 2012 (printed spreadsheet)
- 2012 Mercury TMDL additions to Appendix A, September 17, 2012 (printed spreadsheet)

Within this Decision Document, the State's submittals received by EPA on October 1, 2012 and other supporting information are collectively referred to as the "2012 Submittal." All of this information is compiled in EPA's record for this decision.

EPA has reviewed Minnesota's 2012 submittal, and has concluded that the State developed its Section 303(d) list in compliance with Section 303(d) of the CWA and 40 CFR §130.7. EPA's review is based on its analysis of whether the State reasonably considered existing and readily available water quality-related data and information, and reasonably identified water quality-limited segments. EPA has reviewed the State's description of data, information considered, and the Minnesota Pollution Control Agency's (MPCA) 2012 Methodology⁸ for identifying waters. EPA concludes that Minnesota properly assembled and evaluated existing and readily available data and information, including data and information relating to categories of waters specified at 40 CFR §130.7(b)(5). EPA also concludes that Minnesota provided an acceptable rationale for not relying on particular existing and readily available water quality-related data and information as a basis for listing waters on the 303(d) list.

EPA has also determined that the State properly listed waters with nonpoint sources causing or expected to cause impairment, consistent with Section 303(d) of the CWA and EPA guidance. Section 303(d) lists are to include all WQLS still needing TMDLs, regardless of whether the source of the impairment is a point source and/or nonpoint source. EPA's long-standing interpretation is that Section 303(d) applies to waters impacted by point source and/or nonpoint sources. In *Pronsolino v. Marcus* ⁹, the 9th Circuit for the Northern District of California held that Section 303(d) of the CWA authorizes EPA to identify and establish TMDLs for waters impaired by nonpoint sources.

EPA's approval of Minnesota's 2012 303(d) list extends to water bodies as identified in Table A-1 (Attachment #1) of this Decision Document with the exception of those waters that are within Indian Country. EPA is taking no action to approve or disapprove the State's list with respect to those waters that are within Indian Country. EPA, or eligible Indian Tribes, as appropriate, will retain responsibilities under Section 303(d) for those waters.

A. Identification of Water Quality-Limited Segments for Inclusion on Section 303(d) List

1. Minnesota's 2012 303(d) list

Minnesota uses an Integrated Report to fulfill the reporting requirements of Sections 305(b) and 303(d) of the CWA. Since the 2002 listing cycle, EPA has encouraged states to integrate their 305(b) report and their 303(d) list into one submittal, the Integrated Report (IR). EPA has recommended five beneficial use attainment reporting categories where the various categories represent varying levels of use

⁸ Guidance Manual for Assessing the Quality of Minnesota Surface Waters for Determination of Impairment: 305(b) Report and 303(d) List, 2012 Assessment Cycle (December 2011) (hereafter, 2012 Methodology).

⁹ EPA Impaired Waters and Total Maximum Daily Loads http://water.epa.gov/lawsregs/lawsguidance/cwa/tmdl/pronsolino.cfm

attainment. Minnesota has chosen to use the recommended five categories with the addition of several subcategories. Minnesota's 2012 integrated report includes the following beneficial use attainment categories (Table 1 of this Decision Document).¹⁰

Table 1: MPCA's Beneficial Use Attainment Reporting Categories

| Integrated Report Category | Description | | |
|---|--|--|--|
| 1 | All designated uses are fully assessed and met, and no use is threatened. | | |
| 2 | Some uses or parameters are met; but insufficient data to determine if remaining uses or parameters are met. | | |
| <i>3A</i> | No data or information to determine if any use is attained. | | |
| <i>3B</i> | Data are available for a review and generally indicate non-support, but insufficient data and information to determine TMDL impairment. (Example: single lake data point showing non-support) | | |
| 3C | Data available that currently has no assessment tools to allow its use in assessing. (Example: data with only eco-region expectation standards) | | |
| 3D | Data are available for a review and generally indicated full support, but insufficient data and information to assess for Category 1 or 2. | | |
| <i>3E</i> | Data are available for a review, but insufficient data and information to determine full support or TMDL impairment. (Example: lake data just below the threshold showing non-support) | | |
| 4A | Impaired or threatened but all needed TMDL plans have been completed. | | |
| 4B | Impaired or threatened but doesn't require a TMDL plan because it is expected to attain standards within a reasonable period of time. | | |
| Impaired or threatened but doesn't require a TMDL plan because impairment not caused pollutant. | | | |
| 4D | Impaired or threatened but doesn't require a TMDL plan because the impairment is due to natural conditions with only insignificant anthropogenic influence. To be considered "insignificant", the elimination of the anthropogenic influence would not lead to the attainment of water quality standards and it would not be included in formal pollution reduction goal setting activities. A reach-specific water quality standard based on local natural conditions has yet to be determined. Upon determination, the assessment unit will be considered non-impaired for the natural conditions and re-categorized to an appropriate category. | | |
| 4E | Impaired or threatened but existing data strongly suggests a TMDL plan is not required because impairment is solely a result of natural sources; a final determination of Category 4D will be made in the next assessment cycle pending confirmation from additional information (i.e. water quality or land use). | | |
| 5A | Impaired or threatened by multiple pollutants and no TMDL plans approved. | | |
| 5B | Impaired by multiple pollutants and either some TMDL plans are approved but not all or at least one impairment is the result of natural conditions. | | |
| 5C | Impaired or threatened by one pollutant. | | |

The general process used by Minnesota to develop the 2012 Integrated Report starts with the collection and assessment of readily available data and information. Following guidelines established in MPCA's 2012 Methodology, an assessment of use support for individual water body units is made.

The water body unit used for river system assessments is the river reach. A river reach typically extends from one significant tributary river to another or from the headwaters to the first significant tributary. River reaches are typically less than 20 miles in length. A river reach may be further divided into two or more assessment reaches when there is a change in use classification or when there is a significant morphological feature. Minnesota uses the United States Geological Survey (USGS) eight digit

¹⁰ 2012 Methodology, page 47.

hydrologic unit code (HUC) (ex. 07020012) plus a three digit reach code (ex. 505) to name river reach segments (ex. 07020012-505). River reach segment numbers are also referred to as 'River identification numbers' (River ID#).

MPCA relies on the *Protected Waters Inventory*, which is assembled by the Minnesota Department of Natural Resources (MDNR), to provide identification codes for lakes and wetlands within the state. MDNR uses a unique eight digit identification number to identify lakes and wetlands. The eight digit number consists of a two digit prefix, which represents the county within Minnesota, followed by a four digit number, which identifies the lake or wetland, followed by a two digit suffix which represents either the whole lake (as '-00') or represents a specific bay of the lake (ex. -01, -02, etc.). The entire eight digit identifier is something similar to the following (ex. 82-0020-01). Throughout the remainder of this Decision Document the term 'assessment unit' is used generally to refer to any river segment identified with a River ID# or a lake segment identified with a Lake/Wetland ID# on Minnesota's 2012 303(d) list.

Once an assessment has been completed, the water body is placed into one of the five categories described in Table 1 of this Decision Document. Waters within categories 4 and 5 represent the inventory of impaired waters in Minnesota. Category 5 waters represent impaired waters requiring TMDLs, i.e., Minnesota's 303(d) list. EPA is approving the waters identified in Table A-1 of this decision as Minnesota's 2012 303(d) list.

2. Methodology

EPA's regulations at 40 CFR §130.7(b)(6) require that states provide documentation to support their decisions to list or not list waters including a description of the methodology used to develop the list. MPCA developed its methodology for the 2002 listing cycle and has subsequently modified the methodology with each listing cycle. Minnesota's 2012 submittal included MPCA's 2012 Methodology (December 2011). MPCA's 2012 Methodology defines the data and information requirements needed to assess and determine if a water is meeting its designated beneficial use(s). The 2012 Methodology also establishes thresholds that indicate impairment for various categories of pollutants. As with prior versions of its methodology, the State made the 2012 Methodology available to the public through MPCA's website beginning on or about January 23, 2012.

Minnesota rules identify seven beneficial uses for which surface waters in Minnesota are protected. These beneficial uses are assigned the following use class numbers:

Class 1: Drinking water

Class 2: Aquatic life and recreation

Class 2A: Cold water fisheries, trout waters

Class 2B: Cool and warm water fisheries (not protected for drinking water use)

Class 2Bd: Cool and warm water fisheries (protected for drinking water use)

Class 2C: Indigenous fish and associated aquatic community

Class 2D: Wetlands

Class 3: Industrial use and cooling

Class 4: Agricultural use

Class 5: Aesthetics and navigation

Class 6: Other uses

¹¹ 2012 Methodology, page 8.

Class 7: Limited resource value waters

All surface waters in Minnesota are considered either a Class 2 or Class 7 designated water. ¹² Unless classified as a Class 7 water, surface waters in Minnesota are protected for aquatic life and recreation (Class 2 designated water). The State of Minnesota defines protection of aquatic life and recreation as, "the maintenance of healthy, diverse, and successfully reproducing populations of aquatic organisms, including invertebrates as well as fish. Protection of recreation for all surface waters, except wetlands and limited resource value waters means the maintenance of conditions suitable for swimming and other forms of water recreation. Recreation in wetlands means boating and other forms of aquatic recreation for which they may be usable (this does not preclude swimming if that use is suitable)." ¹³ Limited resource value waters (Class 7 designated water) are not fully protected for aquatic life. Class 7 designated waters have a very limited aquatic and fish community mostly due to lack of water, lack of habitat, or extensive physical alterations. Both Class 2 and 7 designated waters are also protected for Classes 3, 4, 5 and 6 designations.

Typically water quality standards applicable to Class 2 designated waters are the most stringent, therefore, Minnesota's assessments usually consider water quality standards applicable to Class 2 waters. Beneficial use supports assessed by Minnesota include;

- Aquatic Life (toxicity-based standards, conventional pollutants, biological indicators);
- Drinking Water and Aquatic Consumption (human health-based standards);
- Aquatic Consumption (wildlife-based standards);
- Aquatic Recreation (Escherichia coli (E. coli) bacteria, eutrophication);
- Limited Value Resource Waters (toxicity-based standards, bacteria, conventional pollutants).

Aquatic life use support assessments consider protection of the organisms that reside in the surface waters, while aquatic consumption use support assessments consider protection of the consumers of the aquatic life. Aquatic recreation use support is assessed for the protection of recreation in surface waters.¹⁴

Class 7 waters and Class 1 waters were first assessed during the 2010 listing cycle. These two beneficial uses are 'newer' beneficial use classes to be assessed by MPCA. Class 7 waters, MPCA designated limited resource value waters, are protected to allow secondary body contact use, to preserve groundwater for potable water supply, and to protect aesthetic qualities of the water. Class 1 waters, MPCA designated drinking waters, are protected surface waters for water supply purposes. All groundwater in Minnesota is protected as a source of drinking water, however, only select surface waters are protected as a source of drinking water. Before being assessed for the 2010 listing cycle, Class 1 surface waters and groundwater were outside the scope of MPCA's assessment methodologies. However, over more recent listing cycles, MPCA recognized a trend of increasing nitrate concentrations in Minnesota streams. Class 1 water bodies have been assessed since the 2010 listing cycle to measure potential exceedances of the nitrate-nitrogen Class 1 drinking water consumption standard.

¹² MPCA Water Quality Standards, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/water-quality-standards.html

¹³ MPCA Water Quality Standards, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/water-quality-standards.html
¹⁴ 2012 Methodology, page 4.

 ¹⁵ Class 7 Limited Resource Value Waters Fact Sheet, http://www.pca.state.mn.us/index.php/view-document.html?gid=7255
 16 MPCA Water Quality Standards, http://www.pca.state.mn.us/index.php/water-monitoring-and-reporting/water-quality-and-pollutants/water-quality-standards.html

3. Assessment Process

MPCA redesigned its data collection and assessment process between the 2010 and 2012 listing cycles. Up to and including the 2010 listing cycle, MPCA assessed the condition of the State's waters via water quality data which was collected under a biennial, statewide water quality assessment strategy. Since 2006-2007, MPCA has been moving away from collecting water quality data via a biennial, statewide monitoring approach, and is instead focusing its data collection efforts on the eight digit hydrologic unit code (HUC-8) scale. Each year, MPCA targets specific HUC-8 watersheds for water quality monitoring in an approach called the 'Intensive Watershed Monitoring Approach' (IWMA). Water quality monitoring of targeted HUC-8 watersheds under the IWMA was first employed by MPCA in 2007, in the Pomme de Terre River watershed and the North Fork of the Crow River watershed (Table 3 of this Decision Document).

The 2012 assessment cycle is the first assessment cycle in which MPCA is assessing water quality data which was collected via IWMA efforts. Prior to the 2012 listing cycle, MPCA was solely analyzing water quality data collected under the biennial, statewide assessment approach. Data collected during the IWMA strategy resulted in MPCA revising its internal assessment processes for analyzing water quality data. MPCA explained that the IWMA strategy generated an increased volume of water quality monitoring data which necessitated amendments to how MPCA conducted its internal review of water quality monitoring data for assessment decisions. MPCA believes that the IWMA generates a more robust water quality data set which MCPA can more efficiently use to assess water quality in surface waters of the State. Details of this approach can be found in the 2011-2012 Minnesota Water Quality Monitoring Strategy.¹⁷

The incorporation of the IWMA for the 2012 listing cycle generated large amounts of water quality data which necessitated MPCA to redesign its water quality data review process. The redesigned review process combined computerized data analysis, expert analysis, and input from external partners. The goal of the revamped review process was to incorporate all of the available water quality data and information to best determine whether or not the water body was meeting its beneficial uses (ex. drinking water, aquatic life, aquatic recreation, aquatic consumption and limited use waters).

The data review and analysis process utilized to create the 2012 303(d) list expanded upon data analysis methods of the previous (2010 and earlier) assessment processes. Changes made to the data review and analysis process for the 2012 cycle included an additional round of MPCA staff review of water quality data at the parameter level and an additional round of internal comprehensive review of water quality data prior to the professional judgment group (PJG) meeting. These changes were incorporated in response to the increased volume and complexity of the water quality data collected during the IWMA. Details on the specific steps employed by MPCA in the 2012 303(d) water quality assessment process are:¹⁸

<u>Step 1:</u> 'Pre-assessment': Monitor and gather data information (automated data compilation) MPCA employs an intensive watershed monitoring schedule that provides comprehensive assessments of all of the major watersheds on a 10-year cycle. This schedule provides intensive monitoring of

¹⁷ 2011-2021 Minnesota Water Quality Monitoring Strategy, http://www.pca.state.mn.us/index.php/water/water-monitoring-and-reporting/water-quality-and-pollutants/minnesota-s-water-quality-monitoring-strategy.html
¹⁸ 2012 Methodology, page 6-7.

streams and lakes within each major watershed to determine overall health of the water resources, to identify impaired waters, and to identify those waters in need of additional protection to prevent future impairments.

In addition to gathering water quality information, the first step also includes an initial data review process. The 'pre-assessment' data review involves a computerized/automated screening tool which analyzes water quality monitoring results collected within the HUC-8 watershed (See Table 3 of this Decision Document for a list of watersheds targeted during the 2012 listing cycle). The automated process summarizes the number of data points that exceed the criteria, the total number of data points, and the number of years of data. This step produces a parameter-specific pre-assessment (e.g., for Dissolved Oxygen, or Fish Index of Biotic Integrity (IBI), or *E. coli*). Water quality data is assessed on an individual water body basis. The pre-assessment is the first opportunity in the water quality data review process where individual water bodies' water quality monitoring data are compared against water quality criteria.

Step 2: 'Expert Review': Assessment of the water quality data by MPCA staff

Based on results of intensive watershed monitoring in Step 1, MPCA staff review data to determine whether or not water resources meet water quality standards and designated uses. Waters that do not meet water quality standards are listed as impaired waters.

The second step involves a review by MPCA staff of automated pre-assessment summary data for quality assurance (QA). This step ensures that the computerized screening captured appropriate data and the automated process properly calculated pre-assessments data.

Step 3: Desktop assessment by resource specific MPCA staff

The desktop assessment involves a review of Steps 1 and 2 pre-assessment and expert review information by resource-specific MPCA staff. For example, chemistry data will be reviewed by MPCA water quality staff and biological specific data will be reviewed MPCA biologists. Step 3 of the water quality data review process considers other climatic and hydrochemical evidence (ex. flow conditions, precipitation, land use, habitat, etc.) to ascertain the overall quality of the dataset. The overall quality is a measure of temporal and spatial completeness and whether the chemical parameter is meeting or exceeding the criterion. During Step 3, water body candidates for delisting or natural background review are identified and work begins to determine if those assessment unit identification numbers (AUIDs) meet the criteria to be removed from the impaired waters List (i.e., 303(d) list).

Step 4: Watershed Assessment Team review of water quality data

The fourth step incorporates a joint internal meeting of MPCA staff involved in the review of water quality data in Step 1 through Step 3, the regional watershed project manager and stressor identification staff for specific HUC-8 watersheds. This grouping of people makes up the Watershed Assessment Team (WAT). The joint internal meeting allows the WAT to review comments and parameter-level evaluations from the desktop assessment and any watershed specific supplemental information to reach an overall use-support decision. Delisting and natural background candidates may also be identified at this time.

Step 5: Professional Judgment Group review of water quality data

The fifth step includes a joint meeting between the WAT and external parties (ex. local data collectors, local government units, etc.). This joint meeting is referred to as the Professional Judgment Group (PJG). The MPCA regional watershed project manager is responsible for inviting external parties to the PJG discussions.¹⁹

Prior to the PJG meeting, the results of the WAT meeting are distributed to all invitees, including parameter-level evaluations, overall use-support recommendations, and all other comments made by reviewers. Invitees are asked to identify AUIDs they wish to discuss; an agenda is developed based on these submissions. The agenda of the PJG meeting is to review the water quality data review process, to hold a general discussion of the watershed and major subwatersheds, and to review requested AUIDs, delisting and natural background candidates. The determinations made within the PJG meeting are the final use-support determinations. Additionally, the PJG may consider the magnitude, duration and frequency of exceedances, timing of exceedances, natural occurring conditions that may affect pollutant concentrations and toxicity, weather and flow conditions, and changes in the watershed that may have changed water quality.

The analyses and recommendations for each AUID are documented in a transparency database. The transparency database is archived following the completion of the assessments. Throughout the annual assessment process, care is taken to maintain consistency among the HUC-8 assessments and decisions. Consistency is maintained via internal training and quality control, and the assignment of individual staff to multiple HUC-8 data sets for the expert review. MPCA designates a team of scientists to oversee desktop assessments and to ensure consistency among watershed assessment discussions and decisions. MPCA's goal is to ensure a robust decision is reached by the staff reviewers regarding the appropriate management actions to be pursued for each assessment unit (water body, or AUID). This decision will impact the planning and implementation phases of the watershed approach (i.e. restoration for impaired waters and protection for unimpaired waters).

MPCA reports the assessment decisions made by the PJG in *Watershed Monitoring and Assessment Reports* (on the HUC-8 scale) and the *Integrated Reports*. The Watershed Monitoring and Assessment Reports are a compilation of the results of the assessments following the determinations of the PJG. AUIDs are discussed by HUC-8 subwatersheds and overall water quality conditions, potential stressors, and protection areas are identified. These documents inform the restoration and protection strategies that are developed by MPCA.

The Integrated Report is composed of a narrative report and Assessment Database (ADB) and geospatial data. The Integrated Report summarizes the results of the water quality assessments conducted by MPCA. MPCA is responsible for uploading assessment decision information to the EPA via the ADB and also preparing a narrative report to the U.S. Congress as required by section 305(b) of the CWA. Each designated use is identified as "full support," "not support," "insufficient information," or "not assessed" as a result of the assessments. In addition, the use assessment data types are rated per the levels in the ADB.

 $^{^{19}}$ A note should be made that the assessment for aquatic consumption (fish) at this time utilizes only the first two steps in the process. 20 2012 Methodology, pages 6-7.

4. Assessment of Waters Based on Narrative and Numeric Water Quality Standards

As previously stated in this decision, Minnesota assesses aquatic life, drinking water consumption, aquatic consumption (via human health-based standards), aquatic consumption (via wildlife-based standards), aquatic recreation use, and limited value resource waters. Minnesota's 2012 Methodology sets forth the specific assessment methods used by the State when determining if these uses are attained. EPA recognizes that water quality criteria have three elements: magnitude, duration, and frequency of exceedance. Minnesota's 2012 Methodology sets forth specific information about how these three elements were considered by the State in development of Minnesota's 2012 303(d) list. EPA finds that Minnesota's use of its 2012 Methodology supports the reasonable identification of WQLS.

The following discussion briefly explains the data requirements, information considered, and impairment thresholds used in Minnesota's assessments as described in Minnesota's 2012 Methodology. The 2012 Methodology sets forth methods for assessing surface waters based on the following:

- numeric and narrative standards for the protection of aquatic life;
- numeric and narrative standards for the protection of human health (aquatic consumption and drinking water);
- numeric standards for protection of aquatic consumption (wildlife);
- numeric standards for protection of aquatic recreation; and
- numeric and narrative standards for the protection of limited resource value waters.

A key component in the assessment process employed by MPCA was the determination of whether an individual parameter within a specific water body met or exceeded the applicable water quality criteria (numeric or narrative standards). MPCA water quality data evaluation also considered the quality of the dataset, whether or not there were sufficient data to make a determination, and ultimately assigned a 'dataset quality' rating. Dataset quality was graded on a scale of 'low,' 'medium,' or 'high' quality ratings. The determinations were stored in a working database and referenced during MPCA WAT reviews and PJG meetings. Additional supporting information, such as magnitude, duration and frequency of exceedances, timing of exceedances, naturally occurring conditions that may affect pollutant concentrations and toxicity, weather and flow conditions, and changes in the watershed that may have changed water quality, were considered in the final use-support determinations.

To further assist MPCA technical staff in their parameter-level evaluations, MPCA considers a 10 percent and 25 percent exceedance frequency²¹ (details within Table 2 of this Decision Document) for conventional pollutants. These thresholds were appropriate for the conventional category of pollutants for several reasons, including that none were considered 'toxic' (or bioaccumulative), and all were subject to periodic 'natural exceedances' because of natural causes.²² An example of natural exceedances from the 2012 Methodology explained that turbidity typically increases in streams after rain events, even in relatively undisturbed parts of the State. Similarly, dissolved oxygen can drop below the standard in low gradient rivers and streams for reasons other than pollution (i.e., the AUID is located downstream of or flows through extensive wetland complexes). These potential pollutants are also natural characteristics of surface waters and aquatic organisms have adapted to cope with the

²¹ EPA Guidelines for Preparation of the Comprehensive State Water Quality Assessments (305(b) Reports) and Electronic Updates: Supplement, Office of Water, U.S. EPA. EPA-841-B-97-002B. September 1997.

²² 2012 Methodology, pages 10-11.

fluctuations over time.²³ MPCA considered these and other 'natural exceedances' during its review of water quality data and factored these occurrences into its review during the assessment process.

Table 2: Guidelines for Parameter-Level Evaluations of Conventional Pollutants*

| Assessment | Frequency of Exceedances | Magnitude of Exceedances | Duration of Exceedances | Timing of Exceedances ¹ |
|---|--|---|---|--|
| Water Chemistry Parameter Indicating Unimpaired or Supporting Conditions | Less than 10% exceedances of chronic standard | Exceedances generally within 10% of water quality criteria | Continuous data or extensive grab sample data set indicates no or few instances of prolonged exceedance | Exceedances only occurring during extreme events such as 100-year flood (e.g., TSS) or severe drought conditions (e.g., DO) |
| Water Chemistry Parameter Indicating Potential Impairment | Between 10 – 25% exceedances of chronic standard | Exceedances generally greater than 10% but less than 25% of water quality criteria | Continuous data or extensive grab sample data set indicates some instances of prolonged exceedance | Exceedances only occurring during periods in which they are most likely to occur (e.g., before 9 am, 7Q10 low flow, storm events, etc.); not counting extreme events above |
| Water Chemistry Parameter Indicating Potential for Severe Impairment | Greater than 25% exceedances of chronic standard | Exceedances generally greater than 25% of water quality criteria | Continuous data or extensive grab sample data set indicates chronic exceedance or many instances of prolonged exceedance | Exceedances occurring during periods (seasonal or daily cycle) in which they typically do not occur in addition to occurring in periods in which they are most likely to occur |

^{*} Most parameters will have data sets that only allow frequency and magnitude to be evaluated. When sufficient data exist (e.g., continuous monitoring or extensive grab samples) or appropriate ancillary data (e.g., flow, precipitation) are accessible, duration or timing of exceedances may also be considered in the evaluation. The parameter-level evaluation requires best professional judgment to integrate information across all applicable columns.

4a. Assessment of Surface Waters Based on Numeric and Narrative Standards for Protection of Aquatic Life

Assessments based on numeric standards for protection of aquatic life are considered to safeguard the aquatic community. Toxicity-based chronic numeric standards and conventional pollutant standards are calculated to preserve the aquatic community from the harmful effects of toxic substances, and the protection of human and wildlife consumers of fish and other aquatic organisms. Minnesota's 2012 Methodology establishes data requirements and thresholds for pollutants that have toxicity-based chronic numeric standards.

Two types of data are used in these toxicity-based assessments: water chemistry and biological data. In aquatic life determinations, pre-assessments consider chemistry data, biological data, and other data quality indicators. Pollutants which have toxicity-based numeric standards considered in MPCA's assessments are trace metals, un-ionized ammonia, and chloride. Sections V.A.1. and V.A.2. in Minnesota's 2012 Methodology explain the applicable Class 2 numeric water quality standards, data requirements, and impairment thresholds considered in these toxicity-based numeric standard assessments. In general, for the assessment of pollutants with toxicity-based numeric standards, five data points collected within a 3-year period within the most recent 10 year period are necessary. Two or more exceedances of the chronic standard in 3 years is considered an impairment and is included on the 303(d) list. Section 1.

¹ Based on evaluation of available flow data and/or precipitation records as well as observations made by monitoring staff.

²³ 2012 Methodology, pages 10-11.

²⁴ 2012 Methodology, page 13.

²⁵ 2012 Methodology, page 15.

The State also assesses conventional pollutants with numeric standards and water quality characteristics which typically include low dissolved oxygen, pH, turbidity, temperature, and biological indicators. Sections V.B.1. and V.B.2. of the 2012 Methodology explain the applicable Class 2 numeric water quality standards, data requirements, and impairment thresholds considered in these assessments. Sections V.B.1 and V.B.2 also describe characteristics for dissolved oxygen in the applicable Class 7 standard. In general, a minimum of 20 independent observations (i.e. data points) in the most recent 10 years are needed for an assessment. Data demonstrating greater than 10 percent exceedance are designated as impaired and included on the 303(d) list. ²⁶

The biological quality of any given surface water body is assessed by comparison to the biological conditions determined for a set of reference water bodies which best represent the most natural conditions for that surface water body type within a geographic region.²⁷ The basis for assessing the biological community for impairment is found in the narrative water quality standards and assessment factors in Minn. R. ch. 7050.0150.²⁸ Biological integrity is commonly defined as the ability to support and maintain a balanced, integrated, and adaptive community of organisms having a species composition, diversity and functional organization comparable to those of natural habitats within a geographic region (in Minnesota this is also referred to as 'eco-region'). The presence of a healthy, diverse, and reproducing aquatic community is a good indication that the aquatic life beneficial use is being supported by a lake, stream, or wetland. The aquatic community integrates the cumulative impacts of pollutants, habitat alteration, and hydrologic modification on a water body over time.

MPCA has developed fish and invertebrate index of biological integrity (IBI) scores to assess the aquatic life use of rivers and streams in Minnesota as well as plant and invertebrate IBI scores to assess depressional wetlands. Monitoring the aquatic community, via biological and chemical monitoring, is a direct way to assess aquatic life use support. Interpreting aquatic community data is accomplished using an IBI. Minnesota uses a regional reference site approach to develop and calibrate the IBI for specific regions of Minnesota. The IBI incorporates multiple attributes of the aquatic community, called 'metrics,' to evaluate a complex biological system. Typically, 8-12 metrics related to structural and functional aspects of the aquatic communities are considered. A score is assigned to each metric and the sum of all scores is used to characterize the biological integrity of the site being assessed. The 2012 Methodology does not include assessment protocols for measuring IBI scores for aquatic communities in lakes. These assessment protocols are still being developed by MPCA.

Interpretation of aquatic community data by the PJG is completed by comparing the IBI score against the assessment threshold or biocriteria. In general, an IBI score above the assessment threshold indicates aquatic life use support, while a score below the threshold indicates non-support. MPCA utilizes a Biological Condition Gradient (BCG) along with reference conditions to calculate its biocriteria thresholds. The BCG-derived criteria are compared to criteria derived from reference sites within Minnesota to ensure that the BCG and reference conditions are closely aligned in defining the fish and invertebrate IBI classes. Minnesota used the median of BCG level 4 to develop biocriteria that are protective of the structural and functional health of biological communities. Communities with IBI

²⁶ 2012 Methodology, pages 16-17.

²⁷ Determination of Water Quality, Biological and Physical Conditions, and Compliance with Standards (7050.0150, subp. 6), https://www.revisor.mn.gov/rules/?id=7050.0150

²⁸ Determination of Water Quality, Biological and Physical Conditions, and Compliance with Standards (7050.0150, subp. 6), https://www.revisor.mn.gov/rules/?id=7050.0150

scores near this median value can be expected to have biological communities which exhibit "...overall balanced distribution of all expected major groups; ecosystem functions largely maintained through redundant attributes." ²⁹

MPCA incorporated a margin of safety into its IBI assessment process. Bracketing each IBI assessment threshold is a 90 percent confidence interval that is based on the variability of IBI scores obtained at sites sampled multiple times in the same year (i.e., duplicate samples). The confidence interval accounts for variability attributed to natural temporal changes within the community as well as method error. Section V.B.e.2 in the 2012 Methodology explains the data requirements and determination criteria for assessing whether AUIDs are meeting their biological use support (i.e. fully supporting, not supporting, or insufficient information). Overall assessment of whether an AUID adequately supports aquatic life involves the review of the parameter-level evaluations and data quality in conjunction with all available supporting information (ex. flow, habitat, precipitation, etc.). The determination of available data is an important step in this review process.

Section V.B.2 in the 2012 Methodology explains the nuances of MPCA's decision making process in determining whether biological communities are deemed as fully supporting of aquatic life or non-supporting of aquatic life. These assessment decisions are made after consulting both biological and chemical data. For a given AUID, there may be chemistry indicator data, biological indicator data, or both types of data available for assessment. The assessment of whether an AUID adequately supports aquatic life involves the review of the parameter-level evaluations and data quality in conjunction with all available supporting information (flow, habitat, precipitation, etc.) to make an overall use-support determination. The final assessment takes into consideration the strength of the various indicators, the quality of the data sets and the upstream and downstream conditions of the water body segment.³⁰

In general, a stream reach is considered to be <u>fully supporting</u> of aquatic life if:

- IBI scores for all available assemblages indicate fully supporting conditions; or
- The criteria for both dissolved oxygen and turbidity/t-tube/total suspended solids are adequately met; and
- Other lines of evidence considered comprehensively, including upstream/downstream conditions, do not contradict a finding of full support.

A stream reach is considered to be <u>not supporting</u> if:

- IBI scores for at least one biological assemblage indicate impairment; or
- One or more water chemistry parameters indicates impairment; and
- Other lines of evidence considered comprehensively, including upstream/downstream conditions, do not contradict a finding of non-support.

If the above criteria are not met and the assessment is inconclusive, the result is a determination of insufficient information. A determination of biological impairment must be supported by failing IBI scores for at least one biological assemblage, or one or more water chemistry parameters indicating impairment. In cases where an assessment unit has been determined to be not supporting based on biological indicators, water chemistry parameters are added to the list of impairments only when the

²⁹ 2012 Methodology, page 17.

³⁰ 2012 Methodology, page 19.

chemical impairment is clear enough that the AUID would be considered impaired even without the biological evidence.³¹

4b. Assessment Based on Numeric and Narrative Standards for the Protection of Human Health: Aquatic Consumption and Drinking Water

Assessments based on numeric and narrative standards for protection of human health include consideration of pollutants with Class 2 health-based chronic water quality standards. Section VI.A in Minnesota's 2012 Methodology discusses the development of human health protective numeric chronic standards. Class 2 chronic standards are established after determining the water column concentration of a pollutant that will be protective for chronic exposure for aquatic organisms, human health, and fisheating wildlife. The most protective is chosen as the chronic standard included in Minnesota rules.³²

Pollutants that have human health based chronic standards which are most often included in the State's assessments include mercury, polychlorinated biphenyls (PCBs), dioxins and chlorinated pesticides.³³ Minnesota Rule ch. 7050.0222 identifies the pollutants which have human health-based and toxicity-based criteria which have similar values. Section VI.A.2.(a) – (c) in Minnesota's 2012 Methodology discusses these pollutants and the applicable Class 2 water quality standards used in assessments of these pollutants. In general, two exceedances of the chronic standard or a single exceedance of the maximum standard in 3 years indicates impairment. For data considerations, five data points within a 3 year period during the most recent 10 years are necessary for assessment.³⁴ As stated above, when the State develops water quality standards, both a toxicity-based and a human health-based chronic criterion is calculated and the most restrictive is used to establish the chronic standard. For some pollutants, the toxicity-based and the human health-based criterion are very similar. For these pollutants, Minnesota's assessments consider both criteria.

As previously stated in this Decision Document, support of aquatic life means that concentrations of toxicants in water must be low enough that fish and other aquatic organisms are safe for people and wildlife to eat. Minnesota has four wildlife-based water quality standards (dichlorodiphenyltrichloroethane (DDT), Mercury, PCBs and 2,3,7,8 tetrachlorodibenzo-dioxin (2,3,7,8 TCDD)) within Minn. R. ch. 7052, the Great Lakes Water Quality Initiative (GLI) rule. The GLI rule focuses on bioaccumulative toxics within the Great Lakes and these four wild-life based standards are only applicable to the surface waters of the Lake Superior basin. Section VII of Minnesota's 2012 Methodology provides details of the water quality standards for DDT, Mercury, PCBs, and 2,3,7,8 TCDD. Data requirements and exceedance thresholds for pollutants with wildlife-based standards are the same as those used by the State in its assessments of pollutants that have human health-based chronic standards.³⁵

Human consumption of fish is considered a separate use support in Minnesota. Toxicants may be at levels sufficient to support aquatic life but because of bioaccumulation the fish are not safe for human consumption. Mercury, PCBs and perfluorochemicals (ex. perfluoroctane sulfonate (PFOS)), are contaminants found in fish that are considered in Minnesota's assessments. Other bioaccumulative

³¹ 2012 Methodology, page 20.

³² 2012 Methodology, pages 22-23.

³³ 2012 Methodology, pages 23-24.

³⁴ 2012 Methodology, pages 23-24.

³⁵ 2012 Methodology, page 31.

pollutants such as DDT, dioxins and toxaphene have been analyzed in fish tissue samples but only where potential problems were suspected.³⁶

In assessment of the aquatic consumption use support, Minnesota considers the use to be supported if it is safe to consume one fish meal per week over a lifetime. Limiting consumption to less than one meal per week indicates impairment. Impairment thresholds for PCBs and PFOS are established at the fish tissue concentration considered to be the upper threshold for one meal per week fish consumption advisory level for the 'sensitive' population.³⁷ The impairment threshold for PCBs is based on fish tissue concentrations exceeding 0.22 ppm and impairment threshold for PFOS is based on fish tissue concentrations exceeding 0.2 ppm.³⁸ In 2008, MPCA adopted into Minnesota Rule chapter 7050 a mercury fish tissue criterion of 0.2 ppm. This criterion for mercury is more stringent than the upper threshold for one meal per week fish consumption advisory for the sensitive population used by Minnesota Department of Health (MDH) fish consumption advisory. Consistent with Minnesota water quality standards, 0.2 ppm is the impairment threshold for aquatic consumption due to mercury.³⁹

In the 2012 Methodology, MPCA included assessments based on standards for the protection of human health Class 1 drinking consumption. All groundwater and selected surface waters are designated as Class 1 resources in Minnesota. The MDH monitors municipal finished water supplies for compliance with drinking water standards. The assessment of Class 1B and 1C listed surface waters for potential impairment by nitrate-nitrogen was outlined in the 2012 Methodology. Nitrate-nitrogen concentrations in drinking water exceeding the 10 mg/L safe drinking water standard (federal standard incorporated into Minn. R. ch. 7050.0221) pose a risk to human health. The 10 mg/L standard is an acute toxicity standard. Long term, chronic exposure to nitrate in drinking water is less well understood but has been linked to the development of cancer, thyroid disease, and diabetes in humans.

To assess drinking water-protected surface water (Class 1B and 1C) MPCA calculates a 24-hour average nitrate concentration and compares this average value to the 10 mg/L drinking consumption standard. If the water body exhibits two 24-hour exceedances within 3 years, then the water body is deemed impaired and placed on the 303(d) list. Exceedances were assessed over consecutive 3 year periods and the most recent 10 years of water quality data are considered. A minimum of five data points is required for assessments, but impairment determinations may be made with fewer data points when appropriate. ⁴¹

4c. Assessment Based on Numeric Standards for Protection of Aquatic Consumption: wildlife-based standards

Minnesota rules set forth water quality standards for the protection of aquatic life uses related to wildlife consumers of aquatic organisms. Minnesota has four wildlife-based water quality standards (Minn R. ch. 7052, the Great Lakes Water Quality Initiative (GLI) rule). These water quality standards apply to concentrations of DDT, mercury, PCBs and 2,3,7,8-TCDD (tetrachlordibenzo-p-dioxin). The GLI water quality standards focus on the reduction of bioaccumulative pollutants in the surface waters

³⁶ 2012 Methodology, page 24.

³⁷ Sensitive population is comprised of pregnant women, women who may become pregnant, and children under age 15. See Minnesota Department of Health, Minnesota Fish Consumption Advisory at http://www.health.state.mn.us/divs/eh/fish/ and 2012 Methodology, page 26.

^{38 2012} Methodology, page 27.

³⁹ 2012 Methodology, pages 27-28.

⁴⁰ 2012 Methodology, page 29.

⁴¹ 2012 Methodology, pages 29-30.

⁴² 2012 Methodology, page 31.

of the Lake Superior basin. It should be noted that the GLI standards within Minn R. ch. 7052 only apply to surface waters of the Lake Superior basin.⁴³

4d. Assessment Based on Numeric Standards for Protection of Aquatic Recreation

Minnesota has two sets of numeric standards protecting waters for aquatic recreation. Numeric standards established for *E. coli* protect for primary and secondary body contact⁴⁴ while eutrophication standards protect for aquatic recreation in Minnesota lakes.

Minnesota has established *E. coli* standards for both Class 2 and Class 7 waters. Table 7 in Minnesota's 2012 Methodology identifies these water quality standards. The *E. coli* water quality standards include both a monthly geometric mean standard and an individual maximum standard. Minnesota considers both standards in their assessments. The monthly geometric mean *E. coli* standard is a geometric mean of not less than five samples collected in a month. However, most monitoring programs do not collect samples more often than once a month. In order to use the available data to the maximum extent, Minnesota aggregates available *E. coli* data for an individual month across the most recent 10 years of data. Minnesota's method of aggregating data for an individual month is based on a fecal coliform study conducted by the State which showed that for any given monitoring site there was less variability in fecal coliform data for a given month across years than there was for all months within one year. Minnesota's prior assessment methodologies have included this same approach for fecal coliform assessments.

For assessment of the monthly geometric mean standard, the State considers the most recent 10 years of data, aggregates the data by individual month for a specific assessment unit, and if one or more months exceed the monthly geometric mean standard, ⁴⁶ the assessment unit is added to Minnesota's 303(d) list. For assessment of the individual maximum standard, an assessment unit is added to Minnesota's 303(d) list if more than 10% of individual values over the most recent 10 years exceed the maximum *E. coli* standard. ⁴⁷ In order to assess against the individual maximum *E. coli* threshold, Minnesota analyzes a minimum of 15 sampling points over the most recent 10 year period. Assessment decisions of data sets with less than the minimum number of samples are made by the WAT on a case by case basis. ⁴⁸ Prior assessment methodologies established methods for assessment using fecal coliform data or a statistical relationship between fecal coliform and *E. coli* data. Minnesota explained that there is a considerable amount of *E. coli* and older fecal coliform data. Assessment decisions for the 2012 list used solely *E. coli* data. Exceptions to the exclusive use of *E. coli* measurements for assessment decisions (i.e., the use

⁴³ 2012 Methodology, page 31.

⁴⁴ For purposes of bacteriological standards, recreation in or on the water is divided into two types: primary body contact and secondary body contact. Primary body contact is considered to be any type of water recreation during which the accidental ingestion of a small amount of water is likely such as swimming, snorkeling, SCUBA, water skiing, kayaking, tubing and wading by young children. Secondary body contact is considered to be any type of water recreation during which the accidental ingestion of a small amount of water is unlikely such as boating, canoeing, fishing and wading by older children and adults. Statement of Need and Reasonableness, Book III of III, In the Matter of Proposed Revisions of Minnesota Rules Chapter 7050, Relating to the Classification and Standards for Waters of the State, July 2007, pg. 83, and 2012 Methodology, page 32.

⁴⁵ 2012 Methodology, pages 32-34, and *Fecal Coliform Bacteria in Rivers*, MPCA, H.D. Markus, 1999 in EPA Region 5's 2002 administrative record to support EPA's approval of Minnesota's 2002 303(d) list.

⁴⁶ The monthly geometric mean water quality standard for Class 2 waters is 126 organisms per 100mL of water and for Class 7 waters is 630 organisms per 100mL of water. See 2012 Methodology, pages 32-34, Minn. R. ch. 7050.0222 subp. 2-5, and Minn. R. ch. 7050.0227 subp. 2.

⁴⁷ The *E. coli* maximum individual water quality standard for both Class 2 and 7 waters is 1260 organisms per 100mL of water. See 2012 Methodology pages 32-34, and Minn. R. ch. 7050.0222 subp. 2-5, and Minn. R. ch. 7050.0227 subp. 2.

⁴⁸ 2012 Methodology, page 32.

of fecal coliform data to augment the *E. coli* data set) were only employed in special cases. These exceptions utilized the ratio of 200 cfu/100 mL (fecal coliform) to 126 cfu/100 mL (*E. coli*).

Minnesota's promulgated ecoregion-based lake eutrophication numeric water quality standards for total phosphorus, chlorophyll-a (chl-a) and Secchi Disk depth (Minn. R. ch. 7050.0222 subp. 2-4.) are the parameters monitored in lake assessments. Eutrophication standards are specific to ecoregion and lake depth. Minn. R. ch. 7050.0150 defines the State-recognized depths of a lake, a shallow lake, a reservoir and a wetland. The determination between the four requires an analysis of basin depth and littoral area. Appendix A of the 2012 Methodology lists the factors used to separate lakes, shallow lakes and wetlands. Table 9 of Minnesota's 2012 Methodology identifies the lake eutrophication standards used for aquatic recreation use assessments.

Assessments utilizing the eutrophication water quality standards consider data collected over the most recent 10-year period. Samples must be collected over a minimum of 2 years and sampled from June to September. Typically, a minimum of 8 individual data points for TP, corrected chl-*a* (chl-*a* corrected for pheophytin), and Secchi are required. If there are multiple samples collected on the same day, the daily average of samples collected is calculated. All daily data from June to September is averaged to calculate a summer mean value. The summer mean value is the water quality measurement compared to eco-region and depth specific water quality standards. Lakes where total phosphorus and at least one of the response variables (chl-a or Secchi disk depth) exceed the applicable standard are identified on Minnesota's 303(d) list as impaired. Standard are identified on Minnesota's impaired.

4e. Assessment Based on Numeric Standard for Protection of Limited Resource Value Waters Minnesota rules set forth water quality standards for Class 7 waters in chapter 7050.0227. The rules include standards for E. coli, dissolved oxygen, pH and toxic pollutants. Limited resource value waters include surface waters of the State that have been subject to a use attainability analysis and have been found to have limited value as a water resource. These waters are specifically listed in rule 7050.0470 and are protected so as to allow secondary body contact use, to preserve the groundwater for use as a potable water supply, and to protect aesthetic qualities of the water. ⁵²

Because Class 7 waters may be used by game fish for spawning and/or maintaining minnow populations during brief periods in the spring, a special protection against bioaccumulative pollutants is needed. The 2012 Methodology includes a discussion on the application of toxic standards to Class 7 waters. The water quality standard states, "toxic pollutants shall not be allowed in such quantities or concentrations that will impair specified uses." The 2012 Methodology explains that for Class 7 assessments, for most toxic pollutants, the maximum standard or 100 times the chronic standard, whichever is lower, would apply. For bioaccumulative pollutants in Class 7 designated waters, the chronic standard would apply.

⁴⁹ 2012 Methodology, pages 35-36.

⁵⁰ 2012 Methodology, pages 35-36.

⁵¹ Minnesota Rules include narrative eutrophication standards for Class 2 lakes, shallow lakes and reservoirs which explain a polluted condition as an exceedance of total phosphorus and either the chlorophyll-a or Secchi disk standard using data that is averaged over the summer season. See Minn. R. ch. 7050.0222 subp. 2a, 3a, and 4a.

^{52 2012} Methodology, page 37.

⁵³ 2012 Methodology, page 37.

⁵⁴ Minnesota Administrative Rules (MN R. ch. 7050.0227), https://www.revisor.mn.gov/rules/?id=7050.0227

5. Removing a Water from the 303(d) List

Minnesota's 2012 Methodology identifies four reasons for removing a water from the 303(d) list;

- If, during subsequent monitoring or the development of the TMDL study, new and reliable water quality data or information indicates that the water body is no longer impaired and is meeting water quality standards. Such a water body would be de-listed before a TMDL plan was completed.
- If a TMDL assessment and preliminary plan for reducing the sources of pollution is completed and approved by the EPA.
- If the sources of impairment are determined to be non-anthropogenic in origin.
- If it was determined that the water body was placed on the list in error. 55

When deciding to remove a water body from the 303(d) list based on new data and information, the State generally applies the same standards, guidelines and thresholds used to add a water to the 303(d) list. The 2012 Methodology identifies minimum data requirements and impairment thresholds that must be considered for the various categories of pollutants before removing a water body from the 303(d) list. ⁵⁶ Decisions to remove a water body from the 303(d) list are subject to review by the appropriate MPCA staff and PJG.

The second basis for removing a water body from the 303(d) list is where a TMDL has been approved by EPA. In accordance with Minnesota's 2012 Methodology, if a water body is identified as being impaired, and EPA has approved all necessary TMDLs for that water body, then the water body will be placed in category 4A. It should be noted that the water body is still considered as impaired and remains on the Impaired Waters Inventory (part of MPCA Integrated Report submittal to the EPA). The water body will remain on the Impaired Waters Inventory until it is demonstrated that the water body supports all of its beneficial uses (i.e. meets water quality standards for each beneficial use designation).

The third basis for removing a water body from the 303(d) list is where a water body is found to be impaired by natural conditions, i.e., non-anthropogenic in origin. In this situation, all sources of the impairment are naturally occurring. Although Minnesota continues to identify these waters as impaired, it places these waters in category 4D (i.e. impaired but does not require a TMDL).

The fourth basis for removing waters from the 303(d) list occurs under circumstances where:

- A water was placed on the 303(d) list in error (ex. wrong AUID assigned);
- A resegmentation or reclassification of a water has occurred since the last listing cycle;
- There has been a change/update to the State's standards or methodology since the last listing cycle.

Errors can be made in the original assessment of a water body. These errors, which may be a result of either human or computer error, are usually discovered during future assessments. Occasionally there is a need for the State to change how a water body is divided into assessment units. This change may cause a water body originally listed under one specific assessment unit ID# to now be listed as two new ID#s. Although it may appear that changing the ID# results in removing waters from or adding waters to the 303(d) list, in most cases the original impaired water is still on the list, it is just identified in a different

⁵⁵ 2012 Methodology, page 39.

⁵⁶ 2012 Methodology, pages 39-40.

manner. Another water identification change that could affect how a water is listed is when a lake is reclassified. As the State develops watershed plans and TMDLs, specific lake characteristic information could become available which would cause the State to re-evaluate how the lake is classified; e.g., deep or shallow. Since water quality standards are applicable to a lake based on lake type and lake location, a change in a lake's classification could change where the State places that lake in its integrated report.

Minnesota revises its methodology in response to changes to the State's water quality standards. For the 2012 listing cycle, the state made no significant changes to water quality standards which impacted the 2012 303(d) list.

Table A-2 of this Decision Document provides a list of the assessment unit/pollutant combinations that Minnesota has removed from its 303(d) list. EPA concludes that the State has demonstrated good cause for removing these waters from the 303(d) list. In evaluating the reasonableness of the State's decision to remove these waters, EPA considered the delisting explanations provided by the State in its 2012 submittal, ⁵⁷ information made available to the public during the public notice and comment period, and MPCA lake/wetland and stream assessment transparency documents made available to the public on MPCA's website. ⁵⁸

Consideration of Existing and Readily Available Water Quality-Related Data and Information

1. State Monitoring Data and Information

Minnesota conducts a variety of surface water monitoring activities which focus on generating crucial water quality data for assessing the chemical, biological, bacteriological, and physical conditions, within Minnesota's surface waters. This information is used to assess potential and actual threats to water quality within the State and to evaluate the effectiveness of management strategies taken to address impairments and other threats to water quality. Water quality monitoring by local, state and federal partners, along with citizen monitoring efforts, and remote sensing monitoring are all utilized by MPCA in its assessment process.

Through the 2010 listing cycle, MPCA assessed the condition of the State's waters via a biennial, statewide assessment process. Over the previous few years, MPCA has moved away from a statewide monitoring approach and focused its efforts toward targeted watersheds via the intensive watershed monitoring strategy. The IWMA generates more voluminous data sets within those watersheds targeted for water quality monitoring. The 2012 listing cycle is the first assessment cycle in which MPCA is assessing water quality data from earlier IWMA efforts. For assessment decisions made for the 2012 listing cycle, MPCA assessed water quality information from watersheds listed in Table 3 of this decision document. It should be noted, that water quality sampling, under the IWMA, was conducted in the watersheds in Table 3 during 2007, 2008 and 2009.

⁵⁷See Inventory of all impaired waters, De-listings from the inventory, Changes initial to final draft, and New removals from the 2012 inventory within submitted spreadsheets from MPCA for detailed discussion from State

⁵⁸ http://www.pca.state.mn.us/index.php/water/water-types-and-programs/minnesotas-impaired-waters-and-tmdls/assessment-and-listing/303d-list-of-impaired-waters.html

Table 3: Watersheds in which water quality data was assessed for the 2012 Listing Cycle

| Watershed Name | Year in which data was collected under the Intensive Watershed Monitoring Approach (IWMA) |
|--|---|
| North Fork of the Crow River Watershed | 2007 |
| Pomme de Terre River Watershed | 2007 |
| Le Sueur River Watershed | 2008 |
| Little Fork River Watershed | 2008 |
| Mississippi (Red Wing) River Watershed | 2008 |
| Red River of the North (Headwaters) Watershed | 2008 |
| Root River Watershed | 2008 |
| Sauk River Watershed | 2008 |
| Tamarac (Red River of the North) River Watershed | 2008 |
| Buffalo River Watershed | 2009 |
| Cedar River Watershed | 2009 |
| Chippewa River Watershed | 2009 |
| Mississippi (St. Cloud) River Watershed | 2009 |
| Shell Rock River Watershed | 2009 |
| St. Croix (Stillwater) River Watershed | 2009 |
| St. Louis River Watershed | 2009 |

Toxic parameter monitoring continues to occur on a statewide basis. Assessment of those parameters is done on a statewide basis every two years. Watershed assessments employed via the IWMA focus primarily on the aquatic life and recreation beneficial uses. Statewide assessments focus primarily on aquatic consumption and aquatic life toxicity. MPCA has set a schedule to intensively monitor each major watershed once every 10 years (Figure 1 of this Decision Document). The IWMA is designed to identify waters which are impaired and require restoration. Also, information from the IWMA is utilized to identify those waters which are not yet impaired but require further protection to prevent water quality conditions which would lead to that water body being designated as impaired.




Figure 1: Intensive Watershed Monitoring Map (2008 to 2018)⁵⁹

MPCA's review of water quality data collected during the IWMA involves a five step approach, discussed earlier in this Decision Document in Section 3. The four steps discussed immediate below are related to MPCA's approach for addressing water quality impaired segments.

Step 1: Monitor and gather data information

MPCA employs an intensive watershed monitoring schedule that provides for comprehensive assessments of all of the major watersheds on a 10-year cycle. This schedule provides intensive monitoring of streams and lakes within each major watershed to determine overall health of the water resources, to identify impaired waters, and to identify those waters in need of additional protection to prevent future impairments.

⁵⁹ MPCA Watershed Monitoring Approach (Intensive Watershed Monitoring Map), http://www.pca.state.mn.us/index.php/water/watershed-types-and-programs/surface-water/watershed-approach/watershed-approach.html

Step 2: Assess the data

Based on results of intensive watershed monitoring in step one, MPCA staff and its partners implement a rigorous process to determine whether or not water resources meet water quality standards and designated uses. Waters that do not meet water quality standards are listed as impaired waters.

Assessment of toxic parameters (eg. mercury) continues to occur on a statewide basis every two years. The statewide toxic assessment focuses on those pollutants which influence aquatic consumption and aquatic life toxicity. Also, while MPCA's IWMA focuses monitoring efforts on selected watersheds each year, the State <u>does not</u> discourage outside parties from submitting data and proposing waters to be considered for the 303(d) list which lie outside of the watersheds targeted by the IWMA. MPCA accepts water quality information during the public notice period of the draft 303(d) TMDL list (for the 2012 listing cycle, this was January 23, 2012 to February 27, 2012).

MPCA uses data collected over the most recent 10-year period for water quality assessments. ⁶⁰ The 'year of record' is based on the USGS water year (October 1 of one year through September 30 of the following year). A full 10 years of data are not required to make an assessment. MPCA uses a 10-year period to provide reasonable assurance that data will have been collected over a range of weather and flow conditions and that all seasons will be adequately represented. MPCA also considers trends in water quality data or changes in climatic conditions (eg. drought periods) which impact water quality during the 10-year period. EPA finds the State's use of the 10-year period for water quality assessments a reasonable approach to ensure that data are collected over a range of weather and flow conditions, and that all seasons are adequately represented.

Step 3: Establish implementation strategies to meet standards

Based on the watershed assessment, a TMDL study and/or protection strategy is completed. Existing local water plans and water body studies are incorporated into the planning process.

Step 4: Implement water quality activities

Included in this step are all traditional permitting activities, in addition to programs and actions directed at nonpoint sources. Partnerships with State agencies and various local units of government, including watershed districts, municipalities, and soil and water conservation districts, will be necessary to implement these water quality activities.

2. Active Solicitation of Data from other Sources

MPCA relies on data it collects along with data from other credible sources, such as other state and federal agencies, local government partners and volunteers, to assess water bodies. In preparation for assessing waters for the 2012 listing cycle, MPCA actively solicited data and information for use in the assessment process. MPCA communicates annual 'Calls for Water Quality Data' which encourage local water organizations to share water quality information. MPCA completed a *Call for Data for the 2010 Annual Surface Water Assessments* and *Call for Data for the 2011 Annual Surface Water Assessments* prior to the 2012 assessment of water quality data by MPCA. These communications are made through the State's 'GovDelivery' electronic mail distribution system. In the *Call for Water Quality Monitoring Data* communication MPCA clearly outlines date deadlines for data submittal from outside parties/organizations. Data submitted before the deadline was considered by MPCA in its staff review

^{60 2012} Methodology, pages 8-9.

^{61 2012} Call for Data email (email dated October 5, 2011), shared by David Christopherson (MPCA) via Email on 11/9/12 at 8:04 PM.

process to determine whether or not the water body was meeting appropriate water quality standards and designated uses.

In addition to the *Call for Water Quality Monitoring Data* MPCA also conducted a series of meetings around the State with watershed partners in the 16 watersheds (Table 3 of this Decision Document) identified for Intensive Watershed Monitoring within the 2012 listing cycle. During these informal meetings, MPCA asked watershed partners to submit relevant water quality monitoring data for water bodies within each of these watersheds. The 2012 listing cycle was the first listing cycle where MPCA did not publish a solicitation for water quality monitoring data within the Minnesota State Register. MPCA explained that in addition to changes carried forward in the water quality monitoring strategy (i.e. the change to an Intensive Watershed Monitoring strategy) it elected to alter its communication strategy for petitioning for water quality information. MPCA chose to directly contact watershed partners within the 16 watersheds, and felt that this was a more efficient and effective use of resources than State Register announcements. 62

In 2003, MPCA issued the *Volunteer Surface Water Monitoring Guide*. This guidance discusses data uses and goals of data collection, data quality issues, and includes a specific section on monitoring requirements for data that can be used in 305(b) and 303(d) assessments. This guidance, along with information contained in the formal *Call for Water Quality Monitoring Data (email dated October 5, 2011)*, cited MPCA webpages where interested parties could obtain specific criteria that water quality monitoring data and other information submitted must meet in order to be considered in MPCA's staff review assessment process.

Data used by the State in its assessments are stored in MPCA's water quality data management system, Environmental Quality Information System (EQuIS). EQuIS is the central data repository for assessment information utilized by MPCA. Water quality monitoring data collected by parties other than MPCA are added to EQuIS so long as they meet acceptable MPCA quality assurance and quality control (QA/QC) protocols. Data meeting the QA/QC requirements are entered into EQuIS so that a permanent record is created and data may be merged or considered in light of any other data available for a given water body. Monitoring and data management at MPCA are in accordance with the requirements specified in the Quality Management Plan (June 2007) approved by the EPA and available for review via MPCA's website.⁶⁴

3. Public Participation

In developing Section 303(d) lists, States are required to assemble and evaluate all existing and readily available water quality-related data and information, including consideration of existing and readily available data, and information about waters for which water quality problems have been reported by members of the public. EPA expects states to have full public participation in development of their 303(d) lists prior to submitting the final 303(d) list to EPA for review. Public participation efforts need to be consistent with Section 101(e) of the CWA. When a proposed list has been established, states should, in accordance with the requirements in 40 CFR Part 25, provide the opportunity for public notice

⁶² Electronic mail communication (11/9/12 at 8:04 PM): David Christopherson (MPCA) to Paul Proto (EPA, R5).

⁶³ Appendix D of the *Volunteer Surface Water Monitoring Guide* provides specific requirements for MPCA integrated assessments. This Appendix was revised in September 2009.

⁶⁴MPCA Water Quality Management Plan (June 2007), http://www.pca.state.mn.us/index.php/view-document.html?gid=5479 ⁶⁵ 40 CFR §130.7.

and submission of comments from the public. States should prepare responses for the comments received.⁶⁶

Minnesota provided the public with the opportunity to review and comment on the assessment decisions through a 35-day formal comment period, public informational meetings and availability of the 2012 Methodology and draft 303(d) list. The 35-day formal comment period was from January 23, 2012 to February 27, 2012. Normally, MPCA holds a 30-day public comment period. For the 2012 listing cycle, MPCA extended its public comment period by 5 additional days. MPCA held seven informational meetings at various locations throughout the State between December 21, 2011 and January 25, 2012. Notice of these meetings and/or the 35-day formal comment period was made available to the general public through news releases, a November 2011 mass mailing by MPCA, information on MPCA's website, and publication in the State Register. ⁶⁷

Thirty-nine (39) comment letters or electronic correspondences, were received by MPCA during the public comment period (January 23, 2012 to February 27, 2012). MPCA considered the comments from all thirty-nine comment letters and provided responses to the commenters in a response to public comments summary document. MPCA's response to public comments was shared on an MPCA 2012 303(d) webpage. With the exception of responses to comments regarding Jail and Wine Lakes discussed below, EPA believes that MPCA adequately addressed the comments submitted during the public notice period. MPCA included its responses to public comments within its final 2012 303(d) submittal package to EPA on October 1, 2012.

Data received by MPCA in response to the *Call for Water Quality Monitoring Data* before November 1, 2011, were uploaded into EQuIS for review by MPCA staff. Water quality monitoring data and other information related to specific water bodies, received in public comments within the 35-day public notice period were also uploaded to EQuIS and considered by MPCA staff. Loren J. Larson of Plymouth, Minnesota, submitted summary data showing exceedances of the lake eutrophication water quality standards and a request that MPCA include Jail Lake (18-0415-00) on the 2012 303(d) list. ⁶⁹ MPCA responded to the commenter within the response to public comment document. MPCA explained that it will review all available water quality data for Jail Lake, and other waters within the Pine River watershed, during the Pine River Watershed comprehensive assessment scheduled for 2014. MPCA stated that deviations from the watershed schedule will be considered by exception, and it will only consider data outside of the schedule if the local benefits of the schedule exception offset the lost assessment efficiency and effectiveness that results from an "out-of-order" assessment. ⁷⁰

On February 27, 2012 MPCA asked that the commenter provide the rationale as to why Jail Lake should be considered for listing outside of the Intensive Watershed Monitoring schedule as explained in MPCA 2012 Methodology document. The response received from the commenter by MPCA on March 11, 2012 indicated that local monitoring efforts were losing funding due to the completion of an MPCA grant, and

⁶⁶ Supplemental Guidance on Section 303(d) Implementation, EPA Memorandum, August 13, 1992, Approval of 303(d) Lists, Promulgation Schedules/Procedures, Public Participation, EPA Memorandum, October 30, 1992, and Guidance for 1994 Section 303(d) Lists, EPA Memorandum, November 26, 1993.

⁶⁷ State Register Vol. 36 No. 27 p. 847-849, http://www.comm.media.state.mn.us/bookstore/stateregister/36_27.pdf.

⁶⁸ MPCA Impaired Waters 2012 TMDL List, http://www.pca.state.mn.us/index.php/water/water-types-and-programs/minnesotas-impaired-waters-and-tmdls/impaired-waters-list.html.

⁶⁹ See February 27, 2012 correspondence from Loren J. Larson to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).
⁷⁰ 2012 Methodology, page 3.

that a TMDL was required to improve conditions of the lake. MPCA decided that a potential Jail Lake TMDL would at the earliest be initiated by MPCA after the watershed assessment scheduled for early 2014. MPCA did not add Jail Lake to the final 2012 303(d) list.

EPA disagreed with MPCA's decision not to add Jail Lake to the final 2012 303(d) list as a Category 5 water body. The EPA explained that the water quality monitoring data shared by the commenter were appropriate data (i.e. within the EQuIS data management system and met the minimum data requirements for lake eutrophication described within the 2012 Methodology. and that MPCA should have considered this water quality data in its assessment of Jail Lake. While EPA understands MPCA's interest in following the State's schedule for its systematic watershed approach (the Intensive Watershed Monitoring strategy) when assessing water quality monitoring data, MPCA needs to consider all readily available and accessible data for assessment decisions. In an email message sent on November 30, 2012, EPA requested that MPCA add Jail Lake (18-0415-00) to the final 2012 303(d) list as a Category 5 water body. MPCA agreed with the request in an email sent to EPA on December 10, 2012 and added Jail Lake to the final 2012 303(d) list.

Tera L. Guetter, on behalf of the Pelican River Watershed District, submitted available water quality data and a request that MPCA return St. Clair Lake (03-0382-00) to the 2012 303(d) list. MPCA removed St. Clair Lake from the 303(d) list due to 'insufficient data.' The commenter also requested that MPCA include Wine Lake (03-0398-00) as a Class 5 water body on the final 2012 303(d) list. The commenter included summary water quality data from the EQuIS data management system to demonstrate non-attainment of lake eutrophication water quality standards for both St. Clair Lake and Wine Lake in her February 15, 2012 letter to Howard Markus (MPCA). Upon further consideration, MPCA concurred that St. Clair Lake should be returned to the 2012 303(d) list as a Category 5 water body.

MPCA asked the commenter to provide additional rationale as to why Wine Lake should be considered for listing outside of the Intensive Watershed Monitoring schedule as explained in MPCA 2012 Methodology document. MPCA was not persuaded that Wine Lake should be added as a Category 5 water on the final 2012 303(d) list. EPA disagreed with MPCA on this decision. EPA explained that the water quality monitoring data shared by the commenter were appropriate data (i.e. within the EQuIS data management system and met the minimum data requirements for lake eutrophication described within the 2012 Methodology and MPCA should have considered this water quality data in its assessment of Wine Lake. In an email message sent on November 30, 2012, EPA requested that MPCA add Wine Lake (03-0398-00) to the final 2012 303(d) list as a Category 5 water body. MPCA agreed with the request in an email sent to EPA on December 6, 2012 and added Wine Lake to the final 2012 303(d) list.

Jean B. Sweeney, Vice President of 3M Environmental, Safety and Health Operations, on behalf of 3M, submitted data and a request that the State remove four assessment units in Pool 2 on the Mississippi

⁷¹ See Administrative Record Document #35, telephone conversation between EPA and MPCA on November 7, 2012.

⁷² 2012 Methodology, page 35.

⁷³ See February 15, 2012 correspondence from Tera L. Guetter to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

⁷⁴ See Administrative Record Document #35, telephone conversation between EPA and MPCA on November 7, 2012.

⁷⁵ 2012 Methodology, page 35.

River, which have been identified by MPCA as being impaired for aquatic consumption due to PFOS. ⁷⁶ PFOS are manmade chemicals used to manufacture products which are heat resistant, stain resistant and repel water. Minnesota originally added these four assessment units within Pool 2 to its 2008 303(d) list based on water quality data which showed that a consumption advisory was necessary for the freshwater drum species in Pool 2. Minnesota Administrative Rules (7050.0150 subpart 7) stated that, "A waterbody will be considered impaired when the recommended consumption frequency is less than one meal per week, such as one meal per month, for any member of the population...the impaired condition must be supported with measured data on the contaminant levels in the indigenous fish."

Despite the data and information submitted by the commenter, the State believes that assessment units in Pool 2 are still not meeting the recommended consumption frequency and therefore not meeting water quality standards. MPCA declined to remove these 4 assessment units from the 2012 303(d) list, explaining that the commenter failed to provide sufficient data to support her case for delisting. In particular, MPCA found that the water quality data submitted by the commenter were not robust enough to cite downward trends in PFOS concentrations within fish tissue in Pool 2. MPCA stated in its response to public comment document, "Given the wide range of PFOS concentrations observed in Pool 2 fish tissue and the insufficiency of available data, MPCA believes it is prudent and protective of public health and the environment to be very cautious as MPCA determines if and when to delist Pool 2 as an impaired water." MCPA indicated that fish tissue data from Pool 2 would continue to be analyzed in future assessment cycles and explained that it was working with the MDNR and the MDH to complete additional fish sampling of Pool 2 in the future. EPA agrees with MPCA that due to the variability of PFOS concentrations and the insufficiency of available data, delisting is not supported. EPA finds the continued listing of the four assessment units in Pool 2 on the Mississippi River, identified by the commenter, as being impaired for aquatic consumption due to PFOS on the State's 2012 303(d) list to be reasonable.

Although no other public comments included data, some comments highlighted data and information that were already available to the State, and requested that the State reconsider this available information. Commenter Paul Nelson, a Program Manager for Scott County's Natural Resources Program, submitted a request encouraging MPCA to reconsider the data and information used in listing two river segments. The commenter proposed that MPCA remove County Ditch 10 (CD3 to Raven Str) (07020012-628) and Picha Creek/Unnamed Creek (Unnamed Creek to Unnamed Creek) (07020012-579) from the State's 2012 303(d) list due to the misidentification of designated use for County Ditch 10, and the misidentification of a sampling location and flawed water quality monitoring data which led to the listing for Picha Creek/Unnamed Creek.

Upon reconsideration of information presented by the commenter, MPCA determined that County Ditch 10 and Picha Creek/Unnamed Creek were to remain on the 2012 303(d) list. MPCA explained that for Picha Creek to be removed from the 303(d) list, MPCA would need to see evidence that low flow conditions cited by the commenter were due solely to natural factors, and that the natural factors were the only stressors causing or contributing to the impairment. The stressor identification document for

⁷⁶ See January 31, 2012 correspondence with enclosures from Jean B. Sweeney to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

⁷⁷ See MPCA's Responses to the draft 2012 Total Maximum Daily Load List 30-Day Public Notice Comments (September 7, 2012) document (received by EPA on October 1, 2012).

⁷⁸ See February 2, 2012 electronic mail (E-mail) correspondence from Paul Nelson to Howard Markus and *Appendix B: MPCA's response* to comments on the draft 2012 TMDL, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

Picha Creek, which was assembled by MPCA staff, indentified other potential non-natural causes (ex. habitat fragmentation, habitat alteration and sedimentation) which are likely causing and contributing to the impairment in Picha Creek. MPCA also explained that County Ditch 10 (CD3 to Raven Str) (07020012-628) was assigned the correct designated use and provided supporting data which demonstrated that the water body was impaired for bacteria. EPA agrees with MPCA's analysis and finds the continued listing of County Ditch 10 (CD3 to Raven Str) (07020012-628) and Picha Creek/Unnamed Creek (Unnamed Creek to Unnamed Creek) (07020012-579) on the State's 2012 303(d) list to be reasonable.

Commenter Greg Bartz of Sleepy Eye, Minnesota, with the support of approximately twenty-seven (27) other co-signees, submitted a request encouraging MPCA to reconsider data and information utilized in designating County Ditch 10 (John's Creek) (07020007-571) as impaired for nitrate-nitrogen exceedances. The commenter explained that county and judicial ditches cannot be designated as impaired for Class 1 or Class 2 water quality standards. Also, the commenter described how MPCA misidentified County Ditch 10 as a trout stream and the Minnesota River basin has not historically had trout species in its waters. The commenter believes that the impairment listing is incorrect if the listing is based on the protection of an introduced species. Upon reconsideration of information presented by the commenter, MPCA determined that County Ditch 10 was to remain on the 2012 303(d) list. MPCA cited Minnesota Rule 7050.0470, subpart 5 as justification for designating County Ditch 10 as a Class 1b water. Class 1b waters are protected for drinking water use (under Minnesota Rule 7050.0220, subpart 3a) and waters recognized as potential drinking water resources are protected under a nitrate-nitrogen water quality standard. Since MPCA has appropriately identified County Ditch 10 as a water where Class 1b water quality standards are applicable and data supports a finding that it has exceeded the nitrate-nitrogen water quality standard, EPA find MPCA's listing of County Ditch 10 on the State's 2012 303(d) list to be reasonable.

Commenter Tom Moe, on behalf of US Steel Minntac, submitted a request encouraging MPCA to reconsider the data and information utilized in designating the Minntac Tailings Basin (69-1351-00) as not attaining the water quality standards for mercury in fish tissue. The commenter asserted that the Minntac Tailings Basin is not a water of the State. Additionally, the commenter communicated that US Steel Minntac had completed independent water quality sampling and had determined that mercury concentrations in fish tissue were below the water quality standard. The commenter did not provide water quality monitoring data to substantiate these claims. Upon reassessment, MPCA concluded that the Minntac Tailings Basin was not to remain as a Category 4A water, which would be addressed by the 2012 Revision to the Statewide Mercury TMDL. MPCA explained that the Minntac Tailings Basin is not a water of the State and is considered part of the facility's treatment system, covered under Minntac's NPDES/SDS permit. Since the Minntac Tailings Basin is not a water of the State, EPA finds it reasonable for MPCA to delist the water.

Several commenters requested that MPCA reconsider the listing of Seven Mile Creek (07020007-562) for violations of the chlorpyrifos water quality standard. Chlorpyrifos is a pesticide which is used throughout the State. Amy Linnerooth of Nicollet County, Kerry Hastings and Elisha Modisett-Kemp from Dow AgroSciences LLC, Ken Ostlie of the University of Minnesota, Kurt Kruger of the Minnesota

⁷⁹ See January 31, 2012 E-mail correspondence from Jesse Anderson (MPCA), referencing the commenter Tom Moe, to Howard Markus and *Appendix B: MPCA's response to comments on the draft 2012 TMDL*, which was included in Minnesota's 2012 submittal (received by EPA on October 1, 2012).

Soybean Growers Association, and John Mages of the Minnesota Corn Growers Association, were some of the commenters making this request. Upon consideration of the information submitted from these three commenters, MPCA determined that Seven Mile Creek should remain on the 2012 303(d) list for chlorpyrifos water quality violations.

The compound known as 'chlorpyrifos' is a pesticide which is measured via water quality studies carried out by the MDA. In its response to these commenters, the MPCA described how available pesticide data, collected by the MDA, were carefully screened to satisfy all quality assurance and quality control (QA/QC) protocols and Quality Assurance Program Plans (QAPPs). The MPCA considered the data collected within the Seven Mile Creek assessment unit to be valid and scientifically defensible.

In addition to the MPCA's defense of MDA's procedures within the response to public comments summary documentation, the MDA also drafted and included a letter (dated May 17, 2012) to public commenters. In this letter, MDA addressed individual questions from commenters and outlined other supporting scientific observations which were backed by MDA collected water quality data. MDA explained that although it did not detect exceedances of the chlorpyrifos water quality standard, it has observed upward trends in chlorpyrifos detection frequency and concentration magnitude. MDA attributed these increases to localized changes in pesticide usage and agricultural management practices.

MPCA added that MDA's water quality data observations combined with its own ambient water quality sampling data signified that Seven Mile Creek was threatened by chlorpyrifos and therefore should be listed on its 2012 303(d) list. MPCA will continue to monitor the Seven Mile Creek water body and will work with the MDA in promoting best management practices for pesticide usage throughout Minnesota. After reviewing the MDA data, EPA agrees with MPCA that the data meet the appropriate QA/QC protocols and the QAAP requirements, therefore, EPA finds MPCA's decision to list Seven Mile Creek (07020007-562) for impairments under chlorpyrifos water quality standard reasonable.

Kevin Pylka on behalf of PolyMet Mining Inc., Keith Hanson of the Minnesota Chamber of Commerce and David Skolasinski of Cliffs Natural Resources Inc., all submitted comments requesting MPCA reconsider Index of Biotic Integrity (IBI) listings in the 2012 303(d) list. The commenters stated that MPCA needs to provide the opportunity for public review and comment on the IBI development process including calibration, scoring and application of the IBI assessment methodology. Additionally, the commenters requested that MPCA provide a Statement of Need and Reasonableness (SONAR) for protocols and documentation associated with the IBI development.

MPCA's response to public comments document re-emphasized that MPCA's biological assessment process is grounded in the biological assessment framework provided in a SONAR document associated with the 2002 rulemaking for Minn. Rules 7050.0150, subp. 6. This document acknowledges the use of biological community assessments as direct ways of predictably measuring aquatic life conditions in streams, and that biological community assessments integrate the combined effects of all stressors over time and space. MPCA utilized this IBI assessment framework in its biological assessments for the 2012 303(d) list. MPCA explained that increases in the breadth and scope of sampling data, due to the Intensive Watershed Approach, have allowed MPCA to refine the calibration of its IBIs scoring system for the 2012 List. If and when the biological assessment process is further refined, MPCA indicated that future revisions will be available for review via the public notice process. Additionally, the MPCA communicated that it will keep the public updated on its progress through its webpage and other

communication outlets (ex. State Register notices, email notifications, public meetings etc.). Appropriate language outlining the changes to the biological assessment methodology will be reflected within the Methodology document (Assessment Guidance) for the listing cycle which the changes are applicable. Stakeholders may submit comments on the Assessment Guidance during the public notice period for the draft 303(d) list. EPA agrees that the IBI assessment methodology used for the 2012 303(d) list was subject to adequate public notice and comment and therefore finds MPCA's IBI listings to be reasonable.

Minnesota's final 2012 303(d) list did not include water bodies impaired due to nonattainment of the State's sulfate water quality standard (Minnesota Rule 7050.0224) (sulfate WQS). Prior 303(d) lists did not include impairment listings due to non-attainment of the sulfate WQS. In addition to the concerns expressed from tribal partners, MPCA received comments from members of the public requesting that the State reconsider listing specific water bodies for nonattainment of the sulfate WQS. Some of these commenters cited sulfate values above the sulfate WQS from draft and final Environmental Impact Statements (EIS) for mining operations in northern-central Minnesota. Other commenters referenced water bodies which they believed to be impacted by sulfate but did not provide water quality data in support of their comments.

As a result of public comments and discussions EPA held with federally recognized tribes, EPA completed an independent review of water bodies cited within the public comments submitted to MPCA in February 2012. EPA reviewed ambient water quality data related to segments discussed in the draft and final EIS, effluent discharge data from discharge monitoring reports, and NPDES permits and other sulfate and wild rice-related documentation. MPCA assisted EPA throughout this evaluation process. Based on this review, EPA did not identify any waters for which available data indicate that waters specifically identified in Minnesota Rule 7050.0224 & 7050.0470 as wild rice production waters were not attaining the sulfate water quality standard.

In its response to the public comments and EPA inquiries, MPCA explained that it does not intend to assess water bodies potentially impaired by sulfate until it has developed a wild rice/sulfate impaired waters assessment approach and this approach has gone through the necessary public review process. MPCA explained that without an approved wild rice/sulfate impaired waters assessment approach, it was inappropriate to analyze ambient sulfate data to determine compliance with the sulfate WQS for the 2012 303(d) list. MPCA committed to the development of a wild rice/sulfate impaired waters assessment approach for the 2014 listing cycle within its response to public comments received for the 2012 303(d) list and in subsequent communications with EPA. MPCA also committed to utilizing this wild rice/sulfate impaired waters assessment approach to analyze and assess water quality data for potential impairment of the sulfate water quality standard for the 2014 listing cycle.

MPCA's general method for assessing a water body for potential non-attainment of a water quality standard involves the review and analysis of ambient water quality data and the comparison of that data to the appropriate water quality standard. During the review of ambient water quality data, MPCA verifies that the data meet minimum data requirements, including the criteria defining the time period of sample collection, and determines whether they indicate the attainment or non-attainment of the relevant water quality standard. ⁸⁰ If it is found that the water body does not meet the water quality standard, then the water is added to the State's 303(d) Impaired Waters list. MPCA has indicated that it cannot

^{80 2012} Methodology, pages 8-12.

undertake assessments utilizing its sulfate WQS until MPCA has developed a wild rice/sulfate impaired waters assessment approach. This assessment approach would outline the specific criteria which must be utilized in order to evaluate water bodies against the sulfate WQS.

In order for MPCA to develop its wild rice/sulfate impaired waters assessment approach, MPCA indicated that it must first clarify how it will define specific provisions within the sulfate WQS. In conversations with EPA, MPCA explained it must define the protocols it will use for determining which water bodies it considers as waters used for the production of wild rice. Additionally, MPCA must determine when the sulfate WQS applies to those waters, for the determination of the period when rice may be susceptible to damage from high sulfate levels. MPCA has committed to including the details of the wild rice/sulfate impaired waters assessment approach as part of its 2014 Integrated Report (IR) Methodology document.

MPCA is soliciting sulfate water quality data and wild rice information from tribal partners and other stakeholders in 2013, in advance of the assessment of waters for sulfate impairment for the 2014 303(d) list. MPCA has issued a *Call for Sulfate and Wild Rice Monitoring Data for the 2013 Assessment Cycle*⁸¹ specific to sulfate and wild rice data. MPCA is accepting sulfate and wild rice related data through May 1, 2013. MPCA explains that these data will be analyzed and assessed against the wild rice/sulfate impaired waters assessment approach in 2013 and the determinations of these assessments will be reflected in the 2014 impaired waters list. MPCA stated that where sulfate water quality data meet all of the criteria for assessment and data indicate that a water body is not attaining the sulfate WQS, the State will list the water body as a Category 5 water on the 2014 303(d) list.

In the same email message to stakeholders⁸² which announced the *Call for Sulfate and Wild Rice Monitoring Data For the 2013 Assessment Cycle* MPCA explained the procedures for sharing sulfate and wild rice data with MPCA by May 1, 2013. This email message clearly defined how interested parties could upload data to MPCA. Additionally, MPCA shared some of the progress which it had made in the development of the wild rice/sulfate impaired waters assessment approach. This information can be found on the MPCA's 'Minnesota's sulfate standard to protect wild rice' webpage. MPCA communicated that it is still working on finalizing the wild rice/sulfate impaired waters assessment approach and plans to formally solicit input from tribes and other interested parties on the assessment approach. The solicitation and consideration of outside input will be completed prior to the MPCA's assessment of sulfate and wild rice data collected via *Call for Sulfate and Wild Rice Monitoring Data For the 2013 Assessment Cycle*. The final wild rice/sulfate impaired waters assessment approach will be included as part of MPCA's 2014 Integrated Report Guidance Manual for Assessing the Quality of Minnesota Surface Waters. EPA expects that this document will be public-noticed, along with the draft impaired waters list, sometime in the late fall of 2013 (approximately November 2013 to January 2014).

EPA encourages states to evaluate water bodies according to the provisions described in their integrated report assessment methodology. EPA believes that it is reasonable for MPCA to delay in its assessment of water bodies against the sulfate WQS until the 2014 303(d) list. EPA agrees with MPCA's decision to not add the water bodies cited by the stakeholders and tribes for impairment of the sulfate WQS on the

⁸¹ State Register Vol. 37 No. 40 p. 1438, http://www.comm.media.state.mn.us/bookstore/stateregister/37_40.pdf

⁸² Email from Katrina Kessler (MPCA) on April 1, 2013

⁸³ Minnesota's Sulfate Standard to Protect Wild Rice http://www.pca.state.mn.us/index.php/water/water-permits-and-rules/water-rulemaking/minnesotas-sulfate-standard-to-protect-wild-rice.html

State's 2012 303(d) list. EPA expects MPCA to provide guidance on the following requirements in the development of the wild rice/sulfate impaired waters assessment approach:

- Criteria defining the minimum number of water quality sampling points necessary to make an assessment decision;
- Criteria defining the time period for collection of water quality sampling data to make an assessment decision (ex. sample collection must occur between X date and Y date);
- Criteria for whether ambient sulfate water quality data will be averaged, and if so, how; and
- A definition of 'seasonality' applicable to sulfate waters (i.e., when the water quality standard would be applicable to surface waters).
- A description of the approach MPCA will utilize for making determinations on whether a water body is classified as a 'wild rice production water';

EPA will continue to monitor the development of the wild rice/sulfate impaired waters assessment approach by MPCA and its use in assessing water bodies for the 2014 303(d) list.

Tribal Consultation

Under its tribal consultation process, EPA consults with federally-recognized tribal partners, on a government-to-government basis in instances when EPA decisions may impact tribal interests. EPA contacted federally-recognized tribal partners within the State of Minnesota to provide these partners the opportunity to consult with EPA on the final 2012 Minnesota 303(d) list of impaired waters. The Fond du Lac Band of Lake Superior Chippewa and Grand Portage Band of Ojibwe requested tribal consultation with EPA. EPA hosted a tribal consultation conference call on November 5, 2012, during which EPA and the tribes discussed tribal concerns related to Minnesota's final 303(d) list, the 2012 Assessment Methodology Guidance document, and other concerns expressed by the tribes. EPA considered the tribal input during its deliberations related to the approval of the final 2012 Minnesota 303(d) list. EPA provided the Fond du Lac Band of Lake Superior Chippewa and Grand Portage Band of Ojibwe a written response which explained how EPA considered their input in EPA's final decision on the list. This response was sent to the most senior tribal official involved in the consultation from the Fond du Lac Band of Lake Superior Chippewa and Grand Portage Band of Ojibwe.

Priority Ranking

EPA reviewed the State's priority ranking of listed waters for TMDL development, and concluded that the State properly took into account the severity of pollution and the beneficial uses to be made of such waters, as well as other relevant factors. MPCA's TMDL priority ranking is reflected in the scheduled target start and end dates for each impairment, as indicated on Minnesota's 2012 303(d) List. Schedules are developed by MPCA's watershed staff located in each regional office. MPCA management analyzes the schedules on a statewide basis and makes final decisions. The schedules are based upon the following ranking criteria:

• Sequencing with MPCA's intensive watershed schedule, which initiates monitoring in approximately eight major watersheds (HUC-8 size) each year. The watershed monitoring schedule was established by MPCA, and was designed to distribute workload as evenly as possible across all basins (1-2 watersheds per basin per year). In addition, watersheds selected for monitoring are based on a number of factors, including local organizational readiness to do the work, amount of data about the watershed, progression of work upstream to downstream, and whether a major TMDL plan was recently completed and there is a desire to delay monitoring

Page 32

until after implementation work has been well established to understand progress. The ultimate goal is to complete the first round of watershed monitoring statewide by 2018.

- TMDLs are scheduled to be completed within approximately four years after the initiation of TMDL specific water quality monitoring. TMDLs are also considered as a component of the Watershed Restoration and Protection Strategies (WRAPs).
- TMDL projects that are currently in progress (particularly those that are independent of a scheduled WRAP).
- TMDLs that are scheduled to be started outside of a WRAP due to their unique or complex nature (i.e. toxic impairments like mercury, PCBs and other legacy pollutants).
- Beneficial use, severity of the pollution, regulated dischargers, public interest in the resource, and relative cost and resource requirements of a TMDL are also taken into account in the TMDL scheduling process.⁸⁴

The State's priorities are reflected in the target start and completion dates provided on the 303(d) list. Minnesota has begun scheduling TMDL studies by a watershed approach, i.e., all rivers, streams and lakes in a watershed will be targeted for TMDL development at the same time. Minnesota has developed a schedule for monitoring all major watersheds using the watershed approach.

Criteria considered by the State in developing the watershed approach and associated schedules include, among other things, risk to human and aquatic health; readiness of partners and collaboration opportunities with partners to implement; basin management and basin planning efforts; and programmatic needs and resources. The target start and completion dates on the 303(d) list reflect these priorities. EPA reviewed the State's identification of WQLSs targeted for TMDL development in the next two years, and concludes that the targeted waters are appropriate for TMDL development in this time frame. Minnesota also submitted a long-term schedule for TMDL development for all waters on the 303(d) list. As a policy matter, EPA has requested that States provide such schedules, however, at this time EPA is not taking any action to approve or disapprove the State's long-term schedule pursuant to Section 303(d).

Tables

Table A-1: Approved 2012 303(d) List of Impaired Waters needing TMDLs

Table A-2: Waters being removed from 303(d) list

⁸⁴ See Administrative Record Document #9, "Electronic mail message, Subject: MPCA responses to Batch Questions #2 and #3", pages 1-2.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

APR 2 5 2014

REPLY TO THE ATTENTION OF: WW-16.J

Katrina Kessler, Section Manager Environmental Analysis and Outcomes Division Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, Minnesota 55155-4194

Dear Ms. Kessler:

The U.S. Environmental Protection Agency would like to thank the Minnesota Pollution Control Agency (MPCA) for its April 15, 2014 submittal of Minnesota's 2014 303(d)/305(b) package. EPA acknowledges MPCA's efforts toward finalizing the 2014 303(d) impaired waters list.

As discussed on MPCA's webpage (http://www.pca.state.mn.us/index.php/water/water-types-and-programs/minnesotas-impaired-waters-and-tmdls/impaired-waters-list.html), and as communicated to EPA, MPCA is committed to assessing waters with respect to its sulfate standard that protects water used for production of wild rice, and plans to provide the results of the wild rice sulfate standard assessments and any associated listings and public notice information to EPA in an addendum to the 2014 303(d) Impaired Water List. These efforts are ongoing.

EPA will initiate review of the documents provided. In light of the above, however, EPA considers the April 15, 2014 submittal to be a partial 303(d) submittal. EPA will complete its review of Minnesota's 303(d) list pursuant to 40 CFR 130.7(d)(2) upon submittal of the wild rice addendum.

If you or your staff have any questions, please contact Mr. Paul Proto, at 312-353-8657, or proto.paul@epa.gov.

Sincerely,

Peter Swenson

Chief, Watersheds and Wetlands Branch

Enclosure

cc: Katrina Kessler, MPCA

Miranda Nichols, MPCA Celine Lyman, MPCA

bcc:

Matthew Gluckman, EPA R5, WWB

Paul Proto, EPA R5, WWB

Sabrina Argentieri, EPA R5, ORC Barbara Wester, EPA R5, ORC

TABLE OF PETITION EXHIBITS

| | EXNIOIT | Page |
|-------------|---|-------|
| Exhibit 1 | EPA/MPCA Joint Briefing (Jan. 2013). | . 1 |
| Exhibit 2 | EPA/MPCA Metallic Mining Joint Priority Performance Partnership | |
| | Agreement (Apr. 2013) | . 7 |
| Exhibit 3 | MPCA Mining Permit Joint Priority Report, EPA Comments (FY2014) | |
| Exhibit 4 | WaterLegacy, Minnesota Metallic Mining Permit Status (June 2015) | . 17 |
| Exhibit 5 | WaterLegacy Comment on Mesabi Nugget Draft NPDES Permit and | |
| | Variance (Feb. 18, 2012) | |
| Exhibit 6 | WaterLegacy Triennial Review Comment (Jan. 28, 2014) | |
| Exhibit 7 | Mesabi Nugget NPDES Permit - Approved (Oct. 23, 2012) | |
| Exhibit 8 | MPCA Minntac NPDES Permit "Fact Sheet." (Dec. 2014) | |
| Exhibit 9 | Minntac Pre-publication Draft NPDES Permit (Dec. 2014) | |
| Exhibit 10 | WaterLegacy Letters on Dunka Mine Variance (2009 and 2011) | |
| Exhibit 11 | EPA Disapproval of Mesabi Nugget Variance (July 2, 2014) | . 202 |
| Exhibit 12, | J. Hanlon, Director EPA Office of Wastewater Management, Compliance | |
| | Schedules for Water-Quality Based Effluent Limitations in NPDES Permits | |
| | (May 10, 2007) | . 204 |
| Exhibit 13 | WaterLegacy Comments Opposing MPCA Section 401 Certification of | |
| | Minntac Expansion (Jan. 2, 2014) | . 207 |
| | Attached: MPCA Letter to David Johnson, USX (Feb. 16, 2000) | |
| | Attached: EPA Letter to Tamera Cameron, USACE (Oct. 22, 2012) | |
| | Attached: MDNR, EAW for Minntac Mine Extension (Aug. 1, 2012) | |
| | Attached: U.S. Steel Responses to USACE (July 9, 2013) | |
| | Attached: MPCA, Minntac Tailings Basin Compliance Report (2010) | 302 |
| Exhibit 14 | Notice of Intent to Sue for Cliffs Violations, Complaint and Consent | |
| | Decree (Jan. 25 – Mar. 25, 2010) | 304 |
| Exhibit 15 | K. Pierard, EPA Region 5 NPDES Programs Branch Chief, Comment | |
| | on Minntac Pre-publication Draft Permit (Dec. 19, 2014) | 392 |
| Exhibit 16 | T. Hyde, EPA Region 5, Water Division Director, Sulfate Standard Letter | |
| | to Sen. Bakk and Rep. Dill (May 13, 2011). | |
| Exhibit 17 | 2011 Minn. Laws 1st Spec. Sess. ch. 2, art. 4, § 32 | |
| Exhibit 18 | 2015 Minn. Laws 1 st Spec. Sess. ch. 4, art 4, § 136 | |
| Exhibit 19 | MPCA Wild Rice Impaired Waters Documents (Aug. – Nov. 2013) | 399 |
| Exhibit 20 | Wild Rice Sulfate Standard – Summary of Findings and Preliminary | |
| | Recommendations Legislative Briefing Document (Feb. 2014) | |
| Exhibit 21 | Governor Staff and MPCA Wild Rice Standard Emails (Feb. 26, 2014) | 420 |
| Exhibit 22 | Transcript of MPR Interview with Gov. Dayton Mar. 29, 2015 and | |
| | Affidavit of Transcription | 428 |
| Exhibit 23 | 2015 Minn. Laws 1 st Spec. Sess. ch. 4, art 4, § 119 | 431 |
| Exhibit 24 | 2015 Minn. Laws 1 st Spec. Sess. ch. 4, art 4, §§ 114-117, 149-150 | . 433 |
| Exhibit 25 | 2015 Minn. Sess. Laws ch. 77, art. 2, § 3 | |
| Exhibit 26 | Minnesota Media Commentary (June 2015) | 436 |

STATE OF MINNESOTA 1st SPECIAL SESSION 2015 Chapter 4 -- S.F. No. 5

Third Reading Repassed Presentment date 06/13/15 Governor's action Approval 06/13/15

EFFECTIVE DATE.

This section is effective the day following final enactment.

to the following, unless the permittee requests additional conditions:

Article 4 Sec. 136. _WILD RICE WATER QUALITY STANDARDS.

- _(1) when issuing, modifying, or renewing national pollutant discharge elimination system (NPDES) or state disposal system (SDS) permits, the agency shall endeavor to protect wild rice, and in doing so shall be limited by the following conditions:
- _(i) the agency shall not require permittees to expend money for design or implementation of sulfate treatment technologies or other forms of sulfate mitigation; and
 - _(ii) the agency may require sulfate minimization plans in permits; and
- _(2) the agency shall not list waters containing natural beds of wild rice as impaired for sulfate under section 303(d) of the federal Clean Water Act, United States Code, title 33, section 1313, until the rulemaking described in this paragraph takes effect.
- _(b) Upon the rule described in paragraph (a) taking effect, the agency may reopen permits issued or reissued after the effective date of this section as needed to include numeric permit limits based on the wild rice water quality standard.
- _(c) The commissioner shall complete the rulemaking described in paragraph (a) by January 15, 2018.

| | 1 | | | PRELIM | | WILD RICE | | |
|--------------|---|--------------------------------------|---------|-------------|---|-----------|---|--|
| | | | MEDIAN | WATER | | PRODUCTIO | | |
| | | | SULFATE | QUALITY | | N WATER | | |
| AUID | NAME | DESCRIPTION | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTION WATER COMMENTS | WILD RICE DATA SOURCE |
| | | | | | | | Determination of a split will be made dependent upon | |
| | | | | | | | finding wild rice between lakes along upstream portion of | |
| | | | | | | | reach. No indication of wild rice along suggested new | |
| | | | | | | | downstream AUID (outlet of Esquagama to St. Louis River) that would result from splitting. 1854 data indicate rice | |
| | | | | | | | presence along northern portion of reach. Need to contact | |
| | | | | | | | Darren Vogt for additional WR information on northern | |
| | | | | | Recommend split below Esquagama Lake. Stations on lower | | portion of reach. From mining information, northern portion includes sparse stands indicated with low density locations. | |
| | | Embarrass Lk to St | | | and upper portions of AUID separated by multiple lakes. | | Based solely on this, determined not to be wild rice | |
| 04010201-577 | Embarrass River | Louis R | 27 | Impaired | Median calculated based on station S005-751. | IF | production water. | Mining company surveys, 1854 Treaty Authority |
| | | | | | High variability in sample measurements within close proximity, geographic and temporal. Flows through Colby | | | |
| | | Headwaters to St | | | Lake (69-0249-00), which has wild rice and 2 high sulfate | | | Mining company surveys, 1854 Treaty Authority, |
| 04010201-552 | Partridge River | Louis R | 48 | Impaired | measurements. | | | UMN study |
| | | Headwaters | | | | | | |
| | | (Sandy Lk 69-0730- | | | | | | Mining company surveys, 1854 Treaty Authority, |
| 09030002-501 | Sandy River | 00) to Pike R | 85 | Impaired | One discrepant data point. | | | UMN study |
| | | | | | AUID, but are associated in database with St Louis Estuary | | | |
| | | | | | (69-1292-00), which is broader than river AUID. | | | Data linked to Estuary polygon: Perleberg list, |
| | | Oliver Bridge to | | | (Measurements collected further downstream at Blatnik Bridge (downstream from WLSSD discharge) have lower | | | MCBS, DNR call for data submittal, Ann Geissen shapefile, 1854 Treaty Authority, mining |
| 04010201-533 | St Louis River | Pokegama River | 39 | Impaired | concentrations.) | | | company surveys |
| | | | | | | | | Data linked to Estuary polygon: Perleberg list, |
| | | | | | Only 2 data points on AUID, but concentrations immediately | | | MCBS, DNR call for data submittal, Ann Geissen shapefile, 1854 Treaty Authority, mining |
| | | Mission Creek to | | | upstream (S000-021) and downstream (S007-512, S007-515) | | | company surveys. DNR 2008 study point |
| 04010201-532 | St Louis River | Oliver Bridge Headwaters to | 15 | Impaired | (12 out of 15 measurements above 10) indicate impairment. | | | alongside AUID |
| | | Lake of the | | | Data is from 4 months of 1 year, but consistently shows high | | | |
| 09030009-537 | Bostick Creek | Woods | 33 | Impaired | sulfate concentrations. DNR 2008 study point indicates rice somewhere on County | | | DNR 2008 study point shapefile |
| | | Headwaters to | | | Ditch 12 (Rice Creek), which is more extensive than the AUID | | | |
| | | T113 R36W S8, | | | with sulfate data. AUID is impaired if wild rice is present in | | | |
| 07020004-551 | County Ditch 12 | north line | 113 | Impaired | close proximity to sampling station. DNR 2008 study point indicates rice somewhere on Rice | | | DNR 2008 study point shapefile |
| | | | | | Creek, which is more extensive than the AUID with sulfate | | | |
| | | | | | data. AUID is impaired if wild rice is present in close | | | |
| 07010203-512 | Rice Creek | Rice Lk to Elk R | 18 | Impaired | proximity to sampling station. DNR 2008 study point indicates rice somewhere on Long | | | DNR 2008 study point shapefile |
| | | | | | Prairie River, which is more extensive than the AUID with | | | |
| 07010108-501 | | Fish Trap Creek to Crow Wing R | 4.5 | | sulfate data. AUID is impaired if wild rice is present in close proximity to sampling station. | | | 2006 Harvester's report, DNR 2008 study point shapefile |
| 07010108-501 | Long Prairie River | Headwaters to | 13 | Impaired | Consistently high sulfate concentrations at all 4 stations | | | snaperile |
| 07020011-531 | Rice Creek | Maple R | 28 | Impaired | along entire AUID. | | | DNR 2008 study point shapefile |
| | | | | | DNR 2008 study point indicates rice somewhere on | | | |
| | | | | | Chippewa River, which is more extensive than the AUIDs with | | DNR 2008 report indicates wild rice somewhere along the | |
| | | | | | sulfate data. Wherever sampled, the Chippewa River has high | | Chippewa River. Only documentation of wild rice was on a | |
| 07070005 501 | Chianaua Biuas | Watson Sag to | 120 | Immaired. | sulfate concentrations. Listing individual AUIDs is dependent | | tributary (Danvers Ditch). There is insufficient information | DND 2008 strukt point shougile |
| 07020003-301 | Chippewa River | Minnesota R | 139 | impaireu | upon location of wild rice. | No | about rice in the ditch. DNR 2008 report indicates wild rice somewhere along the | DNR 2008 study point shapefile |
| | | | | | | | Chippewa River. Only documentation of wild rice was on a | |
| 07030005 505 | Chianauna Birras | Unnamed cr to E | 00 | | See about comment consider Chineseus Diver | No | tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DND 2008 strukt point shougile |
| 07020003-305 | Chippewa River | Br Chippewa R | 68 | ibailed | See above comment regarding Chippewa River. | | DNR 2008 report indicates wild rice somewhere along the | DNR 2008 study point shapefile |
| | | | | | | | Chippewa River. Only documentation of wild rice was on a | |
| 07020005-506 | Chippewa River | E Br Chippewa R to Shakopee Cr | 70 | Impaired | See above comment regarding Chippewa River. | No | tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| 07020003 300 | стирреничине | to snakopec er | ,,, | iiiipuii cu | See above comment regarding emppewarmer. | 110 | DNR 2008 report indicates wild rice somewhere along the | DATE 2000 Study point shapeine |
| | | | | | | 1 | Chippewa River. Only documentation of wild rice was on a | |
| 07020005-508 | Chippewa River | Cottonwood Cr to Dry Weather Cr | an | Impaired | See above comment regarding Chippewa River. | No | tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| | | , | | , | | - | DNR 2008 report indicates wild rice somewhere along the | |
| | | C | | | | | Chippewa River. Only documentation of wild rice was on a | |
| 07020005-503 | Chippewa River | Stowe Lk to Little Chippewa R | 39 | Impaired | See above comment regarding Chippewa River. | No | tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | and have |
| | | | | | DNR 2008 study point indicates rice somewhere on Cannon | 1 | | |
| | | | | | River, which is more extensive than the AUIDs with sulfate data. Wherever sampled, the Cannon River has high sulfate | | | |
| | | | | | concentrations. Listing individual AUIDs is dependent upon | | | |
| 07040002-502 | Cannon River | Pine Cr to Belle Cr Headwaters to | 33 | Impaired | location of wild rice. | | | DNR 2008 study point shapefile |
| 07040002-542 | Cannon River | Cannon Lk | 17 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| | | Byllesby Dam to | | | | | | |
| 07040002-539 | Cannon River | Little Cannon R Belle Cr to split | 27 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| 07040002-501 | Cannon River | near mouth | 31 | Impaired | See above comment regarding Cannon River. | | | DNR 2008 study point shapefile |
| | | | | | | • | | |

Footnotes:

- otes:

 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff
 2. Nothing in this spreadsheet represents a final agency decision
 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
 5. Notations in the column "VILIO INGE PRODUCTION WATER DECISION" of non trepresent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data documenting some history of wild rice

| MAIL SURVEY DUALTY DUALTY AUGUSTATION TO CONTROL TO CON | | | IDDELIA 4 | | WILD RICE | | | |
|--|--------------------------|----------|-----------|--|-----------|--|----------|--|
| SULFATE AUXILOUS AUXILOUS CASTISS WHITE QUALITY CASTISS WHITE QUALITY AUXILOUS CASTISS WHITE QUALITY CASTISS W | | MAEDIANI | | | | | WILD | |
| ANTE QUARTY ACCESSATION ASSESSATION AND RECEIVED CONTINUENT DOMASTICS CONTINUENT CONTINU | | | | | | | | |
| Multiple sites with data collected same date, but observable the concentration content and cases of the content | NAME | | | WATER-QUALITY ASSESSMENT COMMENTS | | WILD RICE PRODUCTOIN WATER COMMENTS | | WILD RICE DATA SOURCE |
| concentration consistent across sites, median still sound by purious contentration consistent across sites, median still sound by purious contentration consistent across sites, median still sound by the state with data collected same date, but concentrations consistent across sites, median still sound by the state with data collected same date, but concentrations consistent across sites, median still sound by the state with data collected same date, but concentrations consistent across sites, median still sound by the state with data collected same date, but concentrations consistent across sites, median still sound by the state with data collected same date, but concentrations on the state, but concentrations on the state, but concentrations on the state, but concentrations on the state is produced should be studied should still sound by the state with state of the state of t | | | | | | | | |
| significantly above 1.0. Positizate register with 5-2 colorization of the second state of the content of the second state of the content of the second state of the content of the second state of the content of the second state of the content of the second state of the content of the second state of the content of the second state of the content of the second state | | | | Multiple sites with data collected same date, but | | rice throughout perimeter of lake. DNR lake survey jul 12, | | |
| special toland (i) portrool 2 majarred Authighe lates with data collected came date, but converted to considerate came date, but converted to considerate came date, but converted to considerate came date, but converted to considerate came date, but converted to considerate came date, but converted to considerate came of the but but of converted to considerate Author of the converted to considerate came and the but of the converted to considerate came and the but of the converted to considerate came and the converted to considerate came and the converted to considerate came and the converted to | | | | | | | | |
| Multiple sites with data collected same date, but concentrations consider at every sites, median still performed by all programs of the content of the conte | | | | | | | | |
| Authighe is test with data collected same data, but concentrations consider a cross site, median still be concentration on the concentration of the concentr | Cedar Island (N portion) | 21 | Impaired | Fourth, and Esquagama, all connected via Embarrass R. | Yes | sites. | | Mining Companies, 1854 Treaty Authority |
| Authighe is test with data collected same data, but concentrations consider a cross site, median still be concentration on the concentration of the concentr | | | | | | Mining company survey shows moderate density of rice | | |
| concentrations consistent across sites, median mill of general properties of general part of the properties of general part of | | | | Multiple sites with data collected same date, but | | | | |
| Only 1 measurement on like litself, but concentrations on (connection) squagegame (26 6566 00 200) and Caster listels 5 more in live listels of protein (64-0566-056) squagegame (26 6566 00 200) and Caster listels 5 more in live listels (25 00 200) and Caster listels 5 more in live listels (25 00 200) and Caster listels 5 more in live listels (25 00 200) and Caster listels 5 more in live listels (25 00 200) and Caster listels 5 more in live listels (25 00 200) and Caster listels 5 more in live listels (25 00 200) and Caster listels 5 more in live listels (25 00 200) and downstream (| | | | | | | | |
| Only a measurement on lake Isted, flux concentrations on country 70 Impaired Only a measurement on lake Isted, flux concentrations on concentrations on comments and profession 2013 and occurred profession 2013 and occurred not to be under production water. Only a measurement on lake Isted, flux concentrations on comments of 19 Impaired Only a measurement on lake Isted, flux concentrations on concentration on connected in such that the Isted Section 2013 and downstream is used on this, determined not to be unifor its production water. Only a measurement in lake Isted Section 2013 and downstream is used on this, determined not to be unifor its production water. Only a measurement in lake Isted Section 2013 and downstream is used on this, determined not to be unifor its production water. South Isted on this, determined not to be unifor its production water. Isted on this, determined not to be unifor its production water. Isted on this, determined not to be unifor its production water. Isted on this, determined not to be unifor its production water. Isted on this, determined not to be unifor its production water. Isted on this, determined not to be unifor its production water. Isted on this, determined not to be unifor its production water. Isted the water of the interest on the set of the its put and the uniformined to the extent of the interest on the set of the its put and the uniformity of the interest on the interest of the interest on the interest of the interest on the interest of the interest on the interest of the interest on the interest of the interest on the interes | Cedar Island (S portion) | 20 | Impaired | significantly above 10. | Yes | | | Mining Companies, 1854 Treaty Authority |
| unth 20 Impaired with receipt Susuagama (60 656 00 203) and Cedar Island S (| | | | | | Need to contact Darren Vogt for additional WR information. | | |
| with five production water. Somewhat Compared Co | | | | | | | | |
| Only 3 measurements on lake Itself, but concentrations on [connected Fourth Lake (69 4073-00 201) and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstream [connected Fourth Lake (69 4073-00 201)] and downstrea | | | | | | | | |
| Doubly a measurements on lake fixed, but connectated prout hat (e)64573-03-201) and downstream (purgama 2e) Impaired (S05751) are also high. 2e Impaired (S05751) are also high. 3e Impaired (S057 | Fourth | 20 | Impaired | Portion (69-0568-02-204,69-0568-02-207) are also high. | IF | | | Geissen shapefile, 2008 Study shapefile |
| concerted) Fourth Lake (66,073-02-021) and downstream (F) vote. Significant acreage of rice in Big Bay. Assumed to be at least. Significant acreage of rice in Big Bay. Assumed to be at least. No acres in Big Bay has been on stimuted size of Rice Bay at 180 acres, and total wide rice area of 250 acres, in Big Bay to State (Ease by a table) acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, in Big Bay to State (Ease by a table) acres, and total wide rice area of 250 acres, the Bay at 180 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, the Bay at 180 acres, and total wide rice area of 250 acres, the Bay at 180 acres, and total wide rice area of 250 acres, the Bay at 180 acres, and total wide rice area of 250 acres, the Bay at 180 acres, and total wide rice area of 250 acres, the Bay at 180 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total wide rice area of 250 acres, and total have been acrea of 250 acres, and total wide rice area of 250 acr | | | | Only 2 | | | | |
| Adultiple sites with data collected same date, but concentrations consistent across left, median still spinficantly above 10. Total Inpaired significantly above 10. | | | | * | | | | |
| Sprificant arrange of rice in Big Bay, Assumed to be at least 70 acres in Big by yas commanded size of Rice Rep 13 to 3 concentrations consistent across sites, median still vest between the concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest sites with data collected same date, but concentrations consistent across sites, median still vest significantly above 10. **The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 201 links denoticed of vest from 1972/1995s, 2012/2006 noted as villable of the vest significantly showe 10. **The outlet bay upstream of the dam is a wild rice production of the dam is a wild rice production water. Significantly significantly showe 10. **The outlet bay upstream of the dam is a wild rice production water. Significantly showe 10. **The outlet bay upstream of the dam is a wild rice production water. Significantly showe 10. **The outlet bay upstream of the dam is a wild rice production water. Significantly showe 10. **The outlet bay upstream of the dam is a wild rice production water. Significantly showe 10. **The outlet bay upstream of the dam is a | Esquagama | 26 | Impaired | | IF | | | Mining Companies 1854 Treaty Authority |
| Multiple sites with data collected same date, but concentrations consistent across sites, median still set verification of station 31 dimpaired significantly above 10. The set of the set | 150 | 20 | puncu | (1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1- | | | | 2 parites, 103 i reacy radionty |
| Multiple sites with data collected same date, but concentrations consistent across sites, median still response to the major of gignificantly above 10. 14 (Impaired gignificantly above 10. 15 (Impaired gignificantly above 10. 16 (Impaired gignificantly above 10. 17 (Impaired gignificantly above 10. 18 (Impaired gignificantly abov | | | | | | | | |
| occentrations consistent across stees, median still occleated from with rice, but no sulflate data have been 250 2008 Study shapefile, round from the steep stage of the stage | 1 | | | Multiple sites with data collected same date, but | 1 | | 1 | |
| ware. Insufficient information to determine that this is a production water. Impaired, subject to verification of location of station 31- 0067-01-204. If judged strictly on station 01-205, sulfate not significantly above 10. Impaired, subject to verification of location of station 31- 0067-01-204. If judged strictly on station 01-205, sulfate not significantly above 10. We shall meal and dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. We shall meal and shall be shall b | | | | concentrations consistent across sites, median still | | indicated for wild rice, but no sulfate data have been | | 1854 Treaty Authority, Ann Geissen shapefile, |
| war (W bay) Table High majared As Impaired Table High majared | East Vermilion | 14 | Impaired | significantly above 10. | Yes | | 250 | 2008 Study shapefile |
| izabeth (main basin) 30 Impaired Impaired, subject to verification of location of station 31- 0067-01-204. If judged strictly on station 01-205, sulfate not significantly above 10. Welan dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly and (main basin) by Impaired 45 Impaired 45 Impaired 45 Impaired 45 Impaired 45 Impaired 46 Impaired 47 Impaired 48 Impaired 49 Impaired 49 Impaired 40 Impaired 40 Impaired 40 Impaired 45 Impaired 45 Impaired 46 Impaired 46 Impaired 47 Impaired 48 Impaired 49 Impaired 49 Impaired 40 Im | | | | | | | | |
| water. ONR lake survey reports dates 6/2006, 5/1997 no wild not received. Impaired, subject to verification of location of station 31-0067-01-204. If judged strictly on station 01-205, sulfate not significantly above 10. Well may be survey from 2011 and dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. Weston 1 | Trout | 42 | Impaired | | No | | | DNR call for data submittal, U of MN study sites |
| mapared, subject to verification of location of station 31- mapared, subject to verification of location of location of location of station shapefile, subject sub | | | | | | | | |
| Impaired, subject to verification of location of station 31- to 067-01-204. If judged strictly on station 01-205, sulfate not significantly above 10. Wedian dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. War (main basin) War (main | Elizabeth (main basin) | 20 | Impaired | | No | | | DND call for data submittal |
| sapefile, Perfeberg list, 2008 Study shapefile. significantly above 10. wan (W bay) tod TBD significantly above 10. Median dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly bove 10. wan (main basin) tod impaired seton 45 Impaired Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Ves Wes Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass is considered a wild rice production water. Wes 2011 have a label of the dam is a wild rice production water, based on mining company survey from 3/29/1995, 2/21/2006 noted no wild rice. Wes 2011 have showed and 5. Ves 2011 have showed and 5. Wo not retain the dam is a wild rice production water, based on mining company survey from 3/29/1995, 2/21/2006 noted no wild rice. Wo will please sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Yes The outlet bay upstream of the dam is a wild rice production water. Showed and 5. Ves 2011 have showed and 5. Ves Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2099 and 2010. However, Lower Embarrass is derived observation of low density. Only Upper Instrumentations consistent across sites, median still significantly above 10. Yes Habarrass is considered a wild rice production water. Perfeberg list, UMN Study Perfeberg list, UMN Study Will be to Main Basin polygon (-02). 1854 Treaty Authority, mining company data, Perfeberg list, UMN Study Perfeberg list, UMN Study Will be to Main Basin polygon (-02). 1854 Treaty Authority, mining company data, Perfeberg list, UMN Study Perfeberg list, UMN Study Will be to Main Basin polygon (-02). 1854 Treaty Authority, mining company data, Perfeberg list, UMN Study Perfeberg list, UMN | Elizabeth (main basin) | 30 | impaired | | NO | rice noted. | | DNR call for data submittal |
| sapefile, Perfeberg list, 2008 Study shapefile. significantly above 10. wan (W bay) tod TBD significantly above 10. Median dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly bove 10. wan (main basin) tod impaired seton 45 Impaired Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Ves Wes Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass is considered a wild rice production water. Wes 2011 have a label of the dam is a wild rice production water, based on mining company survey from 3/29/1995, 2/21/2006 noted no wild rice. Wes 2011 have showed and 5. Ves 2011 have showed and 5. Wo not retain the dam is a wild rice production water, based on mining company survey from 3/29/1995, 2/21/2006 noted no wild rice. Wo will please sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Yes The outlet bay upstream of the dam is a wild rice production water. Showed and 5. Ves 2011 have showed and 5. Ves Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2099 and 2010. However, Lower Embarrass is derived observation of low density. Only Upper Instrumentations consistent across sites, median still significantly above 10. Yes Habarrass is considered a wild rice production water. Perfeberg list, UMN Study Perfeberg list, UMN Study Will be to Main Basin polygon (-02). 1854 Treaty Authority, mining company data, Perfeberg list, UMN Study Perfeberg list, UMN Study Will be to Main Basin polygon (-02). 1854 Treaty Authority, mining company data, Perfeberg list, UMN Study Perfeberg list, UMN Study Will be to Main Basin polygon (-02). 1854 Treaty Authority, mining company data, Perfeberg list, UMN Study Perfeberg list, UMN | | | | Impaired, subject to verification of location of station 31- | | Staff recommendation for the ESSAR water permit is that this | | 2006 Harvest Survey (00 polygon). Ann Geissen |
| Median dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. *The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 201 insufficient information to determine that this is a production water. Lake Survey exports from 3/29/1995, 2/21/2006 noted no wild rice. *The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 201 insufficient information to determine that this is a production water. Lake Survey exports from 3/29/1995, 2/21/2006 noted no wild rice. *The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 201 insufficient information to determine that this is a production water. Lake Survey exports from 3/29/1995, 2/21/2006 noted no wild rice. *The outlet bay upstream of the dam is a wild rice production water. So (00) tied to Main Basin polygon (-02). **Uning ties the submitted of the production water and the production water. So (00) ties of water and the prod | | | | | | · | | |
| Median dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. **The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 2011 has densities of 4 and 5. **Impaired** **The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 2011 list do underlying lake (-00). Unly study data 3 50 (00) lited to Main Basin polygon (-02). **Impaired** **Impaired** **Multiple sites with data collected same date, but concentrations consistent across sites, median still yes applied to the concentrations consistent across sites, median still spending and the production water. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. **Duper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2001. However, Lower Embarrass had few observations of low density. **Only Upper Embarrass is considered a wild rice production water.** **Perieberg list, UMN Study is the system of the dam is a wild rice. **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a production water.** **Impaired** **Impaired** **Multiple sites with data collected same date, but concentrations consistent across sites, median still yes embarrass is considered a wild rice production water.** **Perieberg list, UMN Study Study shapefile.** **Impaired** **Multiple sites with data collected same date, but concentration, under the perimeter in mining surveys from 2009 and 2001. However, Lower Embarrass shows numerous low to moderate density form 2000 and 2001. However, Lower Embarrass should be without the perimeter in mining surveys from 2009 and 2001. However, Lower Embarrass should be wight of the perimeter in mining surveys from 2009 and 2001. However | Swan (W bay) | tbd | TBD | significantly above 10. | Yes | recommendation date. | 50 (00) | Rice data tied to underlying lake (-00) |
| Median dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. **The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 2011 has densities of 4 and 5. **Impaired** **The outlet bay upstream of the dam is a wild rice production water, based on mining company survey from 2011 list do underlying lake (-00). Unly study data 3 50 (00) lited to Main Basin polygon (-02). **Impaired** **Impaired** **Multiple sites with data collected same date, but concentrations consistent across sites, median still yes applied to the concentrations consistent across sites, median still spending and the production water. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. **Duper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2001. However, Lower Embarrass had few observations of low density. **Only Upper Embarrass is considered a wild rice production water.** **Perieberg list, UMN Study is the system of the dam is a wild rice. **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a wild rice.** **Upstream of the dam is a production water.** **Impaired** **Impaired** **Multiple sites with data collected same date, but concentrations consistent across sites, median still yes embarrass is considered a wild rice production water.** **Perieberg list, UMN Study Study shapefile.** **Impaired** **Multiple sites with data collected same date, but concentration, under the perimeter in mining surveys from 2009 and 2001. However, Lower Embarrass shows numerous low to moderate density form 2000 and 2001. However, Lower Embarrass should be without the perimeter in mining surveys from 2009 and 2001. However, Lower Embarrass should be wight of the perimeter in mining surveys from 2009 and 2001. However | | | | | | | | |
| included in main basin. Regardless, median is significantly above 10. The production water, based on mining company survey from 2011 has densities of 4 and 5. The production water, based on mining company survey from 2011 has densities of 4 and 5. The production water, lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water, lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water, lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water is a production water. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water is a production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water water lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. The production water lake Survey shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass shows numerous low to moderate density observations around entire perimeter in mining s | | | | | | | | |
| wan (main basin) tod Impaired above 10. Yes 2011 has densities of 4 and 5. Insufficient information to determine that this is a production water. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass had few observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. "Only Upper Berlberg list, UMN Study Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Was guifficantly above 10. Waltiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Waltiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites; station 203 has single observation, still above 10. Multiple sites with data collected same date, but one information on the lake for several recent years. U of Miltiple sites; station 203 has name and mark Gernes for details on location of harvestable rice. Contact Ed S | | | | | | | | |
| Insufficient information to determine that this is a production water. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observations of low density." Only Upper Embarrass had few observations of low density. "Only Upper Embarrass had few observation from 2012 exists of high density wild rice. Mark Gernes hapefile and only UMN study (tied to main basin -01). MCBS, Perfeberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) The comparison of the low of low observation from MCBS survey 8/6/2002. Contact Mark waterbody (-00) Embarrass had even a visual frice. Mark dems hapefile and on the low of low observation from MCBS survey 8/6/2002. Contact Mark waterbody (-00) The comparison of the low of | | | | | | | | |
| water. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. *Only Upper Periberg list, UMN Study from 1997 indicated small area of rice. Multiple sites with data collected same date, but concentrations consistent across sites, median still mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. *Only Upper Periberg list, UMN Study from 4 periberg list, UMN Study from 4 periberg list, UMN Study from 4 periberg list, UMN Study from 4 periberg list, UMN Study from 5 has harvested rice on the lake for several recent years. U of MN Study showed 3 pct coverage at study site. Contact Ed Swalin and Mark Germes for details on location of harvestable rice. Contact Donna Periberg for more information on shapefile on underlying waterbody (-00) One questionable sample with very low concentration, turned out to be pore water, sample was excluded and well and the service of the lake for several recent years. U of MN study showed 3 pct coverage at study site. Ontact Ed Swalin and Mark Germes for details on location of harvestable rice. Contact Donna Periberg for more information on location of harvestable rice. Contact Donna Periberg for more information on will rice. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Photo from 2012 exists of high density wild rice. Mark Germes turned out to be pore water, sample was excluded and median recalculated. Prove Mixtudy showed 38.75 pct coverage at study site. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Feriberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) Contact Donna Periberg for more information on Mill Pond observation from M | Swan (main basin) | tbd | Impaired | above 10. | Yes | | 50 (00) | tied to Main Basin polygon (-02). |
| reston 45 Impaired | | | | | | | | |
| Upper portion of Embarrass shows numerous low to moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. *Only Upper Embarrass had few observations of low density. *Only Upper Embarrass is considered a wild rice production water. Perleberg list, UMN Study Wiltiple sites; station 203 has single observations. No 2011 and 2012 UMN study found no wild rice. Mark Gernes has harvested rice on the lake for several recent years. U of MN study showed 38.75 pct coverage at study site. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and wow live wild rice water on the lake for several recent years. U of MN study showed 38.75 pct coverage at study site. On turned out to be pore water, sample was excluded and wow live wild rice water on the lake for several recent years. U of MN study showed 38.75 pct coverage at study site. On turned out to be pore water, sample was excluded and wow live wild rice water and out to be pore water, sample was excluded and wow live wild rice water and out to be pore water, sample was excluded and wow live wild rice water and out to be pore water, sample was excluded and wow live wild rice water several recent years. U of which was a supplementation of water water was excluded and wow live water was a supplementation. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and water body water body (-00) For water Mill Pond ast) One questionable sample with very low concentration, and was precised in the lake for several recent years. U of water body water body (-00) MCBS perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark waterbody (-00) MCBS survey 8/6/2002. Contact Mark waterbody (-00) MCBS survey 8/6/2002. Contact Mark waterbody (-00) MCB | Preston | 45 | Impaired | | No | | | DNR call for data submittal |
| Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Multiple sites; station 203 has single observation, still above 10, were concentrations of consistent across sites, median still significantly above 10. Multiple sites; station 203 has single observation, still above 10, but well below other observations. Multiple sites; station 203 has single observation, still above 10, but well below other observations. Multiple sites with data collected same date, but concentration, single observation, still above 20, but well below other observation, still above 10, but well below other observations. Multiple sites with data collected same date, but mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. "Only Upper Embarrass is considered a wild rice production water. Perleberg list, UMN Study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study MN study showed 3 pt. coverage at study site. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on including including the period of t | reston | | pairea | | | ino wild rice. | | Distriction for data sabilitation |
| Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Yes Embarrass had few observations of low density. *Only Uper Embarrass is considered a wild rice production water. Multiple sites; station 203 has single observation, still above Multiple sites; station 203 has single observation, still above 10, but well below other observations. No 2011 and 2012 UMN study found no wild rice. Perleberg list, UMN Study Perleberg list, UMN Study Perleberg list, UMN study UMN study (tied to main basin-01). MCBS, with a shapefile on underlying waterbody (-00) Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) | | | | | | Upper portion of Embarrass shows numerous low to | | |
| concentrations consistent across sites, median still pharrass had few observations of low density. *Only Upper significantly above 10. Multiple sites; station 203 has single observation, still above 10, but well below other observations. Multiple sites; station 203 has single observation, still above 10, but well below other observations. No 2011 and 2012 UMN study found no wild rice. Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study UMN study (tied to main basin-01). MCBS, rice. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on inclusion in her list. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Perleberg list, UMN study UMN study (tied to main basin-01). MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) WMS study showed 3 pct coverage at study site. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark WCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, all on underlying waterbody (-00) | | | | | | | | |
| mbarrass 21 Impaired significantly above 10. Yes Embarrass is considered a wild rice production water. Multiple sites; station 203 has single observation, still above 10, but well below other observations. No 2011 and 2012 LUMN study found no wild rice. Perleberg list, LUMN Study Perleberg list, LUMN Study Perleberg list, LUMN Study Perleberg list, LUMN Study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study Perleberg list, LUMN study UMN study (tied to main basin -01). MCBS, Perleberg list, ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) Tow River Mill Pond ast) Perleberg list, LUMN study Contact Donna Perleberg for more information on the lake for several recent years. U of MN study showed 3 pt. Coverage at study site. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. One succession of harvestable rice. Contact Donna Perleberg for more information on the lake for several recent years. U of MN study showed 38.75 pct coverage at study site. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. One study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, on onderlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, on onderlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, all on underlying waterbody (-00) | | | | | | | | |
| Multiple sites; station 203 has single observation, still above 10, but well below other observations. No 2011 and 2012 UMN study found no wild rice. Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study Perleberg list, UMN study UMN study (tied to main basin -01). MCBS, wain and Mark Gernes for details on location of harvestable rice. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on inclusion in her list. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 3 pct coverage at study site. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on inclusion in her list. UMN study (tied to polygon -02). MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) WMN study showed 38.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark 2008 study shapefile, all on underlying waterbody (-00) | | | | | | | | |
| Impaired 10, but well below other observations. No 2011 and 2012 UMN study found no wild rice. Perleberg list, UMN study Photo from 2012 exists of high density wild rice. Mark Gernes has harvested rice on the lake for several recent years. U of MN study showed 3 pct coverage at study site. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on inclusion in her list. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. Ontact Donna Perleberg for more information on line Pond observation from MCBS survey 8/6/2002. Contact Mark waterbody (-00) MCBS, Perleberg list, UMN study UMN study (tied to main basin-01). MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) WCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) | Embarrass | 21 | Impaired | | Yes | | | Perleberg list, UMN Study |
| Photo from 2012 exists of high density wild rice. Mark Gernes has harvested rice on the lake for several recent years. U of MS study showed 3 pt coverage at study site. Contact Donna Perleberg for more information on including the shapefile on underlying waterbody (-00) One questionable sample with very low concentration, turned out to be pore water, sample was excluded and own River Mill Pond ast) One River Mill Pond ast) One glangiered Photo from 2012 exists of high density wild rice. Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on including including in the rilst. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 3 8.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark WCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, observation from MCBS survey 8/6/2002. Contact Mark 26 Impaired Photo from 2012 exists of high density wild rice. Mark Gernes to hear the lake for several recent years. U of MS survey 8/6/2002. Contact Mark Yes MN study showed 3 8.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark 27 Impaired WM Study showed 3 8.75 pct coverage at study site. WM Study showed 3 8.75 pct coverage at study site. WCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) | Lady Clippor | 24.4 | Impaired | | No | | | Dorlohora list LIMAN study |
| has harvested rice on the lake for several recent years. U of MN study showed 3 pct coverage at study site. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on location of harvestable rice. Contact Donna Perleberg for more information on location of harvestable rice. Contact Donna Perleberg for more information on location of harvestable rice. Contact Donna Perleberg for more information on location of harvestable rice. Contact Donna Perleberg for more information on location of harvestable rice. Contact Donna Perleberg for more information on location of harvestable rice. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested rice on the lake for several recent years. U of location of has harvested ri | Lauy Siippei | 314 | mpaired | 10, but well below other observations. | IVU | , | | renevergust, olvin study |
| MN study showed 3 pct coverage at study site. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on shapefile on underlying waterbody (-00) One questionable sample with very low concentration, turned out to be pore water, sample was excluded and own River Mill Pond ast) One River Mill Pond ast) One River Mill Pond ast) One glastionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS, perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) | | | | | | | l | |
| Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on including Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on including Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on including Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on including Mark Gernes shapefile, 2008 study shapefile on underlying waterbody (-00) Done questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes Min study showed 38.75 pct coverage at study site. Whistory Shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) | | | | | 1 | | 1 | |
| lonongalia (main sin) 31 Impaired Impaired Impaired Impaired Impaired Impaired Impaired Information on Impaired | 1 | | | | 1 | | 1 | UMN study (tied to main basin -01). MCBS, |
| One questionable sample with very low concentration, turned out to be pore water, sample was excluded and we dian recalculated. One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark ast) 26 Impaired One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. Yes MN study showed 38.75 pct coverage at study site. Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark 26 Impaired IF Gernes for local knowledge. UMN study (tied to polygon -02). MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (-00) | Monongalia (main | | | | | rice. Contact Donna Perleberg for more information on | l | |
| lonongalia - Middle Fk ow 29 Impaired turned out to be pore water, sample was excluded and your median recalculated. Yes MN study showed 38.75 pct coverage at study site. Shapefile on underlying waterbody (-00) WCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, 2008 study site. Shapefile on underlying waterbody (-00) WCBS, Perleberg list, Ann Geissen shapefile, 2008 study sha | basin) | 31 | Impaired | | IF | inclusion in her list. | | shapefile on underlying waterbody (-00) |
| lonongalia - Middle Fk ow 29 Impaired turned out to be pore water, sample was excluded and your median recalculated. Yes MN study showed 38.75 pct coverage at study site. Shapefile on underlying waterbody (-00) WCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, 2008 study site. Shapefile on underlying waterbody (-00) WCBS, Perleberg list, Ann Geissen shapefile, 2008 study sha | | | | | | L | | L |
| row 29 Impaired median recalculated. Yes MN study showed 38.75 pct coverage at study site. shapefile on underlying waterbody (-00) Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark 2008 study shapefile, all on underlying waterbody (-00) ast) 26 Impaired IF Gernes for local knowledge. waterbody (-00) | . , | | | | 1 | | | |
| Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark 2008 study shapefile, all on underlying ast) 26 Impaired Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark 2008 study shapefile, all on underlying waterbody (-00) | | 20 | Impaired | | Voc | | | |
| ow River Mill Pond ast) observation from MCBS survey 8/6/2002. Contact Mark 2008 study shapefile, all on underlying ast) IF Gernes for local knowledge. waterbody (-00) | Crow | 29 | impaired | median recalculated. | res | | | , |
| ast) 26 Impaired IF Gernes for local knowledge. waterbody (-00) | Crow River Mill Pond | | | | | | l | |
| | (East) | 26 | Impaired | | IF | | 1 | |
| | Footnotes: | | | | | | | 1 111111 |

1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff

- 2. Nothing in this spreadsheet represents a final agency decision
- 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
- 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 5. Notations in the column "WILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data documenting some history of wild rice

| | | PRELIM | | WILD RICE | | | |
|--------------------------|---------|--------------|--|-----------|---|--|---|
| | MEDIAN | WATER | | PRODUCTIO | | WILD | |
| | SULFATE | | | N WATER | | RICE | |
| NAME | CONC | ASSESS | WATER-QUALITY ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | ACRES | WILD RICE DATA SOURCE |
| | | | | | | | |
| | | | | | Staff recommendation for Keetac permit in 2011 was that | | |
| | | | | | this is a wild rice production water. Check with Brandon | | Ann Geissen shapefile, UMN study, 2008 DNR |
| Hay | 52 | Impaired | | Yes | Smith on the date of the Perry Pit dewatering permit. | | study |
| | | | | | insufficient information to determine that this is a production | | |
| Big Stone | 404 | Impaired | | No | water. DNR lake survey from 3/17/2004 noted no wild rice. | | DNR call for data submittal |
| big Storie | 404 | iiipaireu | | INO | water. Divit lake survey from 3/17/2004 floted flo wild fice. | | DNR call for data submittal - on underlying |
| Lac Qui Parle (NW bay) | 293 | Impaired | | No | 3/23/2000 DNR lake survey - no wild rice noted. | | waterbody (-00) |
| zac quir une (itti buy) | 233 | ппрапса | Only 1 data point on this bay, but concentrations on | 110 | 5/25/2000 STATIGATE SULTEY THO WILL HEE HOLEG. | | materioody (oo) |
| | | | upstream portion of lake (37-0046-02) and downstream river | | | | DNR call for data submittal - on underlying |
| Lac Qui Parle (SE bay) | 270 | Impaired | (07020004-688) are also high. | No | 3/23/2000 DNR lake survey - no wild rice noted. | | waterbody (-00) |
| | | , | | | DNR Lake Surveys from 8/4/1949, 1/2/1998 indicated wild | | , , , , , , |
| | | | | | rice presence. 1949 comment indicates sparse presence. | | |
| | | | | | 1998 survey was a fisheries transect. Contact Ann Geisen for | | |
| | | | | | further detail on why this waterbody was included in call for | | |
| Mina | 25 | Impaired | | IF | data submission. | | DNR call for data submittal |
| | | | | | | | |
| | | | | | DNR lake survey indicates wild rice was rare August 24 - 28, | | |
| | | | | | 1987. Contact Ann Geisen for further detail on why this | | |
| Pearl | 21 | Impaired | | IF | waterbody was included in call for data submission. | | DNR call for data submittal |
| | | | | | Locate draft staff recommendation for production water | | 1854 Treaty Authority, UMN study, Ann Geissen |
| Sandy | 135 | Impaired | | Yes | status. Wild rice acreage from 2008 report. | 121 | List, 2008 study shapefile |
| | | | | | Locate draft staff recommendation for production water | | 1854 Treaty Authority, Ann Geissen List, 2008 |
| Little Sandy | 145 | Impaired | | Yes | status. Wild rice acreage from 2008 report. | 89 | study shapefile |
| | | | | | DNR lake survey reports from 3/9/2004, 3/28/2001 noted no | | |
| | | | | | wild rice, 4/14/1954 waterfowl/muskrat habitat survey | | |
| | | | | | comment says "wild rice would not do well in this lake". | | |
| | | | | | 8/1962 map showed no wild rice. 7/1968 game and fish map | | |
| Marsh | | Impaired | | No | showed no wild rice. | | DNR call for data submittal |
| Lillian | 151 | Impaired | | No | 5/13/1997 lake survey report noted no wild rice. | | DNR call for data submittal |
| | | | Only 1 measurement on lake itself, but concentrations on | | 2/5/1997 lake survey report no rice noted. 1949 report did | | |
| | | | lakes immediately adjacent (21-0108-00, 21-0180-00, 21- | | not note any rice and "wild rice would not do well in this | | |
| Lobster | 22 | Impaired | 0150-00) are also high. | No | lake". Follow up with 1997 fisheries report. | | Perleberg list |
| c. | | | All data collected on Mississippi (MissR 796.9, MissR 805.0), | | insufficient information to determine that this is a production | | |
| Sturgeon | 58 | Impaired | but direct hydrologic connection with Sturgeon. | No | water. | | Ann Geissen shapefile, DNR 2008 study |
| | | | Only 1 are a second and later than the second and t | | insufficient information to determine that this is a production | | |
| long | 22 | Impaired | Only 1 measurement on lake, but concentrations (5 miles) downstream (S005-630) are also high. | No | water. DNR Lake Survey report from 2/5/1997 did not note any wild rice. | | DNR call for data submittal |
| Long | 33 | iiiipaireu | Drinking water intake near dam may yield additional sulfate | INO | any who nee. | 1 | DIVIN CAIL FOR UALA SUDIFIILLA! |
| | | | data. Downstream sulfate concentrations high (\$002-324), | | | | |
| | | | but only 2 measurements recorded. Wild rice location | | | | |
| | | | unknown; will determine whether it is necessary to seek | | | | |
| | | Insufficient | additional sulfate data, leading to possible judgment of | | Need to consult fisheries area surveys from 7/2/2009 and | | |
| Red Lake River Reservoir | thd | Information | impairment. | IF | 8/1/1994 to determine wild rice location. | | DNR call for data submittal, Perleberg list |
| nea zake niver neservoir | tou | 01111011011 | Outflow stream has high sulfate. Main inflow is close to | | of 2/ 255 . to determine who nee location. | | ornicon for data submittal, i cricberg list |
| | | | outlet, large distance from lake sampling locations. Wild rice | | | | |
| | | | location within lake unknown, but will determine whether | | | | |
| | | Insufficient | outflow sulfate concentrations are sufficient for judgment of | | Insufficient information to determine that this is a production | | Ann Geissen shapefile, DNR 2008 study, UMN |
| Rice | thd | Information | impairment. | No | water. UMN study did not observe any rice in 2012. | | study |
| Footnotes: | | | I Pro a constant of the consta | | | - | J |

Footnotes:

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff
- Nothing in this spreadsheet represents a final agency decision
- 3. The spreadsheet was updated with clarifying footnotes following a November 16, 2013 Data Practices Act Request
- 4. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 5. Notations in the column "WILD RICE PRODUCTION WATER DECISION" do not represent an agency decision on applicability of the Class 4A 10 mg/L standard at these water bodies rather they indicate that there are data documenting some history of wild rice



United States Steel Corporation Law Department 600 Grant Street, Room 1500 Pittsburgh, PA 15219-2800 412 433 2851 Fax: 412 433 2964

email: dlsmiga@uss.com

David L. Smiga Assistant General Counsel

CERTIFIED MAIL
RETURN RECEIPT REQUESTED



August 12, 2013

Ms. Stephanie Handeland Industrial Division Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, MN 55155

Re: Draft Staff Recommendation for 'Waters Used for Production of

Wild Rice' Downstream of the U. S. Steel Minntac Tailings Basin

Dear Ms. Handeland:

This letter is transmitted as U. S. Steel's response to your request for feedback on the "Draft Staff Recommendation for 'waters used for production of wild rice' downstream of the US Steel Minntac tailings basin" ("Draft Recommendation"). U. S. Steel appreciates the opportunity to comment on the staff recommendation.

U. S. Steel has worked cooperatively with the MPCA and other regulatory agencies and interested parties for several years on matters related to reducing sulfate discharges from its operations and the protection of wild rice. That work has included installation of a seep collection and return system on the Sand River side of the basin, monitoring of the Twin Lakes since 2010, and groundwater modeling. In addition permitting has been ongoing for installation of dry controls on Agglomerator Line 6, research continues on the Line 3 scrubber blowdown system and engineering is ongoing for the #6 sump alternate make up water project. U.S. Steel recognizes the importance of this work and is committed to continuing it.

Regarding the Draft Recommendation, it is premature for the MPCA to determine that Little Sandy Lake and Sandy Lake (the "Twin Lakes") are "waters used for the production of wild rice." U. S. Steel agrees with the statement in the Draft Recommendation that to effectively apply the 10 mg/L sulfate standard contained in Minnesota Rule 7050.0224, subpart 2, the MPCA needs to determine whether a particular water is a "water used for production of wild rice." The process for making that determination was established in law in 2011. The MPCA has not yet completed the required steps contained in that law to determine which bodies of water are subject to water quality standards applicable to wild rice.

The MPCA and other interested groups worked with legislators in 2011 to establish a process to designate bodies of water to which wild rice water quality standards apply. That legislative

activity arose from uncertainty regarding whether the sulfate standard in Minnesota Rule 7050.0224, subpart 2 applies to natural stands of wild rice (there is little disagreement over its applicability to cultivated wild rice). The final legislative language, which was negotiated and agreed to by the MPCA, was passed by the legislature and signed into law by the Governor. It is contained in MN Session Laws 2011, First Special Session, Chapter 2, Article 4 ("2011 Law").

The Minnesota Court of Appeals has recognized the MPCA's duty under the 2011 law to confirm in rule the applicability of the sulfate standard to natural stands of wild rice. When the Minnesota Chamber of Commerce challenged the MPCA application of the sulfate standard, the court refused to review the MPCA's application of the standard due to the 2011 law. The court said:

We decline to review any proposed interpretation or application of the Wild Rice Rule because the Chamber's claims as to the agency's application of the rule and its scope are essentially moot. The 2011 legislation directs the agency to amend the Wild Rice Rule to confirm that it applies to both natural and commercial stands of wild rice and to specify the bodies of water to which the rule applies and the specific time period during which it applies. 2011 Minn. Laws 1st Spec. Sess. ch. 2, art. 4, § 32, at 71–73. We decline to consider the rule's application when the legislature has already addressed the issue. 1

The 2011 law directs the MPCA to take several steps to determine whether any body of water, including any body of water near the Minntac facility, is subject to a water quality standard to protect wild rice. First, the MPCA is required to "adopt and implement a wild rice research plan using the money appropriated to contract with appropriate scientific experts." That research is ongoing. The law directs the MPCA to take several steps when the wild rice research is complete:

Sec. 32. WILD RICE RULEMAKING AND RESEARCH.

- (a) Upon completion of the research referenced in paragraph (d), the commissioner of the Pollution Control Agency shall initiate a process to amend Minnesota Rules, chapter 7050. The amended rule shall:
 - (1) address water quality standards for waters containing natural beds of wild rice, as well as for irrigation waters used for the production of wild rice;
 - (2) designate each body of water, or specific portion thereof, to which wild rice water quality standards apply; and
 - (3) designate the specific times of year during which the standard applies.

¹ Emphasis added. Minnesota Chamber of Commerce v. Minnesota Pollution Control Agency, File No. 62-CV-10-11824 (Minnesota Court of Appeals unpublished)

Ms. Stephanie Handeland Ex. 9 WaterLegacy Cmt 2016 MN 303(d) List August 12, 2013 Page 3

In addition, the law clearly describes the process the MPCA must use to establish criteria for identifying waters containing natural beds of wild rice as waters subject to a wild rice standard. According to the 2011 Law:

(b) "Waters containing natural beds of wild rice" means waters where wild rice occurs naturally. Before designating waters containing natural beds of wild rice as waters subject to a standard, the commissioner of the Pollution Control Agency shall establish criteria for the waters after consultation with the Department of Natural Resources, Minnesota Indian tribes, and other interested parties and after public notice and comment. The criteria shall include, but not be limited to, history of wild rice harvests, minimum acreage, and wild rice density.

The MPCA has not yet completed the wild rice research plan, much less the subsequent rulemakings to address wild rice water quality standards and designate each body of water to which wild rice water quality standards apply. The Draft recommendation is therefore premature.

We understand that the MPCA has taken some preliminary steps to prepare criteria to designate waters subject to water quality standards to protect wild rice but it is not clear how those criteria might have been applied to produce the Draft Recommendation. For example, we understand that the MPCA and USEPA Region V have proposed a joint priority for 2013 regarding the state sulfate water quality standard. That joint priority statement included "a commitment from MPCA to develop methodology to assess whether surface waters meet the State's sulfate water quality standards applicable to wild rice production waters, and for designating waters as wild rice production waters." The document goes on to state that "MPCA has communicated its intention to develop a sulfate water quality assessment methodology for use in the assessment of state waters for the 2014 303(d) list. This methodology would answer questions including where and when the sulfate standard applies, and the minimum number of measurements needed for an assessment decision. Making this a joint priority would formalize that commitment."

The Draft Recommendation does not provide any detail on whether the MPCA has finalized a draft methodology. And neither the Draft Recommendation nor any other information available to U. S. Steel indicates how the processes required in the 2011 law will be followed in producing the methodology as a "joint priority" with USEPA Region V.

The MPCA has discussed criteria for designating waters used for the production of wild rice with the Wild Rice Standards Study Advisory Committee, which includes a representative of U. S. Steel. The Minnesota Chamber Wild Rice Task Force submitted comments on those criteria on January 17, 2013. The Draft Recommendation does not include any information regarding whether the MPCA's criteria have been finalized and whether those criteria include any revisions based on the Minnesota Chamber of Commerce comments.

In addition, U. S. Steel has in the past respectfully suggested that the MPCA must carefully consider the applicability of the its water quality standards regarding discharge limits for sulfates as they related to wild rice and we renew that suggestion. Minnesota has two water quality standards applicable to wild rice. The first, contained in Minnesota Rules 7050.0224 subpt. 1, provides a narrative standard that is applicable to waters that have been specifically identified

Ms. Stephanie Handeland Ex. 9 WaterLegacy Cmt 2016 MN 303(d) List August 12, 2013 Page 4

[WR] and listed in Minnesota Rules 7050.0470. The second, contained in Minnesota Rules 7050.0224 subpt. 2, provides the standard for Class 4A waters of the state, stating that the quality of those waters "shall be such as to permit their use for irrigation."

Those two standards clearly establish standards for discharges to receiving waters that meet one of two criteria: specific designation as WR in Minnesota rules or use of the receiving water for irrigation. None of downstream receiving waters of Minntac are designated as WR in the Minnesota Rules. In addition, the term "irrigation" is not clearly defined within Minnesota Rules but there is no suggestion that any waters near Minntac are used for irrigation of wild rice. The MPCA must carefully assess its authority to apply those standards to discharges to receiving waters that are neither designated as WR nor used for irrigation.

Where the standards in Minnesota Rules 7050.0224 subpt. 2 properly apply to a discharge, the MPCA must complete its work to establish clearer standards for permittees and the public regarding establishment of a discharge limit for sulfates. The MPCA must, as required in the 2011 Law, establish criteria to be used to identify when water is "used for production of wild rice" and a scientifically justified definition of the periods when wild rice may be affected by certain variables that may include elevated sulfate levels. Today permittees and the public cannot predict how those terms will be applied by the MPCA. This uncertainty is magnified by the nearly complete lack of application of the standard in water quality permits since the standard was adopted in 1973.

In conclusion, it is clear that the preparation of the Draft Recommendation is not consistent with the 2011 Law and must be withdrawn by the MPCA. U.S. Steel has committed significant staff and financial resources to working the MPCA and others on important issues regarding sulfates in the environment and wild rice protection and will continue that work. We look forward to working with the MPCA on its ongoing wild rice research plan and the subsequent rulemakings to modernize the Minnesota water quality standards to protect wild rice. Once those steps have been completed we will be prepared to discuss the applicability of those standards to waters near U.S. Steel facilities.

Sincerely,

David L 8miga

DLS/nms

cc: Chrissy L. Bartovich

Tishie Woodwell

(456492)

Ex. 9 WaterLegan MN 303(d) List

| | | | | SULFATE | | | | |
|----------------------------|--------------------|---|---------|----------|---|---|--|--|
| | | | MEDIAN | | | WILD RICE | | |
| | | | SULFATE | | | PRODUCTION WATER | | |
| AUID | NAME | DESCRIPTION | CONC | ASSESS | SULFATE ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTION WATER COMMENTS | WILD RICE DATA SOURCE |
| 04010201-577 | Embarrass River | Embarrass Lk to St Louis R | 27 | Impaired | Recommend split below Esquagama Lake. Stations on lower and upper portions of AUID separated by multiple lakes. Median calculated based on station 5005-751. | Decisions to be made once WURPOWR criteria have been developed | Determination of a split will be made dependent upon finding wild rice between lakes along upstream portion of reach. No indication of wild rice along suggested new downstream AUID (outlet of Esquagama to St. Louis River) that would result from splitting. 1854 data indicate rice presence along northern portion of reach. Need to contact Darren Vogt for additional WR information on northern portion of reach. From mining information, northern portion of reach. From mining information, northern portion includes sparse stands indicated with low density locations. | Mining company surveys, 1854 Treaty Authority |
| | | Headwaters to St | | | High variability in sample measurements within close proximity, geographic and temporal. Flows through Colby Lake (69-0249-00), which has wild rice and 2 high sulfate | Decisions to be made once WURPOWR criteria have been | | Mining company surveys, 1854 Treaty Authority |
| 04010201-552 | Partridge River | Louis R | 48 | Impaired | measurements. | developed | | UMN study |
| 09030002-501 | Sandy River | Headwaters (Sandy Lk 69-0730- 00) to Pike R | | Impaired | One discrepant data point. Wild rice data (actual point locations) are constrained to rive | Decisions to be made once WURPOWR criteria have been developed | | Mining company surveys, 1854 Treaty Authority, UMN study |
| 04010201-533 | St Louis River | Oliver Bridge to Pokegama River | 39 | Impaired | AUID, but are associated in database with St Louis Estuary (69-1292-00), which is broader than river AUID. (Measurements collected further downstream at Blatnik Bridge (downstream from WLSSD discharge) have lower concentrations.) | Decisions to be made once WURPOWR criteria have been developed | | Data linked to Estuary polygon: Perleberg list, MCBS, DNR call for data submittal, Ann Geissen shapefile, 1854 Treaty Authority, mining company surveys |
| 04010201-532 | St Louis River | Mission Creek to Oliver Bridge | 15 | Impaired | Only 2 data points on AUID, but concentrations immediately upstream (5000-021) and downstream (5007-512, 5007-515) (12 out of 15 measurements above 10) indicate impairment. | Decisions to be made once WURPOWR criteria have been developed | | Data linked to Estuary polygon: Perleberg list, MCBS, DNR call for data submittal, Ann Geissen shapefile, 1854 Treaty Authority, mining company surveys. DNR 2008 study point alongside AUID |
| 09030009-537 | Bostick Creek | Headwaters to Lake of the Woods | 33 | Impaired | Data is from 4 months of 1 year, but consistently shows high sulfate concentrations. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07020004-551 | County Ditch 12 | Headwaters to T113 R36W S8, north line | 113 | Impaired | DNR 2008 study point indicates rice somewhere on County Ditch 12 (Rice Creek), which is more extensive than the AUID with sulfate data. AUID is impaired if wild rice is present in close proximity to sampling station. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07010203-512 | Rice Creek | Rice Lk to Elk R | | Impaired | DNR 2008 study point indicates rice somewhere on Rice Creek, which is more extensive than the AUID with sulfate data. AUID is impaired if wild rice is present in close proximity to sampling station. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07010108-501 Footnotes: | Long Prairie River | Fish Trap Creek to Crow Wing R | 13 | Impaired | DNR 2008 study point indicates rice somewhere on Long Prairie River, which is more extensive than the AUID with sulfate data. AUID is impaired if wild rice is present in close proximity to sampling station. | Decisions to be made once WURPOWR criteria have been developed | | 2006 Harvester's report, DNR 2008 study point shapefile |

- 2. Nothing in this spreadsheet represents a final agency decision
- 3. "Impaired" is staff indication that the median sulfate concentration $\,$ exceeded 10 mg/L $\,$
- 4. Notations about wild rice do not represent an agency decision on the applicability of the Class 4A 10 mg/L standard rather that there are data documenting some history of wild rice

^{1.} This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff and revisions made subsequent to November 16, 2013

Ex. 9 WaterLegan MN 303(d) List

| | | | | SULFATE | | | | |
|--------------|----------------|------------------------------------|---------|----------|--|---|---|--------------------------------|
| | | | MEDIAN | | | WILD RICE | | |
| | | | SULFATE | | | PRODUCTION WATER | | |
| AUID | NAME | DESCRIPTION | CONC | ASSESS | SULFATE ASSESSMENT COMMENTS | DECISION | WILD RICE PRODUCTION WATER COMMENTS | WILD RICE DATA SOURCE |
| 07020011-531 | Rice Creek | Headwaters to Maple R | 28 | Impaired | Consistently high sulfate concentrations at all 4 stations along entire AUID. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07020005-501 | Chippewa River | Watson Sag to Minnesota R | 139 | Impaired | DNR 2008 study point indicates rice somewhere on Chippewa River, which is more extensive than the AUIDs with sulfate data. Wherever sampled, the Chippewa River has high sulfate concentrations. Listing individual AUIDs is dependent upon location of wild rice. | Decisions to be made | DNR 2008 report indicates wild rice somewhere along the Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| 07020005-505 | Chippewa River | Unnamed cr to E Br Chippewa R | 88 | Impaired | See above comment regarding Chippewa River. | Decisions to be made once WURPOWR criteria have been developed | DNR 2008 report indicates wild rice somewhere along the Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| 07020005-506 | Chippewa River | E Br Chippewa R to Shakopee Cr | 70 | Impaired | See above comment regarding Chippewa River. | Decisions to be made once WURPOWR criteria have been developed | DNR 2008 report indicates wild rice somewhere along the Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| 07020005-508 | Chippewa River | Cottonwood Cr to Dry Weather Cr | 90 | Impaired | See above comment regarding Chippewa River. | Decisions to be made once WURPOWR criteria have been developed | DNR 2008 report indicates wild rice somewhere along the Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| 07020005-503 | Chippewa River | Stowe Lk to Little Chippewa R | 39 | Impaired | See above comment regarding Chippewa River. | Decisions to be made once WURPOWR criteria have been developed | DNR 2008 report indicates wild rice somewhere along the Chippewa River. Only documentation of wild rice was on a tributary (Danvers Ditch). There is insufficient information about rice in the ditch. | DNR 2008 study point shapefile |
| 07040002-502 | Cannon River | Pine Cr to Belle Cr | 33 | Impaired | DNR 2008 study point indicates rice somewhere on Cannon River, which is more extensive than the AUIDs with sulfate data. Wherever sampled, the Cannon River has high sulfate concentrations. Listing individual AUIDs is dependent upon location of wild rice. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07040002-542 | Cannon River | Headwaters to Cannon Lk | 17 | Impaired | See above comment regarding Cannon River. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07040002-539 | Cannon River | Byllesby Dam to Little Cannon R | 27 | Impaired | See above comment regarding Cannon River. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |
| 07040002-501 | Cannon River | Belle Cr to split near mouth | 31 | Impaired | See above comment regarding Cannon River. | Decisions to be made once WURPOWR criteria have been developed | | DNR 2008 study point shapefile |

Footnotes

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff and revisions made subsequent to November 16, 2013
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 4. Notations about wild rice do not represent an agency decision on the applicability of the Class 4A 10 mg/L standard rather that there are data documenting some history of wild rice

| NAME | MEDIAN SULFATE CONC | SULFATE WATER QUALITY ASSESS | SULFATE ASSESSMENT COMMENTS | WILD RICE PRODUCTION WATER DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | WILD RICE ACRES | WILD RICE DATA SOURCE |
|--------------------------|---------------------------|---------------------------------------|---|--|--|--------------------|--|
| Cedar Island (N portion) | 21 | Impaired | Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. Evaluate together with S. Portion, Fourth, and Esquagama, all connected via Embarrass R. | Decisions to be made once WURPOWR criteria have been developed | Mining company survey shows low to moderate density of rice throughout perimeter of lake. DNR lake survey jul 12, 1990 noted abundant wild rice, especially along west shore. Sulfate sampling locations are near wild rice observation sites. | | Mining Companies, 1854 Treaty Authority |
| Cedar Island (S portion) | 20 | Impaired | Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. | Decisions to be made once WURPOWR criteria have been developed | Mining company survey shows moderate density of rice throughout perimeter of lake. DNR lake survey jul 12, 1990 noted abundant wild rice, especially along west shore. Sulfate sampling locations are near wild rice observation sites. | | Mining Companies, 1854 Treaty Authority |
| Fourth | 20 | Impaired | Only 1 measurement on lake itself, but concentrations on (connected) Esquagama (69-0565-00-203) and Cedar Island S. Portion (69-0568-02-204,69-0568-02-207) are also high. | Decisions to be made once WURPOWR criteria have been developed | Need to contact Darren Vogt for additional WR information. From mining information, sparse stands indicated with single low density location. | | Mining Companies, 1854 Treaty Authority, Ann Geissen shapefile, 2008 Study shapefile |
| Esquagama | 26 | Impaired | Only 3 measurements on lake itself, but concentrations on (connected) Fourth Lake (69-0573-00-201) and downstream (S005-751) are also high. | Decisions to be made once WURPOWR criteria have been developed | Need to contact Darren Vogt for additional WR information. From mining information, a single stand with low density. | | Mining Companies, 1854 Treaty Authority |
| East Vermilion | 14 | Impaired | Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. | Decisions to be made once WURPOWR criteria have been developed | Significant acreage of rice in Big Bay. Assumed to be at least 70 acres in Big bay based on estimated size of Rice Bay at 180 acres, and total wild rice area of 250 acres. Rice Bay is also indicated for wild rice, but no sulfate data have been collected there. | 250 | 1854 Treaty Authority, Ann Geissen shapefile, 2008 Study shapefile |
| Trout | 42 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | insufficient information | | DNR call for data submittal, U of MN study sites |
| Elizabeth (main basin) | 30 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | Insufficient information. DNR lake survey reports dates 6/2006, 5/1997 no wild rice noted. | | DNR call for data submittal |
| Swan (W bay) | tbd | TBD | Impaired, subject to verification of location of station 31-0067-01-204. If judged strictly on station 01-205, sulfate not significantly above 10. | | Draft staff recommendation for the ESSAR water permit is that this is a production water. Check with Stephanie for recommendation date. | 50 (00) | 2006 Harvest Survey (00 polygon), Ann Geissen shapefile, Perleberg list, 2008 Study shapefile. Rice data tied to underlying lake (00) |
| Swan (main basin) | tbd | Impaired | Median dependent upon station 31-0067-01-204 being included in main basin. Regardless, median is significantly above 10. | Decisions to be made once WURPOWR criteria have been developed | * The outlet bay upstream of the dam included in mining company survey from 2011 has densities of 4 and 5. | 50 (00) | 2006 Harvest Survey (00 polygon), Ann Geissen shapefile, Perleberg list, 2008 Study shapefile. All tied to underlying lake (-00). UMN study data tied to Main Basin polygon 02). |
| Preston Footnotes: | 45 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | insufficient information. Lake Survey reports from 3/29/1995, 2/21/2006 noted no wild rice. | | DNR call for data submittal |

Footnotes:

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff and revisions made subsequent to November 16, 2013
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 4. Notations about wild rice do not represent an agency decision on the applicability of the Class 4A 10 mg/L standard rather that there are data documenting some history of wild rice

| | | • | | | | 1 // / | |
|--------------------------------|--------|---------------------------------------|---|--|---|--------------------|---|
| NAME | MEDIAN | SULFATE WATER QUALITY ASSESS | SULFATE ASSESSMENT COMMENTS | WILD RICE PRODUCTION WATER DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | WILD RICE ACRES | WILD RICE DATA SOURCE |
| Embarrass | 21 | Impaired | Multiple sites with data collected same date, but concentrations consistent across sites, median still significantly above 10. | Decisions to be made once WURPOWR criteria have been developed | moderate density observations around entire perimeter in mining surveys from 2009 and 2010. However, Lower Embarrass had few observations of low density. *Only Upper Embarrass is considered a wild rice production water per draft staff recommendation. | | 1854 Treaty Authority, mining company data, Perleberg list, UMN Study |
| Lady Slipper | 314 | Impaired | Multiple sites; station 203 has single observation, still above 10, but well below other observations. | Decisions to be made once WURPOWR criteria have been developed | 1997 fisheries transect from 1997 indicated small area of rice. 2011 and 2012 UMN study found no wild rice. Walk those found 2012 Exists of high density who rice. Walk | | Perleberg list, UMN study |
| Monongalia (main basin) | | Impaired | | Decisions to be made once WURPOWR criteria have been developed | Gernes has harvested rice on the lake for several recent years. U of MN study showed 3 pct coverage at study site. Contact Ed Swain and Mark Gernes for details on location of harvestable rice. Contact Donna Perleberg for more information on inclusion in her list. | | UMN study (tied to main basin -01). MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (- 00) |
| Monongalia - Middle Fk Crow | 29 | Impaired | One questionable sample with very low concentration, turned out to be pore water, sample was excluded and median recalculated. | Decisions to be made once WURPOWR criteria have been developed | Photo from 2012 exists of high density wild rice. Mark Gernes has harvested rice on the lake for several recent years. U of MN study showed 38.75 pct coverage at study site. | | UMN study (tied to polygon -02). MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile on underlying waterbody (- 00) |
| Crow River Mill Pond (East) | 26 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | Contact Donna Perleberg for more information on Mill Pond observation from MCBS survey 8/6/2002. Contact Mark Gernes for local knowledge. | | MCBS, Perleberg list, Ann Geissen shapefile, 2008 study shapefile, all on underlying waterbody (-00) |
| Нау | 52 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | Staff recommendation for Keetac permit in 2011 was that this is a wild rice production water. Check with Brandon Smith on the date of the Perry Pit dewatering permit. | | Ann Geissen shapefile, UMN study, 2008 DNR study |
| Big Stone | 404 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | insufficient information. DNR lake survey from 3/17/2004 noted no wild rice. | | DNR call for data submittal |
| Lac Qui Parle (NW bay) | 293 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | 3/23/2000 DNR lake survey - no wild rice noted. | | DNR call for data submittal - on underlying waterbody (-00) |
| Lac Qui Parle (SE bay) | 270 | Impaired | Only 1 data point on this bay, but concentrations on upstream portion of lake (37-0046-02) and downstream river (07020004-688) are also high. | Decisions to be made once WURPOWR criteria have been developed | 3/23/2000 DNR lake survey - no wild rice noted. | | DNR call for data submittal - on underlying waterbody (-00) |
| Mina | 25 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | DNR Lake Surveys from 8/4/1949, 1/2/1998 indicated wild rice presence. 1949 comment indicates sparse presence. 1998 survey was a fisheries transect. Contact Ann Geisen for further detail on why this waterbody was included in call for data submission. | | DNR call for data submittal |
| Pearl | 21 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | DNR lake survey indicates wild rice was rare August 24 - 28, 1987. Contact Ann Geisen for further detail on why this waterbody was included in call for data submission. | | DNR call for data submittal |
| Sandy Footnotes: | 135 | Impaired | | Decisions to be made once WURPOWR criteria have been developed | Locate draft staff recommendation for production water status. Wild rice acreage from 2008 report. | 121 | 1854 Treaty Authority, UMN study, Ann Geissen List, 2008 study shapefile |

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff and revisions made subsequent to November 16, 2013
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. "Impaired" is staff indication that the median sulfate concentration $\,$ exceeded 10 mg/L $\,$
- 4. Notations about wild rice do not represent an agency decision on the applicability of the Class 4A 10 mg/L standard rather that there are data documenting some history of wild rice

| | | SULFATE | | | | | |
|----------------|---------|--------------|--|---------------------------------------|--|-----------|---|
| | MEDIAN | WATER | | | | | |
| | SULFATE | QUALITY | | WILD RICE PRODUCTION | | WILD RICE | |
| NAME | CONC | ASSESS | SULFATE ASSESSMENT COMMENTS | WATER DECISION | WILD RICE PRODUCTOIN WATER COMMENTS | ACRES | WILD RICE DATA SOURCE |
| | | | | | | | |
| | | | | | | | |
| | | | | Decisions to be made once | | | |
| | | | | WURPOWR criteria have | Locate draft staff recommendation for production water | | 1854 Treaty Authority, Ann Geissen List, |
| Little Sandy | 145 | Impaired | | been developed | status. Wild rice acreage from 2008 report. | 89 | 2008 study shapefile |
| | | | | | DNR lake survey reports from 3/9/2004, 3/28/2001 noted no | | |
| | | | | | wild rice, 4/14/1954 waterfowl/muskrat habitat survey | | |
| | | | | Decisions to be made once | comment says "wild rice would not do well in this lake". | | |
| | | | | WURPOWR criteria have | 8/1962 map showed no wild rice. 7/1968 game and fish map | | |
| Marsh | 379 | Impaired | | been developed | showed no wild rice. | | DNR call for data submittal |
| | | | | | | | |
| | | | | | | | |
| | | | | Decisions to be made once | | | |
| | | | | WURPOWR criteria have | | | |
| Lillian | 151 | Impaired | | been developed | 5/13/1997 lake survey report noted no wild rice. | | DNR call for data submittal |
| | | | | | | | |
| | | | | | | | |
| | | | Only 1 measurement on lake itself, but | Decisions to be made once | 2/5/1997 lake survey report no rice noted. 1949 report did | | |
| | | | concentrations on lakes immediately adjacent (21- | WURPOWR criteria have | not note any rice and "wild rice would not do well in this | | |
| Lobster | 22 | 2 Impaired | 0108-00, 21-0180-00, 21-0150-00) are also high. | been developed | lake". Follow up with 1997 fisheries report. | | Perleberg list |
| | | | | | | | |
| | | | | | | | |
| | | | All data collected on Mississippi (MissR 796.9, MissR | Decisions to be made once | | | |
| | | | 805.0), but direct hydrologic connection with | WURPOWR criteria have | | | |
| Sturgeon | 58 | Impaired | Sturgeon. | been developed | insufficient information. | | Ann Geissen shapefile, DNR 2008 study |
| | | | | | | | |
| | | | | | | | |
| | | | | Decisions to be made once | | | |
| | | | Only 1 measurement on lake, but concentrations (5 | WURPOWR criteria have | insufficient information. DNR Lake Survey report from | | |
| Long | 33 | Impaired | miles) downstream (\$005-630) are also high. | been developed | 2/5/1997 did not note any wild rice. | | DNR call for data submittal |
| | | | sulfate data. Downstream sulfate concentrations | | | | |
| | | | high (S002-324), but only 2 measurements recorded. | | | | |
| | | | Wild rice location unknown; will determine whether | Decisions to be made once | | | |
| Red Lake River | | Insufficient | it is necessary to seek additional sulfate data, leading | | Need to consult fisheries area surveys from 7/2/2009 and | | |
| Reservoir | tbo | Information | to possible judgment of impairment. | been developed | 8/1/1994 to determine wild rice location. | | DNR call for data submittal, Perleberg list |
| | | | Outflow stream has high sulfate. Main inflow is close | | | | |
| | | | to outlet, large distance from lake sampling locations. | | | | |
| | | | Wild rice location within lake unknown, but will | Decisions to be made once | | | |
| | | Insufficient | determine whether outflow sulfate concentrations | WURPOWR criteria have | Insufficient information. UMN study did not observe any rice | | Ann Geissen shapefile, DNR 2008 study, |
| Rice | tbo | Information | are sufficient for judgment of impairment. | been developed | in 2012. | | UMN study |
| | | | • | · · · · · · · · · · · · · · · · · · · | | | |

Footnotes:

- 1. This spreadsheet includes working notes from an August 13, 2013 meeting of MPCA staff and revisions made subsequent to November 16, 2013
- 2. Nothing in this spreadsheet represents a final agency decision
- 3. "Impaired" is staff indication that the median sulfate concentration exceeded 10 mg/L
- 4. Notations about wild rice do not represent an agency decision on the applicability of the Class 4A 10 mg/L standard rather that there are data documenting some history of wild rice





520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300

800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

November 8, 2013

Mr. Larry Sutherland
General Manager – Minnesota Ore Operations
United States Steel Corporation
P.O. Box 417
Mountain Iron, MN 55768

RE: United States Steel Corporation Correspondence Related to the Designation of a "Water Used for Production of Wild Rice"

Dear Mr. Sutherland:

The Minnesota Pollution Control Agency (MPCA) has received two letters from United States Steel Corporation (USS) related to the MPCA's process for designation of a "water used for production of wild rice" (WUFPOWR). The first was an August 12, 2013, letter from David Smiga responding to a MPCA document called "Draft Staff Recommendation for 'waters used for production of wild rice' downstream of the US Steel Minntac tailings basin." The second was a September 27, 2013, letter from you responding to MPCA comments on a June 27, 2013, Sulfate Reduction Plan revision required by the reissued water permits for the Keetac operation. In both letters, USS cites Minnesota Session Laws 2011, First Special Session, Chapter 2, Article 4 (2011 Law) asserting it is premature for the MPCA to determine that waters, other than those specifically listed in Minnesota rules, qualify as "waters used for the production of wild rice."

Though those two letters may raise other issues, this letter will respond to that specific assertion.

The MPCA has carefully considered USS' assertion. The MPCA believes that it is authorized to determine whether a particular water is a WUFPOWR on the basis of information developed about the particular water. The MPCA will continue to apply the current draft staff recommendations related to WUFPOWR subject to possible future modification after the criteria development process is completed.

However, because the MPCA continues to receive questions from all stakeholders about how such a determination is made, and specifically a number of requests to review the criteria the MPCA is using for such determinations, the MPCA has concluded that it is appropriate to provide opportunity for input on the criteria following the process laid out in Section 32 (b) of the 2011 Law. The MPCA plans to begin to develop criteria by meeting with the Minnesota Department of Natural Resources and Indian Tribes in late 2013 and anticipates taking public comment from other interested parties through public notice and comment sometime in early 2014.

The draft MPCA staff recommendations mentioned by USS include the following language: "This draft MPCA staff recommendation for ... is based on information currently available. MPCA staff will consider additional information that may become available in the future, whether from project proposers or from other interested/affected parties, and reserves the right to modify the draft staff recommendation accordingly." Once the MPCA has completed the criteria development process, the MPCA will consider those criteria as additional information and will reconsider the current draft MPCA staff recommendations for the waters mentioned in the two USS letters. MPCA staff will share the resulting draft staff recommendation (related to whether those waters are WUFPOWR and subject to the existing standard) with USS and the Tribes as is the current practice. The resulting draft staff recommendation will include any revisions as appropriate based on the additional information.

Mr. Larry Sutherland Page 2 November 8, 2013

During the public comment period for any related permit or following issuance of such permit, USS may challenge the application of the criteria in the permitting process. As it did in the litigation initiated by the Minnesota Chamber of Commerce, the MPCA continues to reject any suggestion that WUFPOWR are limited to waters used for the irrigation of paddy rice, and not waters used for support of wildlife and other purposes. See Minn. R. 7050.0224, subp. 4.

Regarding the criteria development processes, the MPCA notes that the 2011 legislation has two distinct parts, rulemaking and criteria development. The 2011 legislation provides:

Sec. 32. WILD RICE RULEMAKING AND RESEARCH.

- (a) Upon completion of the research referenced in paragraph (d), the commissioner of the Pollution Control Agency shall initiate a process to amend Minnesota Rules, chapter 7050. The amended rule shall:
- (1) address water quality standards for waters containing natural beds of wild rice, as well as for irrigation waters used for the production of wild rice;
- (2) designate each body of water, or specific portion thereof, to which wild rice water quality standards apply; and
- (3) designate the specific times of year during which the standard applies.

Nothing in this paragraph shall prevent the Pollution Control Agency from applying the narrative standard for all class 2 waters established in Minn. R. ch. 7050.0150, subp. 3.

(b) "Waters containing natural beds of wild rice" means waters where wild rice occurs naturally. Before designating waters containing natural beds of wild rice as waters subject to a standard, the commissioner of the Pollution Control Agency shall establish criteria for the waters after consultation with the Department of Natural Resources, Minnesota Indian tribes, and other interested parties and after public notice and comment. The criteria shall include, but not be limited to, history of wild rice harvests, minimum acreage, and wild rice density.

2011 First Special Session, ch. 2, Art. 4 (emphasis added). The legislature has required that Minn. R. ch. 7050 be amended to designate each body of water, or specific portion thereof, to which wild rice water quality standards apply." Rulemaking has a long established formal process that the MPCA follows and will follow in designating waters. Referring to the italicized language, the legislature established a separate criteria development process for the MPCA to follow and specified that the process is to include a consultation component and a public notice and comment component separate from the public notice and comment process that will occur during the rulemaking called for by the legislation. The legislature has required the MPCA to complete the criteria development process prior to rulemaking for designating waters. While the criteria are to be used in the designation process, the legislation imposes no restrictions upon the MPCA's permitting authorities, its obligations to protect impaired waters or its use of the criteria on a case-by-case basis to identify impaired waters and when effluent limitations are necessary in permits.

Mr. Larry Sutherland Page 3 November 8, 2013

Based on the foregoing, the MPCA has concluded that it is appropriate to move forward with the process to establish criteria for designating "waters containing natural beds of wild rice," prior to the rulemaking.

The MPCA will use the criteria that emerge from this process for three purposes: to inform the process of "designating" waters subject to the standard in the wild rice standards rulemaking, to apply on a case-by-case basis to identify when effluent limitations are necessary in permits, and to aid the MPCA when listing impaired waters. Attached is a proposed timeline for activities related for the wild rice sulfate standard.

Please feel free to contact me with questions at 651-757-2366.

Sincerely,

Ann M. Foss

Director

Metallic Mining Sector

Industrial Division

AMF/SB:rm

Attachment



Minnesota Pollution Control Agency

520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300

800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

November 18, 2014

Paula Maccabee, Esq. Just Change Law Offices 1961 Selby Ave. St. Paul MN 55104

RE: Minnesota 2014 Impair Waters List – Request for Update

Dear Ms. Maccabee:

Thank you for your continued interest in Minnesota's list of impaired waters. This letters provides an update of the Minnesota Pollution Control Agency's (MPCA) efforts to list certain waters as impaired for high mercury in the water and wild rice production waters as impaired for high sulfate.

Assessment of the Partridge River and the Embarrass River for high mercury in the water column:

As you noted, you previously requested that the MPCA list sections of the Partridge River and Embarrass River near the Polymet Mine site as impaired for mercury in the water column in your February 10, 2014 letter. The MPCA's response to that request is included in the April 1, 2014 Responses to the draft 2014 Impaired Waters List 30-Day Public Notice Comments on the MPCA website (See "Comment 11 and 14" of the MPCA's response to comments). There has been no change in our original response to your comment on the 2014 draft Impaired Water List. We are currently working with the DNR in order to get data identified during the list submittal by the Fond du Lac tribe. Provided that the DNR data includes mercury data for the Partridge and the Embarrass, the clean hands/dirty hands technique of sample collection was applied, and we received the data in an acceptable format, we will be able to assess these rivers for mercury in the water in 2015. Any impairments would be included in the draft 2016 Impaired Waters List.

Listing wild rice waters for high sulfate:

Your February 10, 2014 letter also requested that the MPCA list specific waters as impaired for the sulfate water quality standard applicable to water used for production of wild rice. As with your request to list specific waters as impaired for mercury, we responded to your sulfate-related request in the April 1, 2014 response to comments (See "Comments 14, 18, 27" of the MPCA's response to comments). That response remains applicable. The MPCA is committed to assessing water used for production of wild rice. The MPCA is still in the midst of identifying factors to determine where water used for production of wild rice exists. That work is taking place in parallel to ongoing analysis to determine what, if any, changes may be needed to the wild rice sulfate standard to adequately protect water used for production of wild rice. Once the factors to identify water used for production of wild rice are available and the analysis of the standard is complete, the MPCA will incorporate the learning from those efforts into a revised assessment methodology for water used for production of wild rice. The methodology will ultimately be used to determine whether any water used for production of wild rice needs to be added to the draft 2014 Impaired Waters List.

Sincerely,

Miranda Nichols

Impaired Waters List Coordinator

Junda Michal

Minnesota Pollution Control Agency

520 Lafayette Road North | St. Paul, Minnesota 55155-4194 | 651-296-6300

800-657-3864 | 651-282-5332 TTY | www.pca.state.mn.us | Equal Opportunity Employer

cc: Paul Proto, US EPA Region 5 Tinka Hyde, US EPA Region 5